



DAFTAR PUSTAKA

- Ahmed, S.A., and Soliman, E.M., 2013, Silica Coated Magnetic Particles Using Microwave Synthesis for Removal of Dyes from Natural Water Samples: Synthesis, Characterization, Equilibrium, Isotherm, and Kinetics Studies, *Appl. Surf. Sci.*, 284, 23-32.
- Bruni, S., Cariati, F., Casu, M., Lai, A., Musinu, A., Piccaluga, G., and Solinas, S., 1999, *Nanostruct. Mater.* 11, 573-586.
- Buckley, A.M., and Greenblatt, M., 1994, Sol-Gel Preparation of Silica Gels, *J. Chem. Ed.*, 71(7), 599.
- Budnyak, T.M., Pylypczuk, I.V., Tertykh, V.A., Yanovska, E.S., and Kolodynska, D., 2015, Synthesis and Adsorption Properties of Chitosan-Silica Nanocomposites Prepared by Sol-Gel Method, *Nanoscale Res. Lett.*, 10:87, 1-10.
- Buhani, Narsito, Nuryono, and Kunarti, E.S., 2009, Amino and Mercapto-Silica Hybrid for Cd(II) Adsorption in Aqueous Solution, *Indo. J. Chem.*, 9, 170-176.
- Capelo-Martinez, J.L., 2009, *Ultrasound in Chemistry: Analytical Applications*, WILEY-VCH Verlag GmbH & Co. KgaA, Weinheim.
- Chen, D.H., and Chang, Y.C., 2006, Recovery of Gold(III) Ions by a Chitosan-coated Magnetic Nano-adsorbent, *Gold Bulletin*, 29/3, 98-102.
- Cornell, R.M., and Schwermann U., 1996, *The Iron Oxides*, VCH Press, Weinheim.
- Deng Y.H., Wang, C.C., Hu, J.H., Yang, W.L., and Fu, S.K., 2005, Investigation of Formation of Silica-Coated Magnetite Nanoparticles via Sol-Gel Approach, *Colloids and Surfaces A: Physicochem. Eng. Aspects*, 262, 87-93.
- Evans, M.E., and Heller, F., 2003, *Environmental Magnetism: Principles and Applications of Enviromagnetics*, Academic Press, California.
- Fan, F.L., Qin, Z., Bai, J., Rong, W.D., Fan, F.Y., Tian, W., Wu, X.L., Wang, Y., and Zhao, L., 2012, Rapid Removal of Uranium from Aqueous Solutions Using Magnetic Fe₃O₄@SiO₂ Composite Particles, *J. Environ. Radioact.*, 106, 40-46.
- Girginova, P.I., Daniel-da-Silva, D., Lopes, C.B., Figueira, P., Otero, M., Amaral, V.S., Pereira, E., and Trindade, T., 2010, Silica Coated Magnetite Particles for Magnetic Removal of Hg²⁺ from Water, *J. Colloid Interface Sci.*, 345, 234-240.



- Hadorai, Y., Rengaraj, A., Ryu, T., Shin, J., Huh, Y.S., and Han, Y.K., 2015, Response Surface Methodology for The Optimization of Lanthanum Removal from an Aqueous Solution Using Fe_3O_4 /Chitosan Nanocomposite, *Mater. Sci. Eng., B*, 20-29.
- Heriyanto, 2016, Adsorpsi Au(III) pada Material Magnetik Pasir Besi Terlapis Silika Termodifikasi Etilendiamina, *Skripsi*, Departemen Kimia Fakultas Matematika dan Ilmu Pengetahuan Alam Universitas Gadjah Mada, Yogyakarta.
- House, C.I., and Marsden, J.O., 2006, *The Chemistry of Gold Extraction, Second Edition*, Society for Mining, Metallurgy, and Exploration, Inc. (SME), Littleton.
- Jal, P.K., Patel, S., and Mishra, B.K., 2004, Chemical Modification of Silica Surface by Immobilization of Functional Groups of Extractive Concentration of Metal Ions, *Talanta*, 62, 1005-1028.
- Jati, M.A.S., 2010, Sintesis dan Karakterisasi Hibrida Kitosan-Silika untuk Adsorpsi Pb(II), *Skripsi*, Jurusan Kimia Fakultas Matematika dan Ilmu Pengetahuan Alam Universitas Gadjah Mada, Yogyakarta.
- Katim, I., 1994, *Pemanfaatan Pasir Besi Titan untuk Pembuatan Besi Cor Titan Oksida dan Logam Titan*, Laporan Penelitian Pusat Penelitian dan Pengembangan Metalurgi Lembaga Ilmu Pengetahuan Indonesia, Jakarta.
- Kestelman, V.N., and Pomogailo, A.D., 2005, *Metallopolymer Nanocomposites*, Springer-Verlag Berlin Heidelberg, Heidelberg.
- Kickelbick, G., 2007, *Hybrid Materials, Synthesis, Characterization, and Applications*, Wiley-VCH Verlag GmbH & Co. KgaA, Weinheim.
- Kyzas, G.Z., and Bikaris, D.N., 2015, Recent Modification of Chitosan for Adsorption Applications: A Critical and Systematic Review, *Mar. Drugs*, 13, 312-337.
- Laurenzi III, M.A., 2008, Transformation Kinetics & Magnetism of Magnetite Nanoparticles, *Dissertation*, Department of Physics, The Catholic University of America, Washington, D.C.
- Lam, K.F., Fong, C.M., Yeung, K.L., and McKay, G., 2008, Selective Adsorption of Gold from Complex Mixtures using Mesoporous Adsorbents, *Chem. Eng. J.*, 145, 185-195.
- Lei, Z., Pang X., Li, N., Lin, L., and Li, Y., 2009, A Novel Two-Step Modifying Proccess for Preparation of Chitosan-coated $\text{Fe}_3\text{O}_4/\text{SiO}_2$ Microspheres, *J. Mater. Process. Technol.*, 209, 3218-3225.



- Lewandowska, J., Staszewska, M., Kepczynski, M., Szuwarzyński, M., Łatkiewicz, A., Oljniczak, Z., and Nowakowska, M., 2012, Sol-gel Synthesis of Iron Oxide-Silica Composite Microstructures, *J. Sol-Gel Sci. Technol.*, 64, 67-77.
- Li, J., Yao, K., Yao, F., and Yin, Y., 2012, *Chitosan-Based Hydrogels, Functions and Applications*, Taylor & Francis Group, LLC., Boca Raton.
- Li, T.T., Liu, Y.G., Peng, Q.Q., Hu, X.J., Liao, T., Wang, H., and Lu, M., 2013, Removal of Lead(II) from Aqueous Solution with Ethylenediamine-Modified Yeast Biomass Coated with Magnetic Chitosan Microparticles: Kinetic and Equilibrium Modelling. *Chem. Eng. J.*, 214, 189-197.
- Li, Y.S., Church, J.S., Woodhead, A.L., and Moussa, F., 2010, Preparation and Characterization of Silica Coated Iron Oxide Magnetic Nano-particles, *Spectrochim. Acta, Part A*, 76, 484-489.
- Liu, L., Xiao, L., Zhu, H., and Shi, X., 2012, Preparation of Magnetic and Fluorescent Bifunctional Chitosan Nanoparticles for Optical Determination of Copper Ion, *Microchim. Acta*, 178, 413-419.
- Muzzarelli, R.A.A. 1977, *Chitin*, Pergamon Press, Oxford.
- Navarro, R., Guzmán, J., Saucedo, I., Revilla, J., and Guibal, E., 2003, Recovery of Metal Ions by Chitosan: Sorption Mechanisms and Influence of Metal Speciation, *Macromol. Biosci.*, 3, 552-561.
- Nuryono, Muliaty, E., Rusdiarso, B., Sakti, S.C.W., and Tanaka, S., 2014, Adsorption of Au(III), Cu(II), and Ni(II) on Magnetite Coated with Mercapto Groups Modified Rice Hull Ash Silica, *J. Ion Exchange*, 25(4), 114-121.
- Nuryono, Rosiati, N.M., Rusdiarso, B., Sakti, S.C.W., and Tanaka, S., 2014, Coating of Magnetite with Mercapto Modified Rice Hull Ash Silica in a One-Pot Process, *SpringerPlus*, 3:515, 1-12.
- Paclawski, K., and Sak, T., 2015, Kinetics and Mechanism of The Reaction of Gold(III) Chloride Complexes with Formic Acid. *J. Min. Metall. Sect. B-Metall.* 51(2) B, 133-142.
- Pang, Y.X., Hodgson, S.N.B., Weglinski, B., and Gaworska, D., 2006, Investigations into Sol-gel Silica and Silica Hybrid Coatings for Dielectromagnetic Soft Magnetic Composite Applications, *J. Mater. Sci.*, 4, 5926-5936.
- Putra, H., Satyamo, I., dan Wijatna, A.B., 2008, Penggunaan Pasir Besi dari Kulon Progo dengan Berat Jenis 4,311 untuk Mortar Perisasi Radiasi Sinar Gamma, *Forum Teknik Sipil*, No. XVIII/3, 909-920.



- Qin, H., Wang, C.M., Dong, Q.Q., Zhang, L., Zhang, X., Ma, Z.Y., and Han, Q.R., 2015, Preparation and Characterization of Magnetic Fe_3O_4 -Chitosan Nanoparticles Loaded with Isoniazid, *J. Magn. Magn. Mater.*, 381, 120-126.
- Ren, Y., Abbood, H.A., He, F., Peng, H., and Huang, K., 2013, Magnetic EDTA-modified Chitosan/ $\text{SiO}_2/\text{Fe}_3\text{O}_4$ Adsorbent: Preparation, Characterization, and Application in Heavy Metal Adsorption, *Chem. Eng. J.*, 226, 300-311.
- Rida, M.A., and Harb, A.H., 2014, Synthesis and Characterization of Amorphous Silica Nanoparticles from Aqueous Silicates Using Cationic Surfactants, *J. Met. Mater. Miner.*, 24(1), 37-42.
- Rochani, S., Pramusanto, Sariman, and Anugrah, R.I., 2008, The Current Status of Iron Minerals in Indonesia, *Indo. Mining J.*, 11(11), 1-17.
- Rotta, J., Minatti, E., and Barreto, P.L.M., 2011, Determination of Structural and Mechanical Properties, Diffractometry, and Thermal Analysis of Chitosan and Hydroxypropylmethylcellulose (HPMC), Films Plastisized with Sorbitol, *Ciênc. Technol. Aliment., Campinas*, 31(2), 450-455.
- Rozana, K., 2015, Pelapisan Bahan Magnetik Pasir Besi dengan Silika Termodifikasi Etilendiamina, *Skripsi* Departemen Kimia Fakultas Matematika dan Ilmu Pengetahuan Alam Universitas Gadjah Mada, Yogyakarta.
- Rusianto, T., Wildan, M.W., Abraha, K., and Kusmono, The Potential of Iron Sand from The Coast South of Abntul Yogyakarta as Raw Ceramic Magnet Materials, *Jurnal Teknologi*, 5(1), 62-69.
- Saleh, H.I., 2015, Synthesis of Coated Magnetic Nanoparticles by Simple Method to Removal Heavy Ions from Aquatic Environments, *Aust. J. Basic Appl. Sci.*, 9(5), 103-110.
- Samsonov, G.V., 1973, *The Oxide Handbook*, IFI-Plenum, New York.
- Sharafi, A., and Farhadyar, N., 2013, Preparation of $\text{Fe}_3\text{O}_4@\text{SiO}_2$ Nanostructures via Inverse Micelle Method and Study of Their Magnetic Properties for Biological Applications, *Int. J. Bio-Inorg. Hybd. Nanomat.*, 2(1), 309-313.
- Song, Y., and Zhu, D., 2009, *High Density Data Storage: Principle, Technology, and Materials*, World Scientific Publishing Co. Ptc. Ltd., Massachusetts.
- Sonia, T.A., and Sharma, C.P., 2011, Chitosan and Its Derivatives for Drug Delivery Perspective, *Adv. Polym Sci.*, 243, 23-54.
- Sulastri, S., Nuryono, Kartini, I., and Kunarti, E.S., 2011, Adsorption of Ca(II), Pb(II), and Ag(I) on Sulfonato-Silica Hybrid Prepared from Rice Hull Ash, *Indo. J. Chem.*, 11(3), 273-278.



- Syukur, M., 2014, Sintesis $\text{Fe}_3\text{O}_4/\text{SiO}_2$ Termodifikasi (N-(2-aminoethyl)-3-aminopropil) untuk Adsorpsi-Desorpsi Anionik (AuCl_4^-), *Tesis*, Jurusan Kimia Fakultas Matematika dan Ilmu Pengetahuan Alam Universitas Gadjah Mada, Yogyakarta,
- Tian, Y., Yin, P., Qu, R., Wang, C., Zheng, H., and Yu, Z., 2010, Removal of Transition Metal Ions from Aqueous Solutions by Adsorption Using a Novel Hybrid Material Silica Gel Chemically Modified by Triethylenetetramino methylenephosphonic Acid, *Chem. Eng. J.*, 162, 573-579.
- Ullah, R., Deb, B.K., and Mollah, M.Y.A., 2014, Synthesis and Characterization of Silica Coated Iron-Oxide Composites of Different Ratios, *Int. J. Comp. Mater.*, 4(2), 135-145.
- Vansant, E.F., Van Der Voort, P., and Vrancken, K.C. 1995, *Characterization and Chemical Modification of The Silica Surface*, Elsevier Science B.V., Amsterdam.
- Wang, J., Zheng, S., Shao, Y., Liu, J., Xu, Z., and Zhu, D., 2010, Amino-functionalized $\text{Fe}_3\text{O}_4@\text{SiO}_2$ Core-Shell Magnetic Nanomaterial as a Novel Adsorbent for Aqueous Heavy Metals Removal, *J. Colloid Interface Sci.*, 349, 293-299.
- Witoon, T., Chareonpanich, M., and Limtrakul, J., 2009, Effect of Acidity on the Formation of Silica-Chitosan Hybrid Materials and Thermal Conductive Property, *J. Sol-Gel Sci. Technol.*, 51, 146-152.
- Wu, W., He, Q., and Jiang, C., 2008, Magnetic Iron Oxide Nanoparticles: Synthesis and Surface Functionalization Strategies, *Nanoscale Res. Lett.*; 3(11), 397-415.
- Wu, Y., Wang, Y., Luo, G., and Dai, Y., 2009, In Situ Preparation of Magnetic Fe_3O_4 -Chitosan Nanoparticles for Lipase Immobilization by Cross-linking and Oxidation in Aqueous Solution, *Bioresour. Technol.*, 100, 3459-3464.
- Zakaria, Z., Izzah, Z., Jawaaid, M., and Hassan, A., 2012, Effect of Degree of Deacetylation of Chitosan on Thermal Stability and Compatibility of Chitosan-Polyamide Blend, *BioResources*, 7(4), 5568-5580.