



## DAFTAR PUSTAKA

- Adams, D.J., Adams, E.M., Hills, G.J., 1979, The Computer Simulation of Polar Liquids, *J. Mol. Phys.*, 38, 387–400.
- Ahlrichs, R., Bär, M., Häser, M., Horn, H., Kölmel, C., 1989, Electronic Structure Calculations on Workstation Computers: The Program System Turbomole, *Chem. Phys. Lett.*, 162, 165-169
- Al, M, 1999, *Ammonia Production and Principles*, Wiley-VCH, New York.
- Armunanto, R., 2004, Simulation of Ag<sup>+</sup>, Au<sup>+</sup>, Co<sup>2+</sup>, in Water, Liquid Ammonia and Water-Ammonia Mixture, Disertasi, Institut fur Allgemeine, Anorganische und Theoretische Chemie, Univeritat Innsbruck, Innsbruck.
- Atkins, P. W., Overton, T. L., Rourke, J. P. and Weller, M. T., 2010, *Shriver and Atkin's Inorganic Chemistry, Fifth Ed*, Oxford University Press, New York
- Bachrach, S. M., 2014, *Computational Aproaches to Understanding Enzymes: Computational Organic Chemistry.*, John Wiley & Sons, New York.
- Bakó, I., Hutter, J. and Pálinskás, G., 2002, Car-Parrinello molecular dynamics simulation of the hydrated calcium ion, *J. Chem. Phys B.*, 117(21), 9838–9843.
- Bhattacharjee, A., Hofer, T. S., Pribil, A. B., Randolph, B. R., Lim, L. H. V., Lichtenberger, A. F. and Rode, B. M., 2009, Revisiting the Hydration of Pb (II): A QMCF MD Approach, *J. Phys. Chem. B.*, 113, 13007–13013.
- Braish, T. F., Duncan, R. E., Harber, J. J., Steffen, R. L. Stevenson, K. L., 1984, Equilibria, spectra, and photochemistry of copper (I)-ammonia complexes in aqueous solution, *Inorg. Chem.*, 23, 4072–4075.
- Canaval, L. R., Weiss, A. K. H. and Rode, B. M., 2013, Structure and dynamics of the Th<sup>4+</sup>-ion in aqueous solution – An ab initio QMCF-MD study, *Comput Theor Chem.*, 1022, 94–102.
- Diethelm, K. A. I., Ford N. J., Freed A. D., 2002, A Predictor-Corrector Approach for The Numerical, *Nonlinear Dyn.*, 29, 3-22
- Emerson, K., Russo R., Lund E., Thurston, R.V., 1975, Aqueous Ammonia Equilibrium Calculations, *J Fish Res Board Can*, 32, 2379-2383
- Field, M. J., 2007, *A Practical Introduction To The Simulation Of Molecular Systems*, Cambridge University Press, New York.



- Head-Gordon, M., Pople, J. A. and Frisch, M. J., 1988, MP2 energy evaluation by direct methods, *Chem. Phys. Lett.*, 153(6), 503–506.
- Hickman, A. J. , Melanie S., 2012, High-valent organometallic copper and palladium in catalysis, *Nature*, 484, 177-185
- Hofer, T. S., A. Pribil, B. Randolph, B. R., 2010, Ab initio quantum mechanical charge field molecular dynamics: a nonparametrized first-principle approach to liquids and solutions, *Adv. Quant. Chem.*, 112, 317-328.
- Hu, J., Chen, Q., Hu, H., Jiang, Z., Wang, D., Wang, S. and Li, Y., 2013, Microscopic Insights Into Extraction Mechanism of Copper ( II ) in Ammoniacal Solutions Studied by X-Ray Absorption Spectroscopy and DFT Calculation, *J. Phys. Chem. A*, 117, 12280–12287.
- Iino, T., Ohashi, K., Mune, Y., Inokuchi, Y., Judai, K., Nishi, N. and Sekiya, H., 2006, Infrared photodissociation spectra and solvation structures of Cu<sup>+</sup>(H<sub>2</sub>O)<sub>n</sub> (n = 1-4), *Chem. Phys. Lett.*, 427, 24–28.
- Inoue, K., Ohashi, K., Iino, T., Judai, K., Nishi, N. and Sekiya, H., 2007, Coordination and solvation of copper ion: infrared photodissociation spectroscopy of Cu(NH<sub>3</sub>)<sub>n</sub><sup>+</sup> (n = 3-8), *PCCP*, 9(34), . 4793–802.
- Jensen, F., 2007, *Introduction to Computational Chemistry*, John Wiley & Sons, West Sussex
- Keller, S., Pertegás, A., Longo, G., Martínez, L., Cerdá, J., Junquera-Hernández, J. M., Prescimone, A., Constable, E. C., Housecroft, C. E., Ortí, E. and Bolink, H. J., 2016, Shine bright or live long: substituent effects in [Cu(N<sup>N</sup>N)(P<sup>P</sup>P)]<sup>+</sup>-based light-emitting electrochemical cells where N<sup>N</sup>N is a 6-substituted 2,2'-bipyridine, *J. Mater. Chem. C*, 4, 3857–3871.
- Lagowski J.J., 2007, Liquid ammonia, *Synth. React. Inorganic, Met. Nano-Metal Chem.*, 37, 115-153.
- Leach, A. R., 2001, *Molecular modelling principles and applications*, Prentice Hall, New Jersey.
- Lide, D.R., 2005, *CRC Handbook of Chemistry 88<sup>th</sup> Edition*, CRC Press, Boca Raton.
- Lin, H. and Truhlar, D. G., 2007, QM/MM: What have we learned, where are we, and where do we go from here?, *Theor. Chem. Acc.*, 117, 185–199.
- Linder, M. C., 1991, *Biochemistry of Copper*. Plenum Press, New York.



Miessler, G. L., Fischer, P. J. and Tarr, D. A., 2013, *Inorg. Chem.*, Pearson Education, Inc, Saddle River

Nilsson, K. B. and Persson, I., 2004, The coordination chemistry of copper(I) in liquid ammonia, trialkyl and triphenyl phosphite, and tri-n-butylphosphine solution, *Dalton Trans.*, 9, 1312–1319.

Ohashi, K., Inoue, K., Iino, T., Sasaki, J., Judai, K., Nishi, N. and Sekiya, H., 2009, A molecular picture of metal ion solvation: Infrared spectroscopy of Cu<sup>+</sup>(NH<sub>3</sub>)<sub>n</sub> and Ag<sup>+</sup>(NH<sub>3</sub>)<sub>n</sub> in the gas phase, *J. Mol Liq.*, 147, 71–76.

Pranowo, H. D., Rode, B., 2001, Preferential Cu<sup>2+</sup> solvation in aqueous ammonia solution of various concentrations, *Chem. Phys.*, 263, 1-6.

Pranowo, H. D., Setiaji, A. H. B. and Rode, B. M., 1999, Cu<sup>+</sup> in Liquid Ammonia and in Water: Intermolecular Potential Function and Monte Carlo Simulation, *J. Phys. Chem. A*, 103, 11115–11120.

Presetyo, N., Armunanto, R., 2016, Revisiting structure and dynamics of Ag<sup>+</sup> in 18.6% aqueous ammonia: An ab initio quantum mechanical charge field simulation, *Chem. Phys. Lett.*, 652, 243-248.

Rapaport, D. C. C., 2004, *The Art of Molecular Dynamics Simulation*, Cambridge University Press, New York

Rayner, G. and Overton, T., 2010, *Descriptive Inorganic Chemistry* W.H. Freeman and Company, New York.

Maniyara, R.A., Vahagn K. Mkhitaryan, Tong Lai Chen, Dhriti Sundar Ghosh, Valerio Pruner, 2016, An antireflection transparent conductor with ultralow optical loss (<2 %) and electrical resistance (<6 Ω sq<sup>-1</sup>), *Nat. Commun.*, 7, 13771

Rode, B. M., Schwenk, C. F., Hofer, T. S. and Randolph, B. R., 2005, Coordination and ligand exchange dynamics of solvated metal ions, *Coord. Chem. Rev.*, 249, 2993–3006.

Rode, Hofer, T. S., Randolph, B. R., Schwenk, C. F., Xenides, D. and Vchirawongkwin, V., 2005, Ab initio quantum mechanical charge field (QMCF) molecular dynamics: A QM/MM - MD procedure for accurate simulations of ions and complexes, *Theor. Chem. Acc.*, 115(2–3), 77–85.

Wei, F., Zhang, T., Liu, X., Li, X., Jiang, N., Liu, Z., Bian, Z., Zhao, Y., Lu, Z. and Huang, C., 2014, Efficient nondoped organic light-emitting diodes with CuI complex emitter, *Org. Electron.*, 15, 3292–3297.

Wu, D. Y., Hayashi, M., Shiu, Y. J., Liang, K. K., Chang, C. H., Yeh, Y. L. and Lin, S. H., 2003, A Quantum Chemical Study of Bonding Interaction ,



UNIVERSITAS  
GADJAH MADA

SOLVASI PREFERENSIAL DAN SIFAT DINAMIKA ION Cu<sup>+</sup> DALAM LARUTAN AMONIAK 18,6% :  
STUDI SIMULASI  
DINAMIKA MOLEKULER AB INITIO QUANTUM MECHANICAL CHARGE FIELD (QMCF)  
WAHYU DITA SAPUTRI, Dr. rer.nat. Ria Armunanto, M.Si. ; Prof. Dr. rer.nat. Karna Wijaya, M.Eng.

Universitas Gadjah Mada, 2016 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Vibrational Frequencies , Force Constants , and Vibrational Coupling of  
Pyridine - M n ( M ) Cu , Ag , Au ( n 2 - 4 ), *J. Phys. Chem. A*, 107, 9658–  
9667.

van Duin, A.C.T. dkk., 2010, Development and validation of a ReaxFF reactive  
force field for Cu cation/water interactions and coer metal/metal oxide/metal  
hydroxide condensed phases, *J. Phys. Chem. A*, 114, 9507–9514.