

DAFTAR PUSTAKA

- Abrignani, M. G., Dominguez, L. J., Biondo, G., Girolamo, A. Di, Novo, G., Barbagallo, M., Novo, S. (2005). In-Hospital Complications of Acute Myocardial Infarction in Hypertensive Subjects, 165–170. <http://doi.org/10.1016/j.amjhyper.2004.09.018>
- Ambrose, J. A., & Barua, R. S. (2004). The Pathophysiology of Cigarette Smoking and Cardiovascular Disease, 43(10). <http://doi.org/10.1016/j.jacc.2003.12.047>
- Ayhan, S. S., Tosun, M., Ozturk, S., Alcelik, A., Ozlu, M. F., Erdem, A., Yazici, M. (2012). Glycated haemoglobin is correlated with the severity of coronary artery disease independently of traditional risk factors in young patients
Korelacja odsetka hemoglobiny glikowanej z ciężkością choroby wieńcowej występująca u młodych osób niezależnie od tradycyjnych czynników ryzyka, 63(5), 367–371.
- Badan Penelitian dan Pengembangan Kesehatan Kemenkes RI. (2013). Riset Kesehatan Dasar (Riskesdas) 2013.
- Bays, H. E., Toth, P. P., Kris-etherton, P. M., Abate, N., Aronne, L. J., Brown, W. V., Samuel, V. T. (2013). Obesity, adiposity, and dyslipidemia: A consensus statement from the National Lipid Association. *Journal of Clinical Lipidology*, 7(4), 304–383. <http://doi.org/10.1016/j.jacl.2013.04.001>
- Bonow, O., Carabello, F. B. A., & Erwin, F. J. P. (2014). 2014 AHA/ACC Guideline for the Management of Patients With Valvular Heart Disease. *Journal of the American College of Cardiology*. <http://doi.org/10.1016/j.jacc.2014.02.536>
- Cakmak, M., Cakmak, N., Cetemen, S., & Tanriverdi, H. (2008). The value of admission glycosylated hemoglobin level in patients with acute myocardial infarction, 24(5), 2006–2009.
- Chandalia, H. B., & Krishnaswamy, P. R. (2002). Glycated hemoglobin, 83(12).
- Dupras D, Bluhm J, Felty C, Hansen C, Johnson T, Lim K, Maddali S, Marshall P, Messner P, Skeik N. Institute for Clinical Systems Improvement. Venous Thromboembolism Diagnosis and Treatment. <http://bit.ly/VTE0113>. Updated January 2013.
- English, E., & John, G. (2012). HbA1c (glycated haemoglobin) (blood), 1–10. *Association for Clinical Biochemistry*.
- Feeman, W. (1999). The Role of Cigarette Smoking in Atherosclerotic Disease: an Epidemiologic Analysis. Ohio: *Journal of Cardiovascular Risk*.

- Gholap, N., Davies, M., Mostafa, S. A., & Khunti, K. (2011). Use of HbA1c in diagnosing diabetes and identifying individuals at a high risk of diabetes . Guidance to GP practices in Leicester.
- Hartopo, A.B., Setianto, B.Y., Puspitawati, I. (2014). Kadar Endothelin-1 Plasma Sebagai Prediktor *Adverse cardiac events* pada Pasien Infark Miokard Akut. Yogyakarta : Fakultas Kedokteran UGM.
- Heianza Y, Arase Y, Kodama S, Hsieh SD, Tsuji H, Hara S, Sone H. Fasting Glucose and HbA1c Levels as Risk Factors for The Development of Hypertension in Japanese Individuals: Toranomon Hospital Health Management Center Study 16 (TOPICS 16). *Journal of Human Hypertension* April 2015. 29, 254-259 [doi:10.1038/jhh.2014.77]
- Kalantar-Zadeh, K. (2011). *Chronic Kidney Disease (CKD)* (6th ed., Vol. 6). California: Henry Ford Health System.
- Khan, H. A., Alhomida, A. S., & Sobki, S. H. (2013). Biomarker Insights Lipid Profile of Patients with Acute Myocardial Infarction and its Correlation with Systemic Inflammation, 1–7. <http://doi.org/10.4137/BMI.S11015>
- Lazzeri, C., Valente, S., Chiostrri, M., Alfonso, M. G. D., Gensini, G. F., Lazzeri, C.,(2014). Clinical Significance of Glycated Hemoglobin in the Acute Phase of ST Elevation Myocardial Infarction, 6(4), 140–147. <http://doi.org/10.4330/wjc.v6.i4.140>
- Loscalzo, J. (2010). *Harrison’s Cardiovascular Medicine*, 17th. The McGraw-Hill Companies; USA.
- Macfarlane, P. W., Clark, E., Devine, B., & Jayne, C. P. (2007). Evaluation of Age and Sex Dependent Criteria for ST Elevation Myocardial Infarction, 293–296.
- Martin-Timon I, Collantes CS, Galindo AS, Gomez FJC. Type 2 diabetes and cardiovascular disease: Have all risk factors the same strength?. *World J Diabetes* Agustus 2014. 15; 5(4): 444-470 [doi: 10.4239/wjd.v5.i4.444]
- Melchior, T., Køber, L., Madsen, C. R., Seibæk, M., Jensen, G. V. H., Hildebrandt, P., Study, T. (1999). Accelerating impact of diabetes mellitus on mortality in the years following an acute myocardial infarction, 973–978.
- Miller W., Wright R., Grill P., et al. (2000). Improved Survival after Acute Myocardial Infarction in Patients with Advanced Killip Class, 758.
- Picariello, C., Lazzeri, C., Attan, P., Chiostrri, M., Gensini, G. F., & Valente, S. (2011). The Impact of Hypertension on Patients with Acute Coronary Syndromes, 2011. <http://doi.org/10.4061/2011/563657>

- Rasoul, S., Ottervanger, J. P., Timmer, J. R., Dikkeschei, L. D., Boer, M. J. De, Zijlstra, F., & Clinics, I. (2007). Glucose dysregulation in nondiabetic patients with ST-elevation myocardial infarction: acute and chronic glucose dysregulation in STEMI, 65(3), 95–100.
- Report, A., & Consultation, W. H. O. (2011). Use of Glycated Haemoglobin (HbA1c) in the Diagnosis of Diabetes Mellitus, 1–25.
- Sayehmiri, K., Sarokhani, D., Jahanihashemi, H., Sayehmiri, A., Sarokhani, M. T., Hemati, F., Motedayen, M. (2012). Prediction of Survival after Myocardial Infarction Using Killip Class, 2012(December), 563–568.
- Siracuse, J. J., & Chaikof, E. L. (2012). The Pathogenesis of Diabetic Atherosclerosis, 13–27. <http://doi.org/10.1007/978-1-62703-158-5>.
- Siswanto, B. B., Hersunari, N., Erwinanto, Barack, R., Pratikto, R. S., Nauli, S. E., & Lubis, A. C. (2015). *Pedoman Tatalaksana Gagal Jantung (1st ed.)*. Jakarta: Perhimpunan Dokter Spesialis Kardiovaskular Indonesia.
- Sastroasmoro, S., Ismael, S. (2011). *Dasar-dasar Metodologi Penelitian Klinis*. Edisi 4. Jakarta : Sagung Seto.
- Wang, X., Han, Z., Hao, G., Li, Y., Dong, X., & Wang, C. (2015). Hemoglobin A1c Level Is Not Related to the Severity of Atherosclerosis in Patients with Acute Coronary Syndrome, 2015. <http://doi.org/10.1155/2015/192108>
- Yunyun, W., Tong, L., Yingwu, L., Bojiang, L., Yu, W., Xiaomin, H., Wenjin, P. (2014). Analysis of risk factors of ST-segment elevation myocardial infarction in young patients, 1–6.