

REFERENCES

- Able, A.J., Wong, L.S., Prasad, A., O'Hare, T.J., 2002a. 1-MCP is more effective on a floral brassica (*Brassica oleracea* var. *italica* L.) than a leafy brassica (*Brassica rapa* var. *chinensis*). *Postharvest Biol. Technol.* 26, 147_ 155.
- Aked, dr. J, Wim Jongen. 2002. *Fruit and Vegetable Processing: Improving Quality*. New York: CRC Press
- Alexander L, Grierson D. 2002. Ethylene Biosynthesis and Action in Tomato: a Model for Climacteric Fruit Ripening. *J Exp Bot* 53:2039–2055
- Anonym a. 2011. *Pyrus* L.
http://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=25294 accessed on 9th of February 2016 04.03 PM JST
- Anonym b, -. *Plants in Action: Second Edition Chapter 11: Fruit growth, ripening, and post-harvest physiology.*
<http://plantsinaction.science.uq.edu.au/content/1151-ethylene-and-regulation-ripening> accessed on 11th of July 2016 08.04 PM JST
- Anonym c, -. 1-methylcyclopropene. <http://www.en.chembase.cn/molecule-125162.html> accessed on 6th of January 2017 03.41 PM WIB
- Argenta LC, Fan X and Mattheis JP. 2003 Influence of 1-methylcyclopropene on ripening, storage life, and volatile production by d'Anjou cv. pear fruit. *J Agric Food Chem* 51:3858–3864
- Litbang. 2013. *Tingkat Konsumsi Buah-buahan di Indonesia.*
http://pse.litbang.pertanian.go.id/ind/pdf/files/PROS2013_05B_Ening.pdf accessed on 9th of November 2016 02.06 PM WIB
- Bagnato, N, R. Barrett, M. Sedgley, A. Klieber. 2003 The effects on the quality of Cavendish bananas, which have been treated with ethylene, of exposure to 1-methylcyclopropene. *Intl J Food Sci Technol*, 38, pp. 745–750
- Baritelle AL, Hyde GM, Fellman JK and Varith J. 2001. Using 1-MCP to inhibit the influence of ripening on impact properties of pear and apple tissue. *Postharvest Biol Technol* 23:153–160
- Barry, C. and Giovannoni, J.J. 2007. Ethylene of Fruit Ripening. *Plant Growth Regul* 26:143-159.



UNIVERSITAS
GADJAH MADA

Effect of 1-MCP Treatment on Fruit Ripening of *Pyrus communis* L. 'Silver Bell' Pears
ANASTASIA YVONNE, Prof. Dr. Ir. H. Umar Santoso, M.Sc.
Universitas Gadjah Mada, 2016 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Blankenship, Sylvia M., John M. Dole. 2003. 1-Methylcyclopropene: A review.
Postharvest Biol Technol 28:1-25

- Bouzayen, Mondher and Latché, Alain and Nath, Pavendra and Pech, Jean- Claude. 2010. Mechanism of Fruit Ripening - Chapter 16. In: Plant Developmental Biology - Biotechnological Perspectives vol. 1. Springer. ISBN 978-3-642-02300-2
- Calvo, G., Sozzi, G.O., 2004. Improvement of Postharvest Storage Quality of 'Red Clapp's' Pears by Treatment with 1-methylcyclopropene at Low Temperature. J. Hortic. Sci. Biotechnol. 79, 930–934.
- Canadian Food Inspection Agency. 2000. Appendix III: Temperatures and Compatibility of Fruits and Vegetables. <http://www.inspection.gc.ca> accessed on 1st of November 2016 04.22 WIB
- Chiriboga, M., Recasens, I., Schotmans, W.C., Dupile, E., Larrigaudiere, C., 2012. Cold-induced Changes in ACC Metabolism Determine Softening Recovery in 1-MCP Treated 'Conference' Pears. Postharvest Biol Technol 68:78-85
- DeEll, J.R., Ehsani-Maghaddam, B., 2011. Timing of postharvest 1-methylcyclopropene treatment affects Bartlett pear quality after storage. Plant Sci 91:853-858
- Dostal HC and Leopold AC. 1967. Gibberellin delays ripening of tomatoes. Science 158: 1579-1580.
- Downs, C.G., C.J. Brady, J. Campbell, and W.B. McGlasson. 1991. Normal ripening cultivars of *Pyrus serotina* are either climacteric or nonclimacteric. Scientia Hort. 48:213–221
- Ekman, J.H, M Clayton, W.V Biasi, E.J Mitcham. 2004. Interactions between 1-MCP concentration, treatment interval and storage time for 'Bartlett' pears. Postharvest Biol Technol 31:127-136
- Fan, X., Mattheis, J.P., 1999a. Impact of 1-methylcyclopropene and methyl jasmonate on apple volatile production. J. Agric. Food Chem. 47: 2847-2853.
- Fan, X., Mattheis, J.P., 2000a. Yellowing of broccoli in storage is reduced by 1-methylcyclopropene. HortScience 35: 885-887.
- Feng X, Apelbaum A, Sisler EC, Goren R. 2004. Control of ethylene activity in various plant systems by structural analogues of 1-methylcyclopropene. Plant Growth Regul 42:29–38

- Gamrasni, G., Ben-Arie, R., Goldway, M., 2010. 1-Methylcyclopropane (1-MCP) Application to Spadona Pears at Different Stages to Maximize Fruit Quality After Storage. *Postharvest Biol Technol* 58:104-122.
- Gerasopoulos, Dimitrios and Daryl G. Richardson, 1996. Effects of exogenous propylene and fruit calcium on ripening of non-chilled and chilled Anjou pears. *Postharvest Biol Technol* 8:111-120
- Gross, J., 1984. Chlorophyll and Carotenoids in The Peel of Two Pear *Pyrus communis* cultivars. *Gartenbauwissenschaft* 49:128-131
- Hiwasa K, Kinugasa Y, Amano S, Hashimoto A, Nakano R, Inaba A, *et al.* 2003. Ethylene is required for both the initiation and progression of softening in pear (*Pyrus communis* L.) fruit. *J Exp Bot* 54:771–779.
- Hörtensteiner, Stefan and Bernhard Kräutler. 2011. Chlorophyll breakdown in higher plants. *Biochimica et Biophysica Acta* 1807: 977–988
- Itai, A., T. Kawata, K. Tanabe, F. Tamura, M. Uchiyama, M. Tomomitsu, and N. Shiraiwa. 1999. Identification of 1-aminocyclopropane-1-carboxylic acid synthase genes controlling the ethylene level of ripening fruit in Japanese pear (*Pyrus pyrifolia* Nakai). *Mol. Gen. Genet.* 262:42–49.
- Itai, A., T. Kotaki, K. Tanabe, F. Tamura, D. Kawaguchi, and M. Fukuda. 2003a. Rapid identification of 1-aminocyclopropane-1-carboxylate (ACC) synthase genotypes in cultivars of Japanese pear (*Pyrus pyrifolia* Nakai) using CAPS markers. *Theor. Appl. Genet.* 106:1266–1272.
- Itai, Akihiro, and Naoko Fujita, 2008. Identification of Climacteric and Nonclimacteric Phenotypes of Asian Pear Cultivars by CAPS Analysis of 1-Aminocyclopropane-1-Carboxylate Synthase Genes. *Journal of HortScience* E 43(1):119–121
- Ito and John. 2010. A Report from the Economic Research Service: Fruit Policies in Japan. <http://www.ers.usda.gov> accessed on 5th of July 2016 14:50 JST
- Jeong, J, D.J. Huber, S.A. Sargent. 2002. Influence of 1-methylcyclopropene (1-MCP) on ripening and cell-wall matrix polysaccharides of avocado (*Persea americana*) fruit. *Postharvest Biol Technol*, 25, pp. 241–256
- Jiang, Y., Joyce, D.C., 2002. 1-Methylcyclopropene treatment effects on intact and fresh-cut apple. *J. Hort. Sci. Biotech.* 77:19-21.

- Khan, A.S., and Singh, Z., 2009. 1-MCP application suppresses ethylene biosynthesis and retards fruit softening during cold storage of 'Tegan Blue' Japanese plum. *Plant Sci* 176:539-544
- Kitamura, T., T. Iwata, T. Fukushima, Y. Furukawa, and T. Ishiguro. 1981. Studies on the maturation-physiology and storage of fruits and vegetables. II. Respiration and ethylene production in reference to species and cultivars of pear fruit. *J. Jpn. Soc. Hort. Sci.* 49:608–616.
- Krammes, J.G. C.A. Megguer, L.C. Argenta, C.V.T. Amarante, D. Grossi. Uso do 1-metilciclopropeno para retardar a maturacao de tomate. *Hortic Bras*, 21 (2003), pp. 611–614
- Ku, V.V.V., Wills, R.B.H., 1999. Effect of 1-methylcyclopropene on the storage life of broccoli. *Postharvest Biol. Technol.* 17: 127-132.
- Kubo Y, Hiwasa K, Owino WO, Nakano R and Inaba A. 2003. Influence of time and concentration of 1-MCP application on the shelf life of pear 'La France' fruit. *HortScience* 38:1414–1416
- Larrigaudière, Christian, Rosa Vilaplana, Yolanda Soria, and Inmaculada Recasens. 2004. Oxidative behaviour of Blanquilla pears treated with 1-methylcyclopropene during cold storage. *J Sci Food Agric* 84:1871-1877
- Lelièvre JM, Tichit L, Dao P, Fillion L, Nam YW, Pech JC, *et al.* 1997. Effects of chilling on the expression of ethylene biosynthetic genes in Passe-Crassane pear (*Pyrus communis* L.) fruits. *Plant Mol Biol* 33:847–855
- Leslie CA, Romani RJ. 1988. Inhibition of ethylene biosynthesis by salicylic Acid. *Plant Physiol* 88: 833-837.
- Lolaei A, Kaviani B, Rezaei MA, Raad MK, Mohammadipour R. 2012. Effect of Pre- and Postharvest Treatment of Salicylic Acid on Ripening of Fruit and Overall Quality of Strawberry (*Fragaria ananasa* Duch cv. Camarosa) Fruit.
- M. James, Jay, Martin J. Loessner, and David A. Golden. 2005. *Modern Food Microbiology* Seventh Edition. New York : Springer.
- McArtney, S.J., J.D. Obermiller, J.R. Schupp, *et al.* 2008. Preharvest 1-methylcyclopropene delays fruit maturity and reduces softening and superficial scald of apples during long-term storage. *HortScience* 43:366-371.
- McGuire, R. G., 1992. Reporting of Objective Color Measurements. *HortScience*, 27:12.

- McMurchie EJ, McGlasson WB, Eaks IL. 1972. Treatment of Fruit with Propylene Gives Information about The Biogenesis of Ethylene. *Nature* 237:235–236
- Ministry of Internal Affairs and Communications. -. Yearly Consumption of Fruits per Capita in Japan www.stat.go.jp/data/kakei/zuhyou/rank07.xls accessed on 13th of July 2016 12.58 JST
- Murayama, H., Takahashi, T., Honda, R., Fukushima, T., 1998. Cell Wall Changes in Pear Fruit Softening On and Off The Tree. *Postharvest Biol Technol* 14:143–149.
- Prasanna, V., T. N. Prabha, and R. N. Tharanathan. 2007. Fruit Ripening Phenomena – An Overview. *J. Food Sci Nutr* 47:1-19
- Porat, R., Feng, X., Huberman, M., Galili, D., Goren, R., & Goldschmidt, E. (2001). Gibberellic acid slows postharvest degreening of 'Oroblanco' citrus fruits. *HortScience*, 36(5), 937–940.
- Seymour GB, Taylor JE, Tucker GA. 1993. *Biochemistry of fruit ripening*. London, New York: Chapman and Hall.
- Seymour GB, Gross KC. 1996. Cell wall disassembly and fruit softening. *Postharvest News and Information* 7, 45N±52N
- Shafiee M, Taghavi TS, Babalar M. 2010. Addition of salicylic acid to nutrient solution combined with postharvest treatments (hot water, salicylic acid, and calcium dipping) improved postharvest fruit quality of strawberry. *Scientia Horticulturae* 124: 40-45.
- Sisler, E.C., Dupille, E., Serek, M., 1996a. Effect of 1-methylcyclopropene and methylenecyclopropene on ethylene binding and ethylene action on cut carnations. *Plant Growth Regul.* 18: 79-86.
- Sisler, E.C., Serek, M., Dupille, E., 1996b. Comparison of cyclopropene, 1-methylcyclopropene, and 3,3-dimethylcyclopropene as ethylene antagonists in plants. *Plant Growth Regul.* 18: 164-174.
- Sisler, E.C., Serek, M., 2003. Compounds interacting with the ethylene receptor in plants. *Plant Biol.* 5:473–480.
- Somogyi, Laszlo P., Hosahalli S. Ramaswamy, Y.H Hui. 1996. *Processing Fruits: Science and Technology Volume 1 – Biology, Principles, and Applications*. California: Technomic Publishing

- Trinchero GD, Sozzi GO, Covatta F and Frascina AA. 2004. Inhibition of ethylene action by 1-methylcyclopropene extends postharvest life of 'Bartlett' pears. *Postharvest Biol Technol* 32:193–204
- Vanoli, M., Rizzolo, A., Grassi, M., Eccher Zerbini, P., 2008. Storage disorders and quality in 'Abbé Fétel' pears treated with 1-methylcyclopropene. *International Congress: Novel Approaches for the Control of Postharvest Diseases and Disorders*, Bologna, Italy, 3-5 May 2007, pp. 269-277
- Vanoli, M., Rizzolo, A., Grassi, M., 2015. Fruit quality and sensory characteristics of 1-MCP treated 'Abbé Fétel' pears after storage under dynamic controlled atmosphere at different temperatures. *Acta Hort.* 1071:437-445.
- Villalobos, Max and Elizabeth J. Mitcham, 2008. Ripening of European Pears: The Chilling Dilemma. *Postharvest Biol Technol* 49:187–200.
- Villalobos-Acuña, M.G., Biasi, W.V., Flores, S., Jiang, C.-Z., Reid, M.S., Willits, N.H., Mitcham, E.J., 2011a. Effect of Maturity and Cold Storage on Ethylene Biosynthesis and Ripening in 'Bartlett' Pears Treated After Harvest with 1-MCP. *Journal of Postharvest Biol Technol* 59:1-9
- Villalobos-Acuña, M.G., Biasi, W.V., Mitcham, E.J., Holcroft, D., 2011b. Fruit Temperature and Ethylene Modulate 1-MCP Response in 'Bartlett' Pears. *Postharvest Biol Technol* 60:17-23
- Voss, H. Donald., 1992. Relating Colorimeter Measurement of Plant Color to the Royal Horticultural Society Colour Chart. *HortScience*, 27:12.
- Watkins, Christopher B, [Jacqueline F Nock](#), [Bruce D Whitaker](#). 2000. Responses of early, mid and late season apple cultivars to postharvest application of 1-methylcyclopropene (1-MCP) under air and controlled atmosphere storage conditions. *Postharvest Biol Technol* 19:17-32
- Watkins, CB, and J.F. Nock, 2005. Effects of delays between harvest and 1-methylcyclopropene (1-MCP) treatment, and temperature of treatment, on ripening of air- and controlled atmosphere-stored apples. *HortScience*, 40, pp. 2096–2101
- Watkins, C.B., 2006. The use of 1-methylcyclopropene (1-MCP) on fruits and vegetables. *Biotechnol. Adv.* 24:389-409
- Watkins, C.B. 2010. Managing physiological processes in fruits and vegetables with inhibitors of ethylene biosynthesis and perception. *Acta Hort.* 880:301-310.

- Watkins, C.B., H. James, J.F. Nock. 2010. Preharvest application of 1-methylcyclopropene (1-MCP) to control fruit drop of apples, and its effects on postharvest quality. *Acta Hort.* 877:365-374.
- Watkins, Chris B. 2002. 1-Methylcyclopropene (1-MCP). <http://www.ba.ars.usda.gov/hb66/1-MCP.pdf> accessed on 26th of February 2016 10:53 AM JST
- Wills, R.B.H., and Ku, V.V.V., 2002. Use of 1-MCP to extend the time to ripen of green tomatoes and postharvest life of ripe tomatoes. *Postharvest Biol. Technol.* 26: 85-90.
- Yang, X.T., Song, J., Wang, Y., Sugar, D., 2004. Ethylene synthesis, ripening capacity, and superficial scald inhibition in 1-MCP treated 'd'Anjou' pears are affected by storage temperature. *Postharvest Biol. Technol.* 78:55-66