

REFERENCES

- Angus, D. & van der Poll, T., 2013. Severe sepsis and septic shock. *N. Engl. J. Med*, 369(9), pp.840-851.
- Anon, 1966. Anon. *Acta Med. Scand.*, 180(S456), p.17.
- Bone, R.C., Sibbald, W.J. & Sprung, C.L., 1992. The ACCP-SCCM consensus conference on sepsis and organ failure. *Chest*, 101(6), pp.1644-1655.
- Böttiger, L.E. & Svedberg, C.A., 1967. Normal erythrocyte sedimentation rate and age. *Br. Med. J.*, 2(5544), pp.85-87.
- Bull, B. & Brailsford, D., 1972. The Zeta Sedimentation Ratio. *Blood*, 40(4), pp.550-559.
- Calderon, A.J. & Wener, M.H., 2012. Erythrocyte Sedimentation Rate and C-Reactive Protein. *Hosp. Med. Clin.*, 1(3), pp.313-337.
- Dellinger, R., Levy, M., Rhodes, A., Annane, D., Gerlach, H., et al., 2012. Surviving Sepsis Campaign: International Guidelines for Management of Severe Sepsis and Septic Shock. *Intensive Care Med*, 39(2), pp.580-637.
- Durocher, J., Payne, R., Conrad, M., 1975. Role of Sialic Acid in Erythrocyte Survival. *Blood*, 45(1), pp.11-20.
- Eastham, R., 1954. The Erythrocyte Sedimentation Rate And The Plasma Viscosity. , 7(2), pp.164-167.
- Eastham, R. & Morgan, E., 1965. Plasma viscosity in clinical laboratory practice. *J. Med. Lab. Technol.*, 22.
- Fahraeus, R., 1929. The suspension stability of the blood. *Pathol. Rev.*, IX(3), pp.241-274.
- Florescu, D.F. & Kalil, A.C., 2014. The complex link between influenza and severe sepsis. *Virulence*, pp.137-142.
- Germer, T., Zwinkels, J. & Tsai, B., 2014. *Spectrophotometry: Accurate Measurement of Optical Properties of Materials* 1st ed., Elsevier Science.
- Huttunen, R. & Aittoniemi, J., 2011. New concepts in the pathogenesis, diagnosis and treatment of bacteremia and sepsis. *J. Infect.*, 63(6), pp.407-419.
- Johansson, J.E. et al., 1992. Erythrocyte sedimentation rate as a tumor marker in human prostatic cancer. An analysis of prognostic factors in 300 population-based consecutive cases. *Cancer*, 70(6), pp.1556-1563.

- Jou, J.M. et al., 2011. ICSH review of the measurement of the erythrocyte sedimentation rate. *Int. J. Lab. Hematol.*, 33(2), pp.125-132.
- Kanfer, E. & Nicol, B., 1997. Haemoglobin concentration and erythrocyte sedimentation rate in primary care patients. *J. R. Soc. Med.*, 90(1), pp.16-18.
- Kaspereit, F., Doerr, B. & Dickneite, G., 2004. The effect of fibrinogen concentrate administration on coagulation abnormalities in a rat sepsis model. *Blood Coagul Fibrinolysis*, 15, pp.39-43.
- Kottke-Marchant, K., Davis, B., 2012. Erythrocyte Sedimentation Rate (ESR). In *Laboratory Hematology Practice*. Blackwell Publishing Ltd., pp. 638-646.
- Lecca, P., Laurenzi, I. & Jordan, F., 2013. *Deterministic versus stochastic modelling in biochemistry and systems biology* 1st ed., Woodhead Publishing. Available at: <http://bit.ly/2brkUnv>.
- Lotze, M., Thomson, A., 2005. *Measuring Immunity: Basic Biology and Clinical Assessment*, Elsevier Ltd.
- Manocha, S. et al., 2007. Fibrinogen-beta gene haplotype is associated with mortality in sepsis. *J. Infect.*, 54(6), pp.572-577.
- Martin, G.S. et al., 2003. The epidemiology of sepsis in the United States from 1979 through 2000. *The New England journal of medicine*, 348(16), pp.1546-1554.
- McKenzie, S., Williams, J., 2010. *Clinical Laboratory Hematology* 2nd ed., Pearson.
- Ngadikun, 2007. *Pattern of Alteration of Zeta Potential of Blood Cells (ZPBC) By Spectrometric Method in Hepatocellular Carcinoma Patients and Rats (Rattus norvegicus) Induced by Hepatocarcinogenic Agent*.
- Ngadikun, 1998. *Pengukuran Laju Endap Darah ('Erythrocyte Sedimentation Rate') Dengan Spektrometri*.
- Okabayashi, K. et al., 2004. Hemostatic markers and the sepsis-related organ failure assessment score in patients with disseminated intravascular coagulation in an intensive care unit. *A. J. Hematol.*, 76(3), pp.225-229.
- Pepys, M.B. & Hirschfield, G.M., 2003. C-reactive protein: A Critical Update. *J. Clin. Invest.*, 111(12), pp.1805-1812.
- Riedel, S., 2012. Procalcitonin and the role of biomarkers in the diagnosis and management of sepsis. *Diagn. Microbiol. Infect. Dis.*, 73(3), pp.221-227.

- Rodak, B., Fritsma, G. & Keohane, E., 2012. *Hematology: Clinical Principles and Applications* 4th ed., Elsevier Inc.
- Shiga, T., Maeda, N. & Kon, K., 1990. Erythrocyte rheology. *Crit. Rev. Oncol. Hematol.*, 10(1), pp.9-48.
- Singer, M., Deutschman, C., Seymour, C., Shankar-Hari, M., Annane, D., Bauer, M., et al., 2016. The Third International Consensus Definitions for Sepsis and Septic Shock (Sepsis-3). *JAMA*, 315(8), pp.1-23.
- Smith, B., 2002. *Quantitative Spectroscopy: Theory and Practice*, Academic Press. Available at: <http://bit.ly/2b05SKx>.
- Soreng, K. & Levy, H.R., 2011. Procalcitonin: An Emerging Biomarker of Bacterial Sepsis. *Clin. Microbiol. Newsl.*, 33(22), pp.171-178.
- Taylor, F., Wada, H. & Kinasewitz, G., 2000. Description of compensated and uncompensated disseminated intravascular coagulation (DIC) responses (non-overt and overt DIC) in baboon models of intravenous and intraperitoneal *Escherichia coli* sepsis and in the human model of endotoxemia: Toward a better. *Crit. Care Med.*, (28(Supplement)).
- Torio, C., Andrews, R., 2013. National inpatient hospital costs: The most expensive conditions by Payer, 2011. *N. Engl. J. Med.*, 371(16).
- Uyuklu, M. et al., 2011. Wavelength selection in measuring red blood cell aggregation based on light transmittance. *J. Biomed. Opt.*, 16(11).
- Vincent, J.L. et al., 2014. Assessment of the worldwide burden of critical illness: The Intensive Care Over Nations (ICON) audit. *Lancet Respir. Med.*, 2(5), pp.380-386.