DAFTAR PUSTAKA

Akinpelu, O.V., Waissbluth, S., Daniel, S.J. Auditory Risk of Hyperbilirubinemia in Term Newborns: A Systematic Review. *International Journal of Pediatric Otorhinolaryngology* 2013; 77:898-905.

Ballard, J.L., Khoury, J.C., Wedig, K., Wang, L., Eilers-Walsman, B.L., Lipp, R. New Ballard Score, Expanded to Include Extremely Premature Infants. *J Pediatr*. 1991; 119(3):417-423.

Beata, A.C.S., Ioana, A.N.C.A. Etiopathogeny of Congenital and Early-Onset Hearing Loss; Detection and Early Intervention Methods in Infants and Children. *J. Clin Med.* 2008; 3(1):46-47.

Behrman, R.E., Butler, A.S., editors. Preterm Birth: Causes, Consequences, and Prevention. Washington DC: The National Academies Press, 2007.

Bergman, I., Hirsch, R.P., Fria, T.J., Shapiro, S.M., Holzman, I., Painter, M.J. Cause of Hearing Loss in the High-Risk Premature Infant. *J Pediatr.* 1985; 106(1):95-101.

Bhagya, V., Brid, S.V., Mahesh, D. Incidence of Hearing Loss in Infants at Risk. *Int J Biol Med Res* 2011; 2(4):1102-1105.

Bielecki, I., Horbulewicz, A., Wolan, T. Risk Factors Associated with Hearing Loss in Infants: An Analysis of 5282 Referred Neonates. *International Journal of Pediatric Otorhinolaryngology* 2011; 75:925-930.

Boo, N.Y., Oakes, M., Lye M.S., Said, H. Risk Factors Associated with Hearing Loss in Term Neonates with Hyperbilirubinaemia, *J. Trop. Pediatr*. 1994; 40:194-197.

Boo, N.Y., Rohani, A.J., Asma, A. Detection of Sensorineural Hearing Loss Using Automated Auditory Brainstem-Evoked Response and Transient-Evoked Otoacoustic Emission in Term Neonates with Severe Hyperbilirubinaemia. *Singapore Med J.* 2008; 49(3):209-214.

Brodsky, D., Ouellette, M.A. Primary Care of the Premature Infant. Philadelphia: Saunders Elsevier, 2008.

Celio, M.R., Baier, W., Scharer, L., Gregersen, H.J., De Viragh, P.A., Norman, A.W. Monoclonal Antibodies Directed Against the Calcium Binding Protein Calbindin D-28k. *Cell Calcium* 1990; 11:599-602.

Cohen, B.E., Durstenfeld, A., Roehm, P.C. Viral Causes of Hearing Loss: A Review for Hearing Health Professionals. *Trends in Hearing* 2014; 18:1-7.

Cristobal, R., Oghalai, J.S. Hearing Loss in Children with Very Low Birth Weight: Current Review of Epidemiology and Pathophysiology. *Arch Dis Child Fetal Neonatal Ed* 2008; 93:462-268.

Gouri, Z.U.H., Sharma, D., Berwal, P.K., Pandita, A., Pawar, S. Hearing Impairment and Its Risk Factors by Newborn Screening in North-Western India. *Maternal Health, Neonatology, and Perinatology* 2015; 1:17.

Gouyon, J.B., Iacobelli, S., Ferdynus, C., Bonsante, F. Neonatal Problems of Late and Moderate Preterm Infants. *Seminars in Fetal & Neonatal Medicine* 2012; 17:146-152.

Graven, S.N. & Browne, J.V. Auditory Development in the Fetus and Infant. *Newborn Infant Nurs Rev* 2008; 8(4):187-193.

Groves, A.K., Zhang, K.D., Fekete, D.M. The Genetics of Hair Cell Development and Regeneration. *Annu Rev Neurosci* 2013; 36:361–381.

Guyton, A.C., Hall, J.E. Textbook of Medical Physiology, 11th ed. Singapore: Elsevier, 2006.

Gyamfi-Bannerman, C. The Scope of the Problem: The Epidemiology of Late Preterm and Early-Term Birth. *Semin Perinatol* 2011; 35:246-248.

Jakubikova, J., Kabatova, Z., Pavlovcinova, G., Profant, M. Newborn Hearing Screening and Strategy for Early Detection of Hearing Loss in Infants. *Int J Pediatr Otorhinolaryngol.* 2009; 73(4):607-612.

Jedrzejczak, W.W., Hatzopoulos, S., Martini, A., Blinowska, K.J. Otoacoustic Emissions Latency Difference between Full-Term and Preterm Neonates. *Hearing Research* 2007; 231:54-62.

Jiang, Z.D., Yin, R., Shao, X.M., Wilkinson, A.R. Brainstem Auditory Impairment during the Neonatal Period in Term Infants After Asphyxia: Dynamic Changes in Brainstem Auditory Evoked Response to Clicks of Different Rates. *Clin Neurophysiol.* 2004; 115(7):1605-1615.

Joint Committee on Infant Hearing, American Academy of Audiology, American Academy of Pediatrics, American Speech-Language-Hearing Association, Directors of Speech and Hearing Programs in State Health Welfare Agencies. Year 2007 Position Statement: Principles and Guidelines for Early Hearing Detection and Intervention Programs. *Pediatrics* 2007; 120:898-921.

Joviolo, G.R. Prematuritas sebagai Faktor Resiko Gangguan Fungsi Sel Rambut Luar Koklea [*Karya Tulis Akhir*]. Yogyakarta: Fakultas Kedokteran Universitas Gadjah Mada, 2013.

Kilickan, L., Gurkan, Y., Aydin, O., Etiler, N. The Effect of Combined Spinal-Epidural (CSE) Anaesthesia and Size of Spinal Needle on Postoperative Hearing Loss After Elective Caesarean Section. *Clin Otolaryngol Allied Sci.* 2003; 28(3):267-272.

Kliegman, R.M. Behrman, R.E., Jenson, H.B., Stanton, B.F. Nelson Textbook of Pediatrics, 19th ed. Philadelphia: Saunders Elsevier, 2011.

Koyama, S., Kaga, K., Sakata, H., Iino, Y., Kodera, K. Pathological Findings in the Temporal Bone of Newborn Infants with Neonatal Asphyxia. *Acta Otolaryngol*. 2005; 10:1028-1032.

Lalwani, A.K., editor. Current Diagnosis & Treatment in Otolaryngology - Head & Neck Surgery, 2nd ed. New York: Mc Graw Hill, 2008.

Lidong, Z., Xiaoquan, W., Tao, C., Weiwei, G., Chang, L., Shiming, Y. Hyperbilirubinemia and Auditory Neuropathy. *Journal of Otology* 2013; 8(1):1-5.

Lucente, F.E., Har-El, Gady. Essentials of Otolaryngology. Philadelphia: Lippincott William & Wilkins, 2004.

Martı´nez-Cruz, C.F., Poblano, A., Ferna´ndez-Carrocera, L.A. Risk Factors Associated with Sensorineural Hearing Loss in Infants at the Neonatal Intensive Care Unit: 15-Year Experience at the National Institute of Perinatology (Mexico City). *Archives of Medical Research* 2008; 39:686-694.

Mazurek, B., Winter, E., Fuchs, J., Haupt, H., Gross, J. Susceptibility of the Hair Cells of the Newborn Rat Cochlea to Hypoxia and Ischemia. *Hear Res* 2003; 182:2-8.

McCormick, B., editor. The Medical Practitioner's Guide to Paediatric Audiology. Cambridge: Cambridge University Press, 1995.

Mireles, L.C., Lum, M.A., Dennery, P.A. Antioxidant and Cytotoxic Effects of Bilirubin on Neonatal Erythrocytes. *Pediatr Res.* 1999; 45(3):355-362.

Møller, A.R. Hearing: Anatomy, Physiology, and Disorders of the Auditory System, 2nd ed. New York: Elsevier, 2006.

Nú˜nez-Batalla, F., Trinidad-Ramos, G., Sequi-Canet, J.M., De Aguilar, V.A., Jáudenes-Casaubón, C. Risk Factors for Sensorineural Hearing Loss in Children. *Acta Otorrinolaringol Esp*. 2012; 63(5):382-390.

Oysu, C., Aslan, I., Ulubil, A., Baserer, N. Incidence of Cochlear Involvement in Hyperbilirubinemic Deafness. *Ann Otol Rhinol Laryngol* 2002; 111:1021-1025.

Pourarian, S., Khademi, B., Pishva, N., Jamali, A. Prevalence of Hearing Loss in Newborns Admitted to Neonatal Intensive Care Unit. *Iran J Otorhinolaryngol* 2012; 3(24):131.

Prawirohardjo, S. Ilmu Kebidanan. Jakarta: Yayasan Bina Pustaka Sarwono Prawirohardjo, 2006.

Raju, T.N.K. Developmental Physiology of Late and Moderate Prematurity. *Seminars in Fetal & Neonatal Medicine* 2012; 17:126-131.

Robertson, C.M.T., Howarth, T.M., Bork, D.L.R., Dinu, I.A. Permanent Bilateral Sensory and Neural Hearing Loss of Children After Neonatal Intensive Care Because of Extreme Prematurity: A Thirty-Year Study. *Pediatrics* 2009; 123(5):797-798.

Rundjan, L., Amir, I., Suwento, R., Mangunatmadja, I. Skrining Gangguan Pendengaran pada Neonatus Risiko Tinggi. *Sari Pediatri* 2005; 6(4):149-154.

Sadler, T.W. Langman's Medical Embriology, 8th ed. Philadelphia: Lippincott William & Wilkins, 2000.

Sastroasmoro, S., Ismael, S. Dasar-Dasar Metodologi Penelitian Klinis. Jakarta: CV Sagung Seto, 2011.

Schmutzhard, J., Glueckert, R., Sergi, C., Schwentner, I., Abraham, I., Schrott-Fischer, A. Does Perinatal Asphyxia Induce Apoptosis in the Inner Ear?. *Hearing Research* 2009; 250:1-9.

Shaia, W.T., Shapiro, S.M., Spencer, R.F. The Jaundiced Gunn Rat Model of Auditory Neuropathy/Dyssynchrony. *Laryngoscope* 2005; 115(12):2167-2173.

Shapiro, S.M., Popelka, G.R. Auditory Impairment in Infants at Risk for Bilirubin-Induced Neurologic Dysfunction. *Semin Perinatol*. 2011; 35(3):162-170.

Shapiro-Mendoza, C.K., Lackritz, E.M. Epidemiology of Late and Moderate Preterm Birth. *Seminars in Fetal & Neonatal Medicine* 2012; 17:120-125.

Sherwood, L. Human Physiology: From Cells to Systems, 6th ed. Singapore: Cengage Learning, 2009.

Snow Jr, J.B. Ballenger's Manual of Otorhinolaryngology Head and Neck Surgery. Ontario: BC Decker, 2003.

Spencer, R.F., Shaia, W.T., Gleason, A.T., Sismanis, A., Shapiro, S.M. Changes in Calcium-Binding Protein Expression in the Auditory Brainstem Nuclei of the Jaundiced Gunn Rats. *Hear. Res.* 2002; 171:129-141.

Stein, L.K. Factors Influencing the Efficacy of Universal Newborn Hearing Screening. *Pediatr Clin North Am.* 1999; 46(1):95-105.

Thomson, V.R. A Programmatic Analysis of A Newborn Hearing Screening Program for Evaluation and Improvement [*Theses*]. Colorado: Faculty of the Graduate School of the University of Colorado, 2007.

Tognola, G., Parazzini, M., De Jager, P., Brienesse, P., Ravazzani, P., Grandori, F. Cochlear Maturation and Otoacoustic Emissions in Preterm Infants: A Time-Frequency Approach. *Hearing Research* 2005; 199:71-80.

Van De Water, T.R., Staecker, H., editors. Otolaryngology Basic Science and Clinical Review, 2nd ed. New York: Thieme, 2006.

World Health Organization. Preterm Birth. *WHO Fact Sheets* 2014. Available from: http://www.who.int.mediacentre/factsheets/fs363/en/ [1 September 2016].

World Health Organization. Deafness and Hearing Loss. *WHO Fact Sheets* 2015. Available from: http://www.who.int/mediacentre/factsheets/fs300/en/ [5 October 2016].

Whitfield, Tanya T. Development of the inner ear. *Current Opinion in Genetics & Development* 2015; 32:112-118.

Ye, H.B., Shi, H.B., Wang, J., Ding, D.L., Yu, D.Z., Chen, Z.N., Li, C.Y., Zhang, W.T., Yin, S.K. Bilirubin Induces Auditory Neuropathy in Neonatal Guinea Pigs via Auditory Nerve Fiber Damage. *J Neurosci Res*. 2012; 90(11):2201-2213.

Yoshikawa, S., Ikeda, K., Kudo, T., Kobayashi, T. The Effects of Hypoxia, Premature Birth, Infection, Ototoxic Drugs, Circulatory System, and Congenital Disease on Neonatal Hearing Loss. *Auris Nasus Larynx* 2004; 31:361-368.