



REFERENCES

- Agarwal, R., Davis, J.L., Smith, L. 2008. Serum Albumin is Strongly Associated with Erythropoietin Sensitivity in Hemodialysis Patients, *Clin J Am Soc Nephrol*, 3(1), pp. 98-104.
- Alves, M.T., Vilaça, S.S., Carvalho, M.G., Fernandes, A.P., Dusse, L.M.S., Gomes, K.B. 2015. Resistance of Dialyzed Patients to Erythropoietin, *Rev Bras Hematol Hemoter*, 37(3), pp. 190-197.
- Anand, N., Chandrasekaran, S.C., Alam, M.N. 2013. The Malnutrition Inflammation Complex Syndrome: The Missing factor in the Periodic Chronic Kidney Disease Interlink, *J Clin Diagn Res*, 7(4), pp. 763-7.
- Babitt, J.L., Lin, H.Y. 2012. Mechanisms of Anemia in CKD, *J Am Soc Nephrol*, 23, pp. 1631-4.
- Badan Penelitian dan Pengembangan Kesehatan, Kementerian Kesehatan RI 2013, *Riset Kesehatan Dasar 2013*, Depkes RI, Jakarta.
- Besarab, A. 2011. Anemia of Chronic Kidney Disease. In: Yee, J. & Krol, G.D. (eds), *Chronic Kidney Disease (CKD): Clinical Practice Recommendations for Primary Care Physicians and Healthcare Providers*, Henry Ford Health System, pp. 28-30.
- Busher, J.T. 1990. Serum Albumin and Globulin. In: Walker, H.K., Hall, W.D., Hurst, J.W., *The History, Physical, and Laboratory Examinations*, 3rd edn, Butterworths, Boston.
- D'Angelo, G. 2013. Role of Hepcidin in the Pathophysiology and Diagnosis of Anemia, *Blood Res*, 48, pp. 10-15.
- Chern, Y.B., Ho, P.S., Kuo, L.C., Chen, J.B. 2013. Lower Education Level is a Major Risk Factor for Peritonitis Incidence in chronic peritoneal Dialysis Patients: A Retrospective Cohort Study with 12-Year Follow-Up, *Perit Dial Int*, 33(5), pp. 552-8.
- Conrad, M.E., Umbreit, J.N., Peterson, R.D.A., Moore, E.G., Harper, K.P. 1993. Function of Integrin in Duodenal Mucosal Uptake of Iron, *Blood*, 81(2), pp. 517-21.
- De Paepe, M.B.J., Schelstraete, K.H.G., Ringoir, S.M.G., Lemaire, N.H. 1983. Influence of Continuous Ambulatory Peritoneal Dialysis on the Anemia of Endstage Renal Disease, *Kidney International*, 23, pp. 744-748.



- Del Vecchio, L., Pozzoni, P., Andrulli, S., Locatelli, F. 2005. Inflammation and Resistance to Treatment With Recombinant Human Erythropoietin, *J Ren Nutr*, 15(1), pp. 137-141.
- Dimitriadis, C.A., Bargman, J.M. 2011. Gynecologic Issues in Peritoneal Dialysis, *Advances in Peritoneal Dialysis*, 27, pp. 101-105.
- Donnelly, S. 2001. Why is Erythropoietin Made in the Kidney? The Kidney Functions as Critmeter, *Am J Kidney Dis*, 38(2), pp. 415-25.
- Eckardt, K. 2001. Anemia in End-stage Renal Disease: Pathophysiological Considerations, *Nephrol Dial Transplant*, 16, pp. 2-8.
- Elliott, S., Pham, E., Macdougall, I.C. 2008. Erythropoietins: A Common Mechanism of Action, *Exp Hematol*, 36(12), pp. 1573-84.
- Firanek, C., Guest, S. 2011. Hand Hygiene in Peritoneal Dialysis, *Perit Dial Int*, 31(4), pp. 399-408.
- Flemming, G.M. 2011. Renal Replacement Therapy Review: Past, Present, and Future, *Organogenesis*, 7(1), pp. 2-12.
- Griva, K., Lai, A.Y., Lim, H.A., Yu, Z., Foo, M.W.Y., Newman, S.P. 2014. Non-Adherence in Patients on Peritoneal Dialysis: A Systematic Review, *PLOS One*, 9(2), pp. 1-11.
- Guyton, A.C., Hall, J.E. 2007. *Textbook of Medical Physiology*, 11th edn, Elsevier, Philadelphia.
- Hussain, R., Naqvi, S.A.J. 1994. Once Weekly Subcutaneous Administration of Erythropoietin in Hemodialysis Patient, *JPMA*, 44, pp. 88-92.
- Invernizzi, R., Travaglino, E. 2008. Increased Apoptosis as a Mechanism of Ineffective Erythropoiesis in Myelodysplasia Syndromes, *Clin Leukemia*, 2(2), pp. 113-20.
- Jha, V., Garcia-Garcia, G., Iseki, K., Li, Z., Naicker, S., Plattner B., Saran, R., Wang, A.Y. 2013. Chronic Kidney Disease: Global Dimension and Perspectives, *Lancet*, 382, pp. 260-72.
- Kanbay, M., Parazella, M.A., Kasapoglu, B., Koroglu, M., Covic, A. 2009. Erythropoiesis Stimulatory Agent-Resistant Anemia in Dialysis Patients: Review of Causes and Management, *Blood Purif*, 29, pp. 1-12.
- Karim, J., Kumbar, L. 2011. Kidney Replacement Therapy. In: Yee, J. & Krol, G.D. (eds), *Chronic Kidney Disease (CKD): Clinical Practice*



Recommendations for Primary Care Physicians and Healthcare Providers, Henry Ford Health System, pp. 48-50.

Kidney International. 2012. KDIGO Clinical Practice Guideline for Anemia in Chronic Kidney Disease, *Kidney International Supplements*, 2(4), pp. 1-64.

Koury, M.J., Ponka, P. 2004. New Insights into Erythropoiesis: The Roles of Folate, Vitamin B12, and Iron, *Annu Rev Nutr*, 24, pp. 105-31.

Krol, G.D. 2011. Chronic Kidney Disease Staging and Progression. In: Yee, J. & Krol, G.D. (eds), *Chronic Kidney Disease (CKD): Clinical Practice Recommendations for Primary Care Physicians and Healthcare Providers*, Henry Ford Health System, pp. 4-10.

Kuriyama, S., Tomonari, H., Yoshida, H., Hashimoto, T., Kawaguchi, Y., Sakai, O. 1997. Reversal of Anemia by Erythropoietin Therapy Retards the Progression of Chronic Renal Failure, Especially in Nondiabetic Patients, *Nephron*, 77, pp. 176-85.

Lai, P.H., Everett, R., Wang, F.F., Arakawa, T., Goldwasser, E. 1986. Structural Characterization of Human Erythropoietin, *The Journal of Biological Chemistry*, 261(7), pp. 3116-3121.

Lau, B.C.V., Ong, K.Y., Yap, C.W., Vathsala, A., How, P. 2015. Predictors of Anemia in a Multi-Ethnic Chronic Kidney Disease Population: A Case-Control Study, *Springer Plus*, 4, pp. 233-41.

Lee, H.B., Koh, S.W., Park, H.S., 1986. Ferrokinetics in Patients on CAPD: Influence of CAPD on the Anemia of Uremia, *The Korean Journal of Internal Medicine*, 1 (1), pp. 54-9.

López-Novoa, J.M., Martínez-Salgado, C., Rodríguez-Peña, A.B., López-Hernández, F.J. 2010. Common Pathophysiological Mechanism of Chronic Kidney Disease: Therapeutic Perspectives, *Pharmacology & Therapeutics*, 128, pp. 61-81.

Macdougall, I.C. 2001. Role of Uremic Toxins in Exacerbating Anemia in Renal Failure, *Kidney International*, 59, pp. S67-S72.

McClellan W., Aronoff, S.L., Bolton, W.K., Hood, S., Lorber, D.L., Tang, L., Tse, T.F., Wasserman B., Leiserowitz, M. 2004. The Prevalence of Anemia in Patients with Chronic Kidney Disease, *Curr Med Res Opin*, 20(9), pp. 1501-10.

McFarlane, S.I., Chen, S.C., Whaley-Connell, A.T., Sowers, J.R., Vassalotti, J.A.,



- Salifu, M.O., Li, S., Wang, C., Bakris, G., McCullough, P., Collins, A.J., Norris, K.C. 2008. Prevalence and Associations of Anemia of CKD: Kidney Early EvaluationProgram (KEEP) and National Health and Nutrition Examination Survey (NHANES) 1999-2004, *Am J Kidney Dis*, 4(2), pp. S46-S55.
- Munib, S. 2006. Continuous Ambulatory Peritoneal Dialysis (CAPD), *Gomal Journal of Medical Sciences*, 4(2), pp. 82-5.
- Murray, R.K. 2003. Porphyrins & Bile Pigments. In: Murray, R.K., Granner, D.K., Mayes, P.A., Rodwell, V.W., *Harper's Illustrated Biochemistry*, 26th edn, McGraw-Hill, New York City.
- National Kidney Foundation. 2006. KDOQI Clinical Practice Guidelines and Clinical Practice Recommendations for 2006 Updates: Hemodialysis Adequacy, Peritoneal Dialysis Adequacy, and Vascular Access, *Am J Kidney Dis*, 48, pp. S1-S322.
- National Kidney Foundation. 2006. KDOQI Clinical Practice Guidelines and Clinical Practice Recommendations for Anemia in Chronic Kidney Disease, *Am J Kidney Dis*, 47(5), pp. S1-S149.
- Ojo, A. 2014. Addressing the Global Burden of Chronic Kidney Disease through Clinical and Translational Research, *Transaction of the American clinical and Climatological Association*, 125, pp. 229-246.
- Perhimpunan Nefrologi Indonesia 2011, *Konsensus Manajemen Anemia pada Penyakit Ginjal Kronik*, PERNEFRI, Jakarta.
- Perhimpunan Nefrologi Indonesia 2011, *Konsensus Nutrisi pada Penyakit Ginjal Kronik*, PERNEFRI, Jakarta.
- Perhimpunan Nefrologi Indonesia 2012, *5th Report of Indonesian Renal Registry*, viewed 24 September 2015, <http://www.pernefri-inasn.org/gallery.html>
- Perhimpunan Nefrologi Indonesia 2014, *7th Report of Indonesian Renal Registry*, viewed 15 April 2016, <http://www.pernefri-inasn.org>
- Resic, H., Alajbegovic, A., Sahovic, V., Mesic, E., Suljic, E. 2004. Menstrual Dysfunction in Female Patients Undergoing Dialysis, *Bantao*, 2(2), pp. 22-26.
- Shinzato, T., Abe, K., Furusu, A., Harada, T., Shiznato, K., Miyazaki, M., Kohno, S. 2008. Serum Pro-Hepcidin Level and Iron Homeostasis in Japanese Dialyzed Patients with Erythropoietin (EPO)-Resistant Anemia, *Med Sci Monit*, 14(9), pp. 431-437.



Spivak, J.L. 2005. The Anaemia of Cancer: Death by a Thousand Cuts, *Nature Review Cancer*, 5, pp. 543-55.

Stainhauer, H.B., Lubrich-Birkner, I., dreyling, K.W., Schollmeyer, P. 1991. Effect of Human Recombinant Erythropoietin on Anaemia and Dialysis Efficiency in Patients Undergoing Continuous Ambulatory Peritoneal Dialysis, *European Journal of Clinical Investigation*, 21, pp. 47-52.

Stauffer, M.E., Fan, T. 2014. Prevalence of Anemia in Chronic Kidney Disease in the United States, *PLOS One*, 9(1), pp. E84943.

Stojimirović, B., Grujić-Adanja, G. 1997. The Effect of Hemodialysis and Continuous Ambulatory Peritoneal Dialysis on Renal Anemia, *Srp Arh Celok Lek*, 125, pp. 163-7.

Suega, K., Bakta, M., Dharmayudha, T.G., Lukman, J.S., Suwitra, K. 2005. Profile of Anemia in Chronic Renal Failure Patients: Comparison Between Predialyzed and Dialyzed Patients at The Division of Nephrology, Department of Internal Medicine, Sanglah Hospital, Denpasar, Bali, Indonesia, *Indones J Intern Med*, 37(4), pp. 190-4.

Thomas, R., Kanso, A., Sedor J.R. 2008. Chronic Kidney Disease and Its Complications, *Prim Care*, 35(2), pp. 329-41.

Tsuchiya, K., Nitta, K. 2013. Hepcidin is a Potential Regulator of Iron Status in Chronic Kidney Disease, *Therapeutic Apheresis and Dialysis*, 17(1), pp. 1-8.

World Health Organization & United Nations Children's Fund 2004, *Focusing on Anaemia Towards an Integrated Approach for Effective Anaemia Control*, viewed 3 November 2015, http://www.who.int/nutrition/publications/micronutrients/WHOandUNICEF_statement_anaemia/en/

World Health Organization 2008, *Worldwide Prevalence of Anaemia 1993-2005*, WHO, Geneva.

World Health Organization 2011, *Haemoglobin Concentrations for the Diagnosis of Anaemia and Assessment of Severity*, viewed 3 November 2015, <http://www.who.int/vmnis/indicators/haemoglobin/en/>

World Health Organization 2011, *Peritoneal Dialysis Unit*, viewed 22 October 2015, http://www.who.int/medical_devices/en/index.html

World Health Organization 2015, *The Global Prevalence of Anaemia in 2011*,



UNIVERSITAS
GADJAH MADA

Prevalence of Renal Anemia among Continuous Ambulatory Peritoneal Dialysis Patients after Receiving

Erythropoietin-Stimulating Agent Therapy in Dr. Sardjito Hospital Year 2015

WIDYANINGRUM, dr. Heru Prasanto, Sp.PD-KGH; dr Arta Farmawati, Ph.D

Universitas Gadjah Mada, 2016 | Diunduh dari <http://etd.repository.ugm.ac.id/>

WHO, Geneva.

Zadrazil, J., Horak, P. 2015. Pathophysiology of Anemia in Chronic Kidney Disease: A Review, *Biomed Pap Med*, 159(2), pp. 197-202.

Zumbrennen-Bullough, K., Babitt, J.L. 2014. The Iron Cycle in Chronic Kidney Disease (CKD) from Genetics and Experimental Models to CKD Patients, *Nephro Dial Transplant*, 29(2), pp. 263-73.