



DAFTAR PUSTAKA

Aly, H., Khashaba, M., El-Ayouty, M., El-Sayed, O. and Hasanein, B. (2006). IL-1 β , IL-6 and TNF- α and outcomes of neonatal hypoxic ischemic encephalopathy. *Brain and Development*, 28(3), pp.178-182.

Anantharaj A, Bhat BV. Outcome of neonates requiring assisted ventilation. *Turk J Pediatr* 2011;53:547-53

Bax MC, Flodmark O, Tydeman C. Definition and classification of cerebral palsy. From syndrome toward disease. *Dev Med Child Neurol Suppl*. 2007;109:39-41.

Bhutta, Z.A., Gill, C., Lawn, J.E.(2011). *BMC Public Health* 11(Suppl 3):S12

Braga, L., Lorenzo, A., Suoub, M. and Bägli, D. (2010). Is Statistical Significance Sufficient? Importance of Interaction and Confounding in Hypospadias Analysis. *The Journal of Urology*, 184(6), pp.2510-2515.

Cohen-Wolkowicz, M., Moran, C., Benjamin, D., Cotten, C., Clark, R., Benjamin, D. and Smith, P. (2009). Early and Late Onset Sepsis in Late Preterm Infants. *The Pediatric Infectious Disease Journal*, 28(12), pp.1052-1056.



Committee on Fetus and Newborn, Committee on Obstetric practice. Use and Abuse of the Apgar Score. *Pediatrics*. 1996;98:141-2.

Del Vecchio, A. and Christensen, R. (2012). Neonatal neutropenia: what diagnostic evaluation is needed and when is treatment recommended?. *Early Human Development*, 88, pp.S19-S24.

Engle, W. and Rosenfeld, C. (1984). Neutropenia in high-risk neonates. *The Journal of Pediatrics*, 105(6), pp.982-986.

Fewtrell, L. and Bartram, J. (2001). Water quality. London: IWA Pub.

Fotopoulos, S., Mouchtouri, A., Xanthou, G., Lipsou, N., Petrakou, E. and Xanthou, M. (2005). Inflammatory chemokine expression in the peripheral blood of neonates with perinatal asphyxia and perinatal or nosocomial infections. *Acta Paediatrica*, 94(6), pp.800-806.

Hornik, C., Fort, P., Clark, R., Watt, K., Benjamin, D., Smith, P., Manzoni, P., Jacqz-Aigrain, E., Kaguelidou, F. and Cohen-Wolkowicz, M. (2012). Early and late onset sepsis in very-low-birth-weight infants from a large group of neonatal intensive care units. *Early Human Development*, 88, pp.S69-S74.



IDAI. (2004).Asfiksia Neonatorum. Dalam: Standar pelayanan medis kesehatan anak. Jakarta: Badan Penerbit IDAI;h.272-6

Khatami, S.F.,Parvaresh, P., Behjati, S. (2011). *Common Complications of Endotracheal Intubation in Newborns*. Teheran.

Kraft, R., Herndon, D., Finnerty, C., Cox, R., Song, J. and Jeschke, M. (2015). Predictive Value of IL-8 for Sepsis and Severe Infections After Burn Injury. *Shock*, 43(3), pp.222-227.

Leal, Y., Álvarez-Nemegyei, J., Velázquez, J., Rosado-Quiab, U., Diego-Rodríguez, N., Paz-Baeza, E. and Dávila-Velázquez, J. (2012). Risk factors and prognosis for neonatal sepsis in southeastern Mexico: analysis of a four-year historic cohort follow-up. *BMC Pregnancy Childbirth*, 12(1), p.48.

Lee, A., Cousens, S., Wall, S.N., Niermeyer, S., Darmstadt, G.L., Carlo, W.A., Keenan, W.J., New Zealand Resuscitation Council. 2014. *Guideline: Physiology of Birth Asphyxia*.Whakahauora Aotearoa, Wellington.

Maheshwari, A. (2014). Neutropenia in the newborn. *Current Opinion in Hematology*, 21(1), pp.43-49.

Manoe, V.M. and Amir, I.(2003).Gangguan Fungsi Multiorgan pada Bayi Asfiksia Berat.*Sari Pediatri*,5(2),pp.72-78.



Mireya, U., Martí, P., Xavier, K., Cristina, L., Miguel, M. and Magda, C. (2007). Nosocomial infections in paediatric and neonatal intensive care units. *Journal of Infection*, 54(3), pp.212-220.

"NZRC » New Zealand Resuscitation Council". Nzrc.org.nz. N.p., 2017. Web. 3 May 2016.

Ocw.tufts.edu. (2016). *CMH110 Epidemiology and Biostatistics, Fall 2004/2005 - Tufts OpenCourseWare*. [online] Available at: <http://ocw.tufts.edu/Content/1/CourseHome/194039/194058> [Accessed 16 Jun. 2016].

Perlman J.M., Wyllie J., Kattwinkel J., Atkins D.L., Chameides L., Goldsmith J.P., Guinsburg

Pratiknya, A.W.(1986) *Dasar-dasar Metodologi Penelitian Kedokteran dan Kesehatan*. Rajawali. Jakarta

Putra, J. P., 2012, Insiden dan Faktor-Faktor yang Berhubungan dengan Sepsis Neonatus di RSUP Sanglah Denpasar, *Sari Pediatri*, 14 (3), 205-210.

R., Hazinski M.F., Morley C., Richmond S., Simon W.M., Singhal N., Szyld E., Tamura M., Velaphi S.; on behalf of the Neonatal Resuscitation Chapter Collaborators. Part 11: Neonatal Resuscitation: 2010 International Consensus on Cardiopulmonary Resuscitation and Emergency Cardiovascular Care Science With Treatment Recommendations. *Circulation*. 2010;122(suppl 2):S516–S538.



Shah, G.S., Budhathoki, S., Das, B.K., Mandal, R.N., (2006). *Risk factors in early neonatal sepsis*. [Kathmandu Univ Med J \(KUMJ\)](#). 2006 Apr-Jun;4(2):187-91.

Simonsen, K., Anderson-Berry, A., Delair, S. and Davies, H. (2014). Early-Onset Neonatal Sepsis. *Clinical Microbiology Reviews*, 27(1), pp.21-47. Sphweb.bumc.bu.edu. (2016). *Advantages and Disadvantages of Cohort Studies*. [online] Available at: http://sphweb.bumc.bu.edu/otlt/MPH-Modules/EP/EP713_CohortStudies/EP713_CohortStudies5.html [Accessed 16 Jun. 2016].

Sydnor, E. and Perl, T. (2011). Hospital Epidemiology and Infection Control in Acute-Care Settings. *Clinical Microbiology Reviews*, 24(1), pp.141-173.

Ulusoy, E., Tüfekçi, Ö., Duman, N., Kumral, A., İrken, G. and Ören, H. (2013). Thrombocytopenia in neonates: causes and outcomes. *Annals of Hematology*, 92(7), pp.961-967.

WHO , 2012 Guidelines on basic newborn resuscitation. (2012). 1st ed. [ebook] World Health Organization. Available at: <http://www.who.int> [Accessed 16 June 2015].

Willcox, A. (2005). Preventing healthcare-associated infections in primary care. *Primary Health Care*, 15(8), pp.43-50.



Zaichkin, J., Kattwinkel, J. and McGowan, J. (2011). *Textbook of neonatal resuscitation*. [Elk Grove Village, IL]: American Heart Association.