

## DAFTAR PUSTAKA

- Alvarez, R.J., Sun, M.J., Haverty, T.P., Iozzo, R. V, Myers, J.C. & Neilson, E.G. 1992. Biosynthetic and proliferative characteristics of tubulointerstitial fibroblasts probed with paracrine cytokines. *Kidney international*, 41:14–23.
- Annes, J.P., Munger, J.S. & Rifkin, D.B. 2003. Making sense of latent TGF $\beta$  activation. *Journal of cell science*, 116:217–224.
- Arfian, N., Muflikhah, K., Soeyono, S.K., Sari, D.C.R., Tranggono, U., Anggorowati, N., *et al.* 2016. Vitamin D attenuates kidney fibrosis via reducing fibroblast expansion, inflammation, and epithelial cell apoptosis. *Kobe Journal of Medical Sciences*, 62:E38–E44.
- Aschenbrenner, J.K., Sollinger, H.W., Becker, B.N. & Hullett, D.A. 2001. 1,25-(OH(2))D(3) Alters the Transforming Growth Factor beta Signaling Pathway in Renal Tissue. *J Surg Res*, 100:171–175.
- Badid, C., Vincent, M., Fouque, D., Laville, M. & Desmoulière, A. 2001. Myofibroblast: a prognostic marker and target cell in progressive renal disease. *Renal failure*, 23:543–549.
- Baird, A., Mormède, P. & Böhlen, P. 1985. Immunoreactive fibroblast growth factor in cells of peritoneal exudate suggests its identity with macrophage-derived growth factor. *Biochemical and biophysical research communications*, 126:358–364.
- Bradham, D.M., Igarashi, A., Potter, R.L. & Grotendorst, G.R. 1991. Connective tissue growth factor: a cysteine-rich mitogen secreted by human vascular endothelial cells is related to the SRC-induced immediate early gene product CEF-10. *The Journal of cell biology*, 114:1285–1294.
- Charan, J. & Kantharia, N.D. 2013. How to calculate sample size in animal studies? *Journal of Pharmacology and Pharmacotherapeutics*, 4:303.
- Chevalier, R.L., Forbes, M.S. & Thornhill, B. a 2009. Ureteral obstruction as a model of renal interstitial fibrosis and obstructive nephropathy. *Kidney international*, [Daring] 75:1145–1152.
- Conway, B. & Hughes, J. 2012. Cellular orchestrators of renal fibrosis. *Qjm*, 105:611–615.
- Cutroneo, K.R., White, S.L., Phan, S.H. & Ehrlich, H.P. 2007. Therapies for bleomycin induced lung fibrosis through regulation of TGF-beta1 induced collagen gene expression. *Journal of cellular physiology*, [Daring] 211:585–9.
- Davison, S.N. 2007. Chronic kidney disease: psychosocial impact of chronic pain. *Geriatrics*, 62:17–23.

- de Brito Galvao, J.F., Nagode, L.A., Schenck, P.A. & Chew, D.J. 2013. Calcitriol, calcidiol, parathyroid hormone, and fibroblast growth factor-23 interactions in chronic kidney disease. *Journal of Veterinary Emergency and Critical Care*, 23:134–162.
- Debessa, C.R.G., Maifrino, L.B.M. & de Souza, R.R. 2001. Age related changes of the collagen network of the human heart. *Mechanisms of ageing and development*, 122:1049–1058.
- Dhaun, N., Webb, D.J. & Kluth, D.C. 2012. Endothelin-1 and the kidney - Beyond BP. *British Journal of Pharmacology*, 167:720–731.
- Duymelinck, C., Dauwe, S.E.H., De Greef, K.E.J., Ysebaert, D.K., Verpooten, G.A. & De Broe, M.E. 2000. TIMP-1 gene expression and PAI-1 antigen after unilateral ureteral obstruction in the adult male rat. *Kidney International*, 58:1186–1201.
- Eddy, A.A. 2000. Molecular basis of renal fibrosis. *Pediatric nephrology (Berlin, Germany)*, [Daring] 15:290–301.
- Eddy, A.A. 2005. Progression in chronic kidney disease. *Advances in Chronic Kidney Disease*, 12:353–365.
- Eddy, A.A. & Giachelli, C.M. 1995. Renal expression of genes that promote interstitial inflammation and fibrosis in rats with protein-overload proteinuria. *Kidney international*, [Daring] 47:1546–57.
- Eddy, A.A., López-Guisa, J.M., Okamura, D.M. & Yamaguchi, I. 2012. Investigating mechanisms of chronic kidney disease in mouse models. *Pediatric nephrology*, 27:1233–1247.
- EI Nahas, A.M. & Bello, A.K. 2005. Chronic kidney disease: the global challenge. *The Lancet*, 365:331–340.
- Eriksson, M., Taskinen, M. & Leppä, S. 2006. Therapies for Bleomycin Induced Lung Fibrosis Through Regulation of TGF- $\beta$ 1 Induced Collagen Gene Expression. *Journal of cellular physiology*, 207:12–22.
- Evans, J.D. 1996. *Straightforward statistics for the behavioral sciences*,. Pacific Grove, Calif.: Brooks/Cole Publ. Co: An International Thomson Publ. Co.
- Fogo, A.B. 2007. Mechanisms of progression of chronic kidney disease. *Pediatric Nephrology*, 22:2011–2022.
- Fogo, A.B. 2006. Progression versus regression of chronic kidney disease. *Nephrology Dialysis Transplantation*, 21:281–284.
- Gallieni, M., Cozzolino, M., Fallabrino, G., Pasho, S., Olivi, L. & Brancaccio, D. 2009. Vitamin D: physiology and pathophysiology. *The International journal of artificial organs*, 32:87–94.
- García, I.M., Altamirano, L., Mazzei, L., Fornés, M., Molina, M.N., Ferder, L., et

- al.* 2012. Role of mitochondria in paricalcitol-mediated cytoprotection during obstructive nephropathy. *American journal of physiology. Renal physiology*, [Daring] 302:F1595-605.
- Hall, J.E. 2015. *Guyton and Hall textbook of medical physiology*,. Elsevier Health Sciences.
- Haynes, R.J. & Winearls, C.G. 2010. Chronic kidney disease. *Surgery*, [Daring] 28:525–529.
- Hocher, B., Thöne-Reineke, C., Rohmeiss, P., Schmager, F., Slowinski, T., Burst, V., *et al.* 1997. Endothelin-1 transgenic mice develop glomerulosclerosis, interstitial fibrosis, and renal cysts but not hypertension. *Journal of Clinical Investigation*, 99:1380–1389.
- Iwano, M. & Neilson, E.G. 2004. Mechanisms of tubulointerstitial fibrosis. *Current opinion in nephrology and hypertension*, 13:279–284.
- Iwano, M., Plieth, D., Danoff, T.M., Xue, C., Okada, H. & Neilson, E.G. 2002. Evidence that fibroblasts derive from epithelium during tissue fibrosis. *Journal of Clinical Investigation*, 110:341–350.
- Izbicki, G., Or, R., Christensen, T.G., Segel, M.J., Fine, A., Goldstein, R.H., *et al.* 2002. Bleomycin-induced lung fibrosis in IL-4-overexpressing and knockout mice. *American journal of physiology. Lung cellular and molecular physiology*, 283:L1110–L1116.
- Jayaraman, R. & Van der Voort, J. 2010. Principles of management of chronic kidney disease. *Paediatrics and Child Health*, [Daring] 20:291–296.
- Jha, V., Garcia-Garcia, G., Iseki, K., Li, Z., Naicker, S., Plattner, B., *et al.* 2013. Chronic kidney disease: Global dimension and perspectives. *The Lancet*, [Daring] 382:260–272.
- Kaneto, H., Ohtani, H., Fukuzaki, A., Ishidoya, S., Takeda, A., Ogata, Y., *et al.* 1999. Increased expression of TGF- $\beta$ 1 but not of its receptors contributes to human obstructive nephropathy. *Kidney International*, 56:2137–2146.
- Karsenty, G. & Park, R.-W. 1995. Regulation of Type I Collagen Genes Expression. *International Reviews of Immunology*, [Daring] 12:177–185.
- Kenneth, S.S. 2003. *Anatomy and physiology: The unity of form and function*,. USA: McGraw-Hill.
- Kessenbrock, K., Plaks, V. & Werb, Z. 2010. Matrix metalloproteinases: regulators of the tumor microenvironment. *Cell*, 141:52–67.
- Kim, K.K., Kugler, M.C., Wolters, P.J., Robillard, L., Galvez, M.G., Brumwell, A.N., *et al.* 2006. Alveolar epithelial cell mesenchymal transition develops in vivo during pulmonary fibrosis and is regulated by the extracellular matrix. *Proceedings of the National Academy of Sciences*, 103:13180–13185.

- Klahr, S. & Morrissey, J. 2002. Obstructive nephropathy and renal fibrosis. *American journal of physiology. Renal physiology*, 283:F861–F875.
- Krieg, T. & LeRoy, E.C. 1998. Diseases of the extracellular matrix. *Journal of Molecular Medicine*, 76:224–225.
- Kuncio, G.S., Neilson, E.G. & Haverty, T. 1991. Mechanisms of tubulointerstitial fibrosis. *Kidney international*, 39:550–556.
- Kwak, H.-B. 2013. Aging, exercise, and extracellular matrix in the heart. *Journal of exercise rehabilitation*, [Daring] 9:338–47.
- Lai, C.F., Chen, Y.M., Chiang, W.C., Lin, S.L., Kuo, M.L. & Tsai, T.J. 2013. Cysteine-Rich Protein 61 Plays a Proinflammatory Role in Obstructive Kidney Fibrosis. *PLoS ONE*, 8:18–21.
- Lan, H.Y. 2003. Inhibition of Renal Fibrosis by Gene Transfer of Inducible Smad7 Using Ultrasound-Microbubble System in Rat UO Model. *Journal of the American Society of Nephrology*, [Daring] 14:1535–1548.
- Leask, A., Denton, C.P. & Abraham, D.J. 2004. Insights into the molecular mechanism of chronic fibrosis: the role of connective tissue growth factor in scleroderma. *Journal of Investigative Dermatology*, 122:1–6.
- Levey, A.S. & Coresh, J. 2012. Chronic kidney disease. *The Lancet*, [Daring] 379:165–180.
- Levey, A.S., Coresh, J., Balk, E., Kausz, A.T., Levin, A., Steffes, M.W., *et al.* 2003. National Kidney Foundation Practice Guidelines for Chronic Kidney Disease: Evaluation, Classification, and Stratification. *Annals of Internal Medicine*, 139:137–147+I36.
- Li, Y.C. 2010. Renoprotective effects of vitamin D analogs. *Kidney international*, [Daring] 78:134–139.
- Li, Y.C. 2013. Vitamin D in chronic kidney disease. *Contributions to Nephrology*, 180:98–109.
- Liu, F.-Y., Li, X.-Z., Peng, Y.-M., Liu, H. & Liu, Y.-H. 2007. Arkadia-Smad7-Mediated Positive Regulation of TGF- $\beta$  Signaling in a Rat Model of Tubulointerstitial Fibrosis. *American Journal of Nephrology*, [Daring] 27:176–183.
- Lozano, R., Naghavi, M., Foreman, K., Lim, S., Shibuya, K., Aboyans, V., *et al.* 2012. Global and regional mortality from 235 causes of death for 20 age groups in 1990 and 2010: A systematic analysis for the Global Burden of Disease Study 2010. *The Lancet*, 380:2095–2128.
- Markiewicz, M., Smith, E.A., Dong, J.Y., Trojanowska, M. & LeRoy, E.C. 2004. The 72-kilodalton IE-1 protein of human cytomegalovirus (HCMV) is a potent inducer of connective tissue growth factor (CTGF) in human dermal fibroblasts. *Clinical and experimental rheumatology*, 22:S31–S34.

- McKleroy, W., Lee, T.-H. & Atabai, K. 2013. Always cleave up your mess: targeting collagen degradation to treat tissue fibrosis. *American journal of physiology. Lung cellular and molecular physiology*, [Daring] 304:L709-21.
- McPhee, S., Papadakis, M. & M, R. 2013. *Current Medical Diagnosis and Treatment*, McGraw-Hill Medical,.
- Meschel, A.L. 2012. Histologi Dasar JUNQUEIRA Teks & Atlas. In: *Histologi Dasar JUNQUEIRA Teks & Atlas*, hal. 396–398.
- Moore, K.L., Dalley, A.F. & Agur, A.M.R. 2013. *Clinically oriented anatomy*, Lippincott Williams & Wilkins.
- Potter, J.J., Liu, X., Koteish, A. & Mezey, E. 2013. 1,25-dihydroxyvitamin D3 and its nuclear receptor repress human  $\alpha 1(I)$  collagen expression and type I collagen formation. *Liver International*, 33:677–686.
- Ramirez, A.M.A., Wongtrakool, C., Welch, T., Steinmeyer, A., Zügel, U., Roman, J., *et al.* 2010. Vitamina D inhibition of pro-fibrotic effects of transforming growth factor B1 in lung fibroblasts and epithelial cells. *J. Steroid Biochem. Mol. Biol.*, 118:142–150.
- Rastaldi, M.P. 2006. Epithelial-mesenchymal transition and its implications for the development of renal tubulointerstitial fibrosis. *Journal of Nephrology*, 19:407–412.
- Ross, M.H. & Pawlina, W. 2011. *Histology - A Text and Atlas*,.
- Rossert, J., Terraz, C. & Dupont, S. 2000. Regulation of type I collagen genes expression. *Nephrol Dial Transplant*, 15 Suppl 6:66–68.
- Rybinski, B., Franco-Barraza, J. & Cukierman, E. 2014. The wound healing, chronic fibrosis, and cancer progression triad. *Physiol. Genomics*, [Daring] 46:223–244.
- Schiffer, M., Von Gersdorff, G., Bitzer, M., Susztak, K. & Böttinger, E.P. 2000. Smad proteins and transforming growth factor- $\beta$  signaling. *Kidney International*, 58:S45–S52.
- Sharma, A.K., Mauer, S.M., Kim, Y. & Michael, A.F. 1995. Altered expression of matrix metalloproteinase-2, TIMP, and TIMP-2 in obstructive nephropathy. *The Journal of laboratory and clinical medicine*, 125:754–761.
- Shimokado, K., Raines, E.W., Madtes, D.K., Barrett, T.B., Benditt, E.P. & Ross, R. 1985. A significant part of macrophage-derived growth factor consists of at least two forms of PDGF. *Cell*, 43:277–286.
- Shweke, N., Boulos, N., Jouanneau, C., Vandermeersch, S., Melino, G., Dussaule, J.C., *et al.* 2008. Tissue transglutaminase contributes to interstitial renal fibrosis by favoring accumulation of fibrillar collagen through TGF- $\beta$  activation and cell infiltration. *The American journal of pathology*, [Daring] 173:631–42.



- Strutz, F. & Zeisberg, M. 2006. Renal Fibroblasts and Myofibroblasts in Chronic Kidney Disease. *Journal of the American Society of Nephrology*, [Daring] 17:2992–2998.
- Sun, D., Wang, Y., Liu, C., Zhou, X., Li, X. & Xiao, A. 2012. Effects of nitric oxide on renal interstitial fibrosis in rats with unilateral ureteral obstruction. *Life Sciences*, [Daring] 90:900–909.
- Sun, Y., Zhou, G., Gui, T., Shimokado, A., Nakanishi, M., Oikawa, K., *et al.* 2014. Elevated serum 1,25(OH)<sub>2</sub>-vitamin D<sub>3</sub> level attenuates renal tubulointerstitial fibrosis induced by unilateral ureteral obstruction in kl/kl mice. *Scientific Reports*, [Daring] 4:6563.
- Tachaudomdach, C., Kantachuvesiri, S., Wongpraphairot, S., Worawichawong, S., Tankee, P., Riengrojpitak, S., *et al.* 2015. High collagen I gene expression as an independent predictor of adverse renal outcomes in lupus nephritis patients with preserved renal function. *Archives of Pathology and Laboratory Medicine*, 139:378–387.
- Tan, X., Li, Y. & Liu, Y. 2006. Paricalcitol attenuates renal interstitial fibrosis in obstructive nephropathy. *Journal of the American Society of Nephrology : JASN*, 17:3382–3393.
- Tanagho, E.A. & McAninch, J.W. 2004. *Smith's General Urology*,.
- Tian, J., Liu, Y., Williams, L.A. & de Zeeuw, D. 2007. Potential role of active vitamin D in retarding the progression of chronic kidney disease. *Nephrology Dialysis Transplantation*, 22:321–328.
- Tortora, G.J. & Derrickson, B. 2014. *Principles of Anatomy and Physiology*,.
- Trojanowska, M., LeRoy, E.C., Eckes, B. & Krieg, T. 1998. Pathogenesis of fibrosis: Type 1 collagen and the skin. *Journal of Molecular Medicine*, 76:266–274.
- Ueha, S., Shand, F.H.W. & Matsushima, K. 2012. Cellular and molecular mechanisms of chronic inflammation-associated organ fibrosis. *Frontiers in Immunology*, 3:1–6.
- Wahl, S.M., Hunt, D.A., Wakefield, L.M., McCartney-Francis, N., Wahl, L.M., Roberts, A.B., *et al.* 1987. Transforming growth factor type beta induces monocyte chemotaxis and growth factor production. *Proceedings of the National Academy of Sciences*, 84:5788–5792.
- Walton, G., Buttyan, R., Garcia-Montes, E., Olsson, C.A., Hensle, T.W. & Sawczuk, I.S. 1992. Renal growth factor expression during the early phase of experimental hydronephrosis. *The Journal of urology*, 148:510–514.
- Wang, L., Lee, J.-Y.S., Kwak, J.H., He, Y., Kim, S. II & Choi, M.E. 2008. Protective effects of low-dose carbon monoxide against renal fibrosis induced by unilateral ureteral obstruction. *American journal of physiology. Renal*

*physiology*, 294:F508-17.

Williams, S. 1996. Pearson's correlation coefficient. *The New Zealand medical journal*, 109:38.

Yanagisawa, M., Kurihara, H., Kimura, S., Tomobe, Y., Mitsui, Y., Goto, K., *et al.* 1988. A novel potent vasoconstrictor peptide produced by vascular endothelial cells. *nature*, 332:411–415.

Zeisberg, M., Bonner, G., Maeshima, Y., Colorado, P., Müller, G.A., Strutz, F., *et al.* 2001. Extracellular Matrix Microenvironment Regulates Migratory Behavior of Activated Tubular Epithelial Cells. *The American Journal of Pathology*, [Daring] 159:1313–1321.

Zhang, D., Sun, L., Xian, W., Liu, F., Ling, G., Xiao, L., *et al.* 2010. Low-dose paclitaxel ameliorates renal fibrosis in rat UUO model by inhibition of TGF-beta/Smad activity. *Laboratory investigation; a journal of technical methods and pathology*, [Daring] 90:436–47.

Zhang, Y., Kong, J., Deb, D.K., Chang, A. & Li, Y.C. 2010. Vitamin D receptor attenuates renal fibrosis by suppressing the renin-angiotensin system. *Journal of the American Society of Nephrology : JASN*, 21:966–973.

Zhao, H., Dong, Y., Tian, X., Tan, T.K., Liu, Z., Zhao, Y., *et al.* 2013. Matrix metalloproteinases contribute to kidney fibrosis in chronic kidney diseases. *World journal of nephrology*, [Daring] 2:84–9.