



DAFTAR PUSTAKA

- Aghazadeh, S.M. (2004). Improving logistics operations across the food industry supply chain. *International Journal of Contemporary Hospitality Management* **16(4)**: 263-268.
- Alfonso-Lizarazo, E. H., Montoya-Torres J. R., dan Gutiérrez-Franco, E. (2013). Modeling reverse logistics process in the agro-industrial sector : The Case Of The Palm Oil Supply chain. *Applied Mathematical Modelling* **37**: 9652–9664.
- Anonim. (1993). *Panduan Usaha Tani PIR Perkebunan Kelapa Sawit*. Direktorat Jenderal Perkebunan Departemen Pertanian, Jakarta.
- Anonim. (2005). Standar Operasi Panen dan Angkut. Sinarmas Tbk. Jakarta.
- Anonim. (2008). *Pengelolaan Perkebunan Kelapa Sawit*. Institut Pertanian Bogor, Bogor.
- Anonim. (2015). Rencana Strategis Direktorat Jenderal Perkebunan Tahun 2015 – 2019. Hal 236. Kementerian Pertanian, Republik Indonesia, Jakarta.
- Aramyan, L. H., Oude L, Alfons G. J.M., Jack G.A.J., dan Van der Vorstand O.K. (2007). Performance measurement in agri-food supply chains: a case study. *J. Supply Chain Management: An International Journal* **12 (4)**: 304–315.
- Balasundram, S.K., Robert, P.C., Mulla, D.J. dan Allan, D.L. (2006). Relationship between oil palm yield and soil fertility as affected by topography in an Indonesian plantation. *Jurnal Communications in Soil Science and Plant Analysis* **37**:1321–1337.
- Bourne, M.C. (2002). Relationship between rheology and food texture. *Dalam: Chanes, J.W (ed). Engineering and Food for The 21st Century*, hal. 291-306. CRC Press, London.
- Budiyanto, Mudjiharjo, S., dan Sabri, C.S. (2005). Identifikasi kerusakan buah sawit dan pengaruh penundaan pengolahan terhadap peningkatan kandungan ALB pada buah sawit. *Jurnal Ilmu-Ilmu Pertanian Indonesia* **7**: 133-139.
- Chong, C.L.dan Ravigadevi S. (1993). Effects of mesocarp bruising on the rate of free fatty acid release in oil palm fruits. *International Biodeterioration & Biodegradation* **31(1)**: 65-70.
- Choon-Hui, T. dan Hazanah, G. (2009). Extraction and physicochemical properties of low free fatty acid crude palm oil. *J. Food Chemistry* **113 (2)**: 645-650.
- Con Hung,Y. (1993). Latent damage: a system perspective. *Dalam: Shewfelt, Robert L dan Prussia, Stanley (ed). Postharvest Handling, A System Approach*, hal 125-150. Academic Press Inc., San Diego.
- Corley, R.H.V. dan Tinker, P.B. (2003). *The Oil Palm*. ed. 4. Blackwell Science Inc., Iowa.
- Corley, R.H.V. (2008). How much palm oil do we need?. *Journal of Environmental Science & Policy* **12**: 134–139.
- Coyle, J.J, Bardi, E.J, dan Langley, C.J. (2013). *The Management of Business Logistics: A Supply Chain Perspective*. ed 7. Thomson Learning, Canada.



- Dethan, J. S. (1997). *Analisis Tumbukan Model Visko Elastis Tak Linier Untuk Menentukan Kematangan Buah Sawo*. Thesis, Program Pasca Sarjana, Universitas Gadjah Mada, Yogyakarta.
- Diana, C. dan Fredoun A. E. (2006). *Modelling Market Power in the Indonesian Palm Oil Industry*. Prosiding AARES 49th Annual Conference of the Australian Agricultural and Resource Economics Society. New South Wales.
- Engelseth, P. (2015). Customer-responsive supply of local foods. *Operations and Supply Chain Management* **8** (3): 111 – 119.
- Fatin, S.A, Yunus, R., dan Shamsudin, R. (2014a). The effect of storage time of chopped oil palm fruit bunches on the palm oil quality. *Agriculture and Agricultural Science Procedia* **2** : 165 – 172.
- Fatin, S.A., Rosnah, S., Yunus, R., (2014b). Effect of chopping oil palm fruit spikelets on the free fatty acid content release rate and its mechanical properties. *International Journal of Research in Engineering and Technology* **3**(1): 511-516.
- Fauza, G., Amer, Y., Heon Lee, S., dan Prasetyo, H. (2015). A vendor-buyer inventory model for food products based on shelf-life pricing. *Operations and Supply Chain Management*, **8**(2): 67 – 73.
- García-Cáceres, R.G., Martínez-Avella, M.E., Palacios-Gómez, F. (2015). Tactical optimization of the oil palm agribusiness supply chain. *Applied Mathematical Modelling* **39**: 6375–6395.
- Gibon, V. (2015). Palm oil and palm kernel refining and fractionation technology. *Dalam: Lai, O.M., Tan C.P., Akoh, C.C. (ed) Palm Oil: Production, Processing, Characterization, and Uses*. hal. 337. AOCS, Urbana, USA.
- Gigler, J.K, Hendrix E.M.T., Heesen, R.A, Hazelkamp, V.G.W, dan Meerdink, G.(2002). An optimisation of agrichains by dynamic programming. *J. European Journal of Operational Research* **139**(3): 613-625.
- Goenadi, D.H., Dradjat, B., Erningpraja, L., Hutabarat, B. (2005). Prospek dan Arah Pengembangan Agribisnis Kelapa Sawit, hal 20-21. Badan Litbang Pertanian, Departemen Pertanian Rep. Indonesia. Jakarta.
- Golenko, G. D., Zilla, S.S., dan Vladimir, K.(1996). A multilevel decision-making system with multiple resources for controlling cotton harvesting . *J. Production Economics* **46-47**: 55-63.
- Hadi, S.,D., Ahmad, F.B, dan Akande. (2009). Determination of the bruise indexes of oil palm fruits. *Journal of Food Engineering* **95**: 322–326.
- Hauke, J. E., Wicharn, D. E. dan Reitch, A. Y. (2001). *Business Forecasting*. Practise – Hall Inc, New Jersey.
- Henson, I. E. (2015). Ripening, harvesting, and transport of oil palm bunches. *Dalam: Ming Lai (ed) Palm Oil: Production, Processing, Characterization, and Uses*. hal.137-140. AOCS, Urbana, USA.
- Higgins, A. J. dan Laredo, L. A. (2006). Improving harvesting and transport planning within a sugar value chain. *The Journal of the Operational Research Society*, **57**(4): 367-376.



Hutagaol, E. dan Sudirman, Y. (2009). Manajemen panen tanaman kelapa sawit (*Elaeis guineensis* jacq.) di Sungai Pinang estate, PT. Bina Sains Cemerlang, Minamas plantation, Musi rawas, Sumatera Selatan. *Seminar Departemen Agronomi dan Hortikultur*. Institut Pertanian Bogor, Bogor.

Ibrahim, S.. (2008). *Transportation Optimization Model Of Palm Oil Products For Northern Peninsular Malaysia*. Disertasi. School of Industrial Technology, Universiti Sains Malaysia, Kuala Lumpur.

Ishak, W. I. W. dan Muhamad S.M.K.. (2010). Development of autonomous travelling device for oil palm FFB (Fresh Fruit Bunches). *Journal of Agricultural Science and Technology* **4 (5)**:68-77. .

Jourdan, C. dan Herv'e, R. (1997). Modelling and simulation of the architecture and development of the oil-palm (*Elaeisguineensis Jacq.*) root system. *Jurnal Plant and Soil* **190**: 217–233.

Kamarulzaman, N. H. dan Nolila M,N. (2009). The use of internet applications in managing logistics activities among palm oil industry participants. *Int. Journal of Economics and Management* **3(2)**: 262 – 277 ISSN 1823 - 836X

Koedadiri,A.D., Sutarta, E.S., Darmosarkoro, W., Purba, P., Fadli, L, dan Rahutomo, S. (1997). Panen kelapa sawit. Dalam: Buana, L., Siahaan,D., dan Adiputra S. (ed). *Kultur Teknik Kelapa Sawit*, hal.8.1-8.8. Pusat Penelitian Kelapa Sawit, Medan.

Ketaren S., (1986). *Pengantar Teknologi Minyak dan Lemak Pangan*, hal. 232-298. UI Press, Jakarta.

Krisdiarto, A.W dan Santoso, T.N.B. (2012). Keterkaitan infrastruktur jalan dan hujan terhadap tingkat restan TBS pada perkebunan kelapa sawit. Prosiding Seminar Nasional Keteknikan Pertanian: “Peran Keteknikan Pertanian dalam Pembangunan Industri Pertanian Berkelanjutan Berbasis Kearifan Lokal”, hal. 211-220. Universitas Udayana, Denpasar.

Krisdiarto, A.W. (2015). Study on oil palm fresh fruit bunch quality in palm oil postharvest process using dynamic modelling. *The 7th International Conference on Sustainable Agriculture for Food, Energy, and Industry*. University Putra Malaysia. Kuala Lumpur, 19 Agustus 2015.

Krisdiarto, A.W. (2016). Determination of fruit rupture point at various ripening levels and oil palm fresh fruit bunches time delay process. Prosiding The 2nd International Symposium on Agricultural and Biosystem Engineering -ISABE- 2016. Universitas Mataram, Lombok.

Krisdiarto, A.W. dan Sutiarto, L. (2016a). Study on oil palm fresh fruit bunch bruise in harvesting and transportation as a function to quality. *Makara Journal of Technology. Universitas Indonesia* **20 (2)**: 67-72.

Krisdiarto, A.W. dan Soetiarto, L. (2016b). Pengaruh kerusakan jalan perkebunan dan posisi TBS di bak truk terhadap kinerja pengangkutan kelapa sawit. *Agritech*, **36 (2)**: 219-225.

Krisdiarto, A.W., Soetiarto, L. dan Widodo, K.H. (2017). Optimasi kualitas tandan buah segar kelapa sawit dalam proses panen-angkut menggunakan model dinamis. *Agritech*, **37 (1)**.



Kurniawan, H. (1991). *Perilaku Pembebanan Dinamis Terhadap Kerusakan Mekanis Buah Tomat*. Skripsi. Jurusan Mekanisasi Pertanian. Universitas Gadjah Mada, Yogyakarta.

Lim, C.S., Manan Z.A., dan Sarmidi, M.R. (2003). Simulation modeling of the phase behavior of palm oil–supercritical carbon dioxide. *Jurnal JAOCs* **80(11)**: 1147-1156.

Lomauro, C.J., Bakshi, A. dan Labuza, T.P. (1985). Evaluation of food equation part in fruit, vegetable and meat product. *Food Science and Tech.* **18**:111-116.

Lubis, A.U. (1992). *Kelapa Sawit Indonesia*. Pusat Penelitian Perkebunan Marihat, Sumatera Utara.

Lubis, E. R dan Widanarko, A. (2011). *Buku Pintar Kelapa Sawit*. Agromedia Pustaka, Jakarta.

Maani, K.E. dan Cavana, R.Y. (2000). *Systems Thinking and Modelling: understanding Change and Complexity*. Prentice Hall, Auckland.

Mananoma, T. dan Wadondi, S. (2008). Pemodelan sebagai sarana dalam mencapai solusi optimal. *Jurnal Teknik Sipil* **8 (3)**: 184 – 192.

Mangoensoekarjo, S. dan Tojib, A. T. (2008). Manajemen budidaya kelapa sawit. *Dalam: Mangoensoekarjo, S. dan Semangun, H. (ed). Manajemen Agribisnis Kelapa Sawit*, hal 275-279. Gadjah Mada University Press, Yogyakarta.

Mohammadi, S., Arshad, F.M., Bala, B.K., dan Ibragimov, A. (2015). System dynamics analysis of the determinants of the Malaysian palm oil price. *American Journal of Applied Sciences*, **12 (5)**: 355-362.

Mohsenin. (1986). *Physical Properties of Plant and Animal Materials*. Gordon and Breach, New York.

Naibaho, P.M. (1998). *Teknologi Pengolahan Kelapa Sawit*. Pusat Penelitian Kelapa Sawit, Medan.

Nor'aini, S. dan Siew, W.L., (1990). Quality control measures in the palm oil industry. *Palm Oil Dev. Dalam: Vincent, C. dan Shamsudin, R. (2014) Pre-treatment of oil palm fruits: A review. Journal of Food Engineering* **143**: 123–131.

Obibuzor, J., Okogbenin, E.A., Abigor, R. D. (2015). Oil recovery from palm fruits and palm kernel. *Dalam: Lai, O.M., Tan C.P., Akoh, C.C. Palm Oil: Production, Processing, Characterization, and Uses*. hal 299-320. AOCS, Urbana, USA.

Ozturk, I., Ercisli, S., Fatih, K. dan Bunyamin, D. (2009). Some chemical and physico-mechanical properties of pear cultivars. *African Journal of Biotechnology* **8(4)**: 687-693.

Pahan, I. (2006). *Manajemen Agribisnis Kelapa Sawit Dari Hulu Hingga Hilir*. Penebar Swadaya, Jakarta.

Pardamean, M. (2008). *Panduan Lengkap Pengelolaan Kebun dan Pabrik Kelapa Sawit*. Agro Media Pustaka, Jakarta.

Purba, P. dan Lubis, A.U. (1989). Aspek panen dan pengangkutan tandan dalam manajemen kelapa sawit. *Dalam: Lubis, A.U. dkk. (ed). Budi Daya Kelapa Sawit (Elaeis guineensis Jacq.)*, hal 83 - 98. Pusat Penelitian Marihat, Medan.



- Purwantana, B. (2005). *Dasar-Dasar Reologi Bahan Pertanian*. Modul Kuliah. Jur. Mekanisasi Pertanian, Fakultas Teknologi Pertanian, Universitas Gadjah Mada, Yogyakarta.
- Rahardjo B. (1994). Simulation to estimate the parameters of non linier viscoelastic spherical model during impact using parameter tracking method. Prosiding The International Agricultural Engineering Conference, hal 42-349. Bangkok.
- Randers, J., (2000). *Guidelines for Model Conceptualization, Modeling for Management 11: Simulation in Support of Sistem Thinking*. Darmouth Publishing Co. Ltd. Vermount.
- Render, B. dan Heizer, J. (1997). *Prinsip-Prinsip Manajemen Operasi*. Salemba Empat, Jakarta.
- Risza, S. (2008). *Kelapa Sawit, Upaya Peningkatan Produktivitas*. Penerbit Kanisius, Yogyakarta.
- Ruiz, V. J. (2002). Relevance of rheological properties in food process engineering. Dalam: Chanes, J.W. (ed). *Engineering and Food for The 21st Century*. hal 307-326. CRC Press, London.
- Sastrosayono, S. (2003). *Budidaya Kelapa Sawit, Kiat Mengatasi Permasalahan Praktis*. Agromedia Pustaka, Jakarta.
- Sitorus, S.R.P. (2009). *Pengembangan Model Pengelolaan Perkebunan Kelapa Sawit Plasma Berkelanjutan Pada Lahan Kering Masam (Studi Kasus Kebun Plasma Sei Tapung PTPN V, Kabupaten Rokan Hulu, Riau)*. Balitbang Pertanian, Dep. Pertanian RI, Jakarta.
- Somantri, Suprijatna, A., dan Machfud. (2006). Analisis sistem dinamik untuk kebijakan penyediaan ubi kayu (Studi Kasus di Kabupaten Bogor). *Buletin Teknologi Pascapanen Pertanian* (2) : 36-48.
- Sudarmadji, S, Bambang, H, dan Suhardi. (1997). *Prosedur Analisa untuk Bahan Makanan dan Pertanian*. Liberty, Yogyakarta.
- Sudarwati, S. (2010). *Faktor Eksternal dan Sifat Internal Sebagai Dasar Perbaikan Kemasan Transport Buah Salak*. Thesis Program Studi Teknologi dan Ilmu Pangan. Universitas Gadjah Mada, Yogyakarta.
- Sudira, P. (1997). *Penetapan Parameter Model Viskoelastik Tak Linier Bahan Pertanian Berbentuk Bola Dengan Tumbukan*. Thesis Program studi Mekanisasi Pertanian. Universitas Gadjah Mada, Yogyakarta.
- Sulaeman. (2010). *Pengaruh Lama Penyimpanan dan Tingkat Kematangan Buah Kelapa Sawit (Elaeis guineensis Jacq) Terhadap Rendemen dan Kandungan Asam Lemak Bebas CPO yang Dihasilkan*. Fak. Pertanian, Universitas Bengkulu, Bengkulu.
- Sunarko (2007). *Petunjuk Praktis Budidaya dan Pengolahan Kelapa Sawit*, hal 85. Agromedia Pustaka, Jakarta.
- Supriyono dan Azmi, Bayu. (2008). Model simulasi untuk optimasi penentuan waktu memasak buah kelapa sawit dengan logika fuzzy. Prosiding Seminar Nasional IV SDM Teknologi Nuklir, hal 119-126, Yogyakarta.



- Suryani, E., Hendrawana, R. A., Atmojo, S., dan Dewi, L.P. (2015). The development of system dynamics model to analyze and improve the production of crude palm oil derivatives. *Jurnal Teknologi*, **77(18)**: 87–91.
- Suwarto. (2006). *Sistem dan Model*. Pelatihan Penyusunan Produk Domestik Regional Bruto(PDRB) Hijau dan Perencanaan Kehutanan Berbasis Penataan Ruang. Badan Planologi Kehutanan, Departemen Kehutanan, Bogor.
- Tombs, M. P. dan Stubbs J. M.. (1982). The absence of endogenous lipase from oil palm mesocarp. *Journal of the Science of Food and Agriculture* **33(9)**:892–897.
- Turner, P.D dan Gillbanks, R.A. (2003). *Oil Palm Cultivation and Management*, hal 445-451. The Incorporated of Planters Society, Kuala Lumpur.
- Vincent C. J., Shamsudin, R., Baharuddin, A. S. (2014). Pre-treatment of oil palm fruits: A review. *Journal of Food Engineering* **143**: 123–131.
- Wicke, B., Sikkema, R., Dornburg, V., Falajkh, A. (2010). Exploring land use changes and the role of palm oil production in Indonesia and Malaysia. *J. Land Use Policy* **28**: 193–206.
- Widodo, K.H. dan Erdi, F. (2010). Optimasi kinerja rantai pasok industri tekstil dan produk tekstil indonesia berdasarkan simulasi sistem dinamis. *J.Agritech* **30 (1)**:46-55.
- Widodo, K.H., Abdullah, A., Arbita, K.P.D. (2010). Sistem supply chain crude-palm-oil Indonesia dengan mempertimbangkan aspek economical revenue, social welfare dan environment. *Jurnal Teknik Industri* **12(1)**: 47–54.
- Wigena, I G.P. dan Hermanto, S. (2009). Desain model pengelolaan kebun kelapa sawit plasma berkelanjutan berbasis pendekatan sistem dinamis. *J. Agro Ekonomi* **27(1)**: 81-108.
- Yahya, Z, Husin, A., Talib, J. (2009). Machinery compaction effects on physical properties of Bernam series in an oil palm plantation. *American Journal of Applied Science* **6 (12)**: 2006-2009.
- Yuwana. (1999). Pendugaan kerusakan akibat impak pada buah apel dengan metode elemen hingga. *J.Agritech* **23(4)**: 165-169.
- Yuwana, Hidayat, L., dan Bosman, S. (2011). Kajian benturan buah kelapa sawit (*elais guinesis*) pada berbagai permukaan sebagai upaya mengurangi kerusakan buah penyebab penurunan kualitas bahan baku pangan. *Journal of Agroidustrial Technology* **21 (2)**: 94-101.