

Bibliography

- American Psychiatric Association. (2013). *Diagnostic and statistical manual of mental disorders : DSM-V*, Washington, D.C. : American Psychiatric Association.
- Andreasen, N. and Black, D. (2010). *Introductory textbook of psychiatry*. 5th ed. Washington, DC: American Psychiatric Pub, p. 169.
- Ashton, H. (2005). The diagnosis and management of benzodiazepine dependence. *Current Opinion in Psychiatry*. 18(3), p.249-255.
- Centers for Disease Control and Prevention. (2016). CDC Works 24/7. [online] Available at: https://www.cdc.gov/nceh/veterans/pdfs/volumeiv/psychologicalandneuropsychologicalevaluation4_5.pdf [Accessed 9 Jul. 2016].
- Cook, J., Marshall, R., Masci, C. and Coyne, J. (2007). Physicians' Perspectives on Prescribing Benzodiazepines for Older Adults: A Qualitative Study. *J GEN INTERN MED*, 22(3), p.303-307. doi: 10.1007/s11606-006-0021-3
- Cormack, M. and Howells, E. (1992). Factors Linked to the Prescribing of Benzodiazepines by General Practice Principals and Trainees. *Journal of Family Practice*, 9(4), p.466-471.
- Cosci, F., Mansueto, G., Faccini, M., Casari, R. and Lugoboni, F. (2016). Socio-demographic and clinical characteristics of benzodiazepine long-term users: Results from a tertiary care center. *Comprehensive Psychiatry*, 69, p.211-215.
- Dieye, A., Sylla, M., Ndiaye, A., Ndiaye, M., Guata Yoro, S. and Faye, B. (2006). Benzodiazepines prescription in Dakar: a study about prescribing habits and knowledge in general practitioners, neurologists and psychiatrists. *Fundam Clin Pharmacol*, 20(3), p.235-238. doi: 10.1111/j.1472-8206.2006.00400.x
- Drayton, M. (2009). The Minnesota Multiphasic Personality Inventory-2 (MMPI-2). *Occupational Medicine*, 59(2), p.135-136. doi: 10.1093/occmed/kqn182
- Fisher, G. and Harrison, T. (2009). *Substance abuse*. Boston: Pearson, p.15-17, 99.
- Greene, R. (1991). *The MMPI-2 : an interpretive manual*. 2nd ed. Boston: Allyn and Bacon, p. 1, 130, 139, 185-186, 189, 222
- Isacson, D. (1997). Long-term benzodiazepine use: Factors of importance and the development of individual use patterns over time—A 13-year follow-up in a Swedish community. *Social Science & Medicine*, 44(12), p.1871-1880.
- Katzung, B., Masters, S. and Trevor, A. (2012). *Basic & clinical pharmacology*. 12th ed. New York: McGraw-Hill Medical, p. 373, 379-380, 565-566, 575.
- Manthey, L., van Veen, T., Giltay, E., Stoop, J., Neven, A., Penninx, B. and Zitman, F. (2011). Correlates of (inappropriate) benzodiazepine use: the Netherlands Study of Depression and Anxiety (NESDA). *British Journal of Clinical Pharmacology*, 71(2), p.263-272. doi: 10.1111/j.1365-2125.2010.03818.x
- Martin, P. (2003). The epidemiology of anxiety disorders: a review. *Dialogues in Clinical Neuroscience*, [online] 5(3), p.281. Available at:

<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3181629/> [Accessed 27 Jul. 2016].

- Mehdi, T. (2012). Benzodiazepines Revisited. *British Journal of Medical Practitioners*, 5(1).
- Mitchell, M. and Potenza, M. (2014). Addictions and Personality Traits: Impulsivity and Related Constructs. *Curr Behav Neurosci Rep*, 1(1), p.1-12. doi: 10.1007/s40473-013-0001-y
- Patel, V. (2003). *Where there is no psychiatrist*. London: Gaskell, p. 90, 123.
- Quigley, P., Usher, C., Bennett, K. and Feely, J. (2006). Socioeconomic Influences on Benzodiazepine Consumption in an Irish Region. *Eur Addict Res*, 12(3), p.145-150. doi: 10.1159/000092116
- Stern, T., Herman, J. and Slavin, P. (2004). *Massachusetts General Hospital guide to primary care psychiatry*. 2nd ed. New York: McGraw-Hill Medical Pub. Division, p. 137-140, 149.
- Sadock, B., Kaplan, H. and Sadock, V. (2007). *Kaplan & Sadock's synopsis of psychiatry*. 10th ed. Philadelphia: Wolter Kluwer/Lippincott Williams & Wilkins, pp. 579-583, 586.
- Sadock, B., Kaplan, H. and Sadock, V. (2009). *Kaplan & Sadock's comprehensive textbook of psychiatry*. 9th ed. Philadelphia: Lippincott Williams & Wilkins, p.956.
- Singh, I. (2002). *A textbook of human neuroanatomy*. 6th ed. New Delhi: Jaypee Brothers, p.139.
- Stahl, S. (2008). *Stahl's essential psychopharmacology*. 3rd ed. Cambridge: Cambridge University Press, p. 22, 725, 732, 734-736, 945-949.
- Tannenbaum, C., Martin, P., Tamblyn, R., Benedetti, A. and Ahmed, S. (2014). Reduction of Inappropriate Benzodiazepine Prescriptions Among Older Adults Through Direct Patient Education. *JAMA Internal Medicine*, 174(6), p.890. doi : 10.1001/jamainternmed.2014.949.
- Tatalovic Vorkapic, S., Dacic-Hero, E. and Ruzic, K. (2010). The relationship between personality traits and anxiety/depression levels in different types of substance abuse. *European Psychiatry*, 25, p.1649. doi: 10.4415/ANN_13_04_08
- Tjagvad, C., Clausen, T., Handal, M. and Skurtveit, S. (2016). Benzodiazepine prescription for patients in treatment for drug use disorders: a nationwide cohort study in Denmark, 2000–2010. *BMC Psychiatry*, 16(1). doi: 10.1186/s12888-016-0881-y
- Trimble, M. and George, M. (2010). *Biological psychiatry*. 3rd ed. Chichester, West Sussex, UK: Wiley-Blackwell, p. 75