

DAFTAR PUSTAKA

- Abowei, J.F.N. and C.C. Tawari. 2011. Some basic principles of fish processing in Nigeria. *Asian J. Agric. Sci.* 3 (6): 437-452.
- Abqoriyah, R. Utomo, dan B. Suwignyo. 2015. Produktivitas tanaman kaliandra (*Calliandra calothyrsus*) sebagai hijauan pakan pada umur pemotongan yang berbeda. *Buletin Peternakan.* 39 (2): 103-108.
- Adamczyk. B., S. Adamczyk, A. Smolander, and V. Kitunen. 2011. Tannic acid and Norway spruce condensed tannins can precipitate various organic nitrogen compounds. *Soil Biol. Biochem.* 43: 628-637.
- Ahamed, J. and N.S. Mahendrakar. 1996a. Chemical and microbial changes in fish viscera during fermentation ensiling at different temperatures. *Bioresour. Technol.* 59: 45-46.
- Ahamed, J. and N.S. Mahendrakar. 1996b. Autolysis and rancidity development in tropical freshwater fish viscera during fermentattion. *Bioresour. Technol.* 58: 247-251.
- Al-Dobaib, S.N. 2009. Effect of different levels of *quebracho* tannin on nitrogen utilization and growth performance of Najdi sheep fed alfalfa (*Medicago sativa*) hay as a sole diet. *Anim. Sci. J.* 80: 532–541
- Alonso-Díaz, M.A., J.F.J. Torres-Acosta, C.A. Sandoval-Castro, and H. Hoste. 2010. Tannins in tropical tree fodders fed to small ruminants: A friendly foe. *Small Rumin. Res.* 89: 164–173.
- Ammar,H., S. López, M. Kamoun, R. Bodas, F.J. Giraldez, and J.S. González. 2009. Feeding *quebracho* tannins to sheep enhances rumen fermentative activity to degrade browse shrubs. *Anim. Feed Sci. Technol.* 149: 1–15.
- Animut , G., A.L. Goetsch, R. Puchala, A.K. Patra, T. Sahlu, and V.H. Varel. 2008. Methane emission by goats consuming diets with different levels of condensed tannins from *lespedeza*. *Anim. Feed Sci. Technol.* 144: 212–227.
- Anonimus.1989. Standar Nasional Indonesia Tetes Tebu. Dewan Standarisasi Nasional. SNI 01-1679-1989.
- Anonimus.1995. Standar Nasional Indonesia Gula Palma. Badan Standarisasi Nasional. SNI 01-3743-43-1995.
- AOAC. 2002. Official Methods of Analysis. Asociation of Official Agricultural Chemists. Agricultural Chemical; Contaminats; Drugs Vol. 1. Asociation of Official Agricultural Chemists, Inc. Virginia.
- Apriyato, A., A. Aristyani, Nurhayati, Y. Lidya, S. Budiyanto, and S.T. Soekarto. 2002. Rate of browing reaction during preparation of coconut and palm sugar. *International Congress Series.* 1245: 275-278.

- ARC. 1984. The nutrient requirements of ruminant livestock, Supplement No.1. Report of the Protein Group of the ARC Working Party, Commonwealth Agricultural Bureau, Farnham Royal, UK.
- Axelsson, L. 2004. Classification and physiology. In: Salminen, S. and A.P. Wright (eds.). Lactic Acid Bacteria: Microbiology and Functional Aspects. pp. 1-72. New York Marcel Dekker, Inc.
- Baah, J., M. Ivan, A.N. Hristov, K.M. Koenig, L.M. Rode, and T.A. McAllister. 2007. Effects of potential dietary antiprotozoal supplements on rumen fermentation and digestibility in heifers. *Anim. Feed Sci. Technol.* 137: 126–137.
- Bach, A., S. Calsamiglia, and M.D. Stern. 2005. Nitrogen metabolism in the rumen. *J. Dairy Sci.* 88: E9–E21.
- Bae H.D., T.A. McAllister, A.D. Mui, L.J. Yanke, K.A. Bassendowski, and K.J. Cheng. 1993. Selection of a method of condensed tannin analysis for studies with rumen bacteria. *J. Agric. Food Chem.* 41: 1256-1260.
- Barahona, R., C.E. Lascano, R.C. Cochran, J.L. Morrill, and E.C. Titgemeyer. 1997. Intake, digestion, and nitrogen utilization by sheep fed tropical legumes with contrasting tannin concentration and astringency. *J. Anim. Sci.* 75: 1633-1640.
- Barbehenn, R.V. and C.P. Constabel. 2011. Tannins in plant–herbivore interactions. *Phytochemistry* 72: 1551–1565.
- Barker, S.B. and W.H. Summerson. 1941. The colorimetric determination of lactic acid in biological material. *J. Biol. Chem.* 138: 535-554.
- Barry, T.N. 1985. The role of condensed tannins in the nutritional value of *Lotus pedunculatus* for sheep: 3. Rates of body and wool growth. *Br. J. Nutr.* 54: 211-217
- Barry, T.N. and T.R. Manley. 1984. The role of condensed tannins in the nutritional value of *Lotus pedunculatus* for sheep: 2. Quantitative digestion of carbohydrates and proteins. *Br. J. Nutr.* 51: 493-504
- Barry, T.N. and T.R. Marley. 1986. The role of condensed tannins in the nutritional value of *Lotus pedunculatus* for sheep: 4. Sites of carbohydrate and protein digestion as influenced by dietary reactive tannin concentration. *Br. J. Nutr.* 55: 123-137
- Beauchemin, K. A., S. M. McGinn, T. F. Martinez, and T. A. McAllister. 2007. Use of condensed tannin extract from *quebracho* trees to reduce methane emissions from cattle. *J. Anim. Sci.* 85: 1990-1996
- Benchaar, C., T.A. McAllister, and P.Y. Chouinard. 2008. Digestion, ruminal fermentation, ciliate protozoal populations, and milk production from dairy cows fed cinnamaldehyde, *quebracho* condensed tannin, or *Yucca schidigera* saponin extracts. *J. Dairy Sci.* 91: 4765–4777.

- Bento, M.B.L., H.P.S. Makkar, and T. Acamovic. 2005. Effect of mimosa tannin and pectin on microbial protein synthesis and gas production during *in vitro* fermentation of ¹⁵N-labelled maize shoots. *Anim. Feed Sci. Technol.* 123–124: 365–377.
- Bhatta, R., U. Krishnamoorth, and F. Mohammed. 2001. Effect of feeding tamarind (*Tamarindus indica*) seed husk as a source of tannin on dry matter intake, digestibility of nutrients and production performance of crossbred dairy cows in mid-lactation. *Anim. Feed Sci. Technol.* 83: 67–74.
- Bligh, E. G. and W. J. Dyer. 1959. A rapid method of total lipid extraction and purification. *Can. J. Biochem. Physiol.* 37: 911.
- Bunglavan, S.J. and N. Dutta. 2013. Use of tannins as organic protectants of proteins in digestion of ruminants. *J. Livestock Sci.* 4:67-77.
- Butler, L.G. 1989. New perspectives on the antinutritional effects of tannins. In: Kinsella, J.E. and W.B. Soucie (eds.). *Food Products*. American Oil Chemist Society. Champaign, Illinois, USA, pp. 402-409.
- Calabrò, S., S. Lòpez, V. Piccolo, J. Dijkstra, M.S. Dhanoa, and J. France. 2005. Comparative analysis of gas production profiles obtained with buffalo and sheep ruminal fluid as the source of inoculum. *Anim. Feed Sci. Technol.* 124: 51–65.
- Carron, T.R., M.P. Robbins, and P. Morris. 1994. Genetic modification of condensed tannin biosynthesis in *Lotus corniculatus*. 1. Heterologous antisense dihydroflavonol reductase down-regulates tannin accumulation in “hairy root” cultures. *Theor. Appl. Genet.* 87: 1006-1015.
- Chavan, U.D., F. Shahidi, and M. Naczk. 2001. Extraction of condensed tannins from beach pea (*Lathyrus maritimus L.*) as affected by different solvents. *Food Chem.* 75: 509–512.
- Chen, X.B. and M.J. Gomez. 1995. Estimation of microbial protein supply to sheep and cattle based on urinary excretion of purine derivatives: An overview of technical details. Occasional Publication. International Feed Resources Unit. Rowett Research Institute. Aberdeen, UK. pp. 21.
- Chen, X.B., E.R. Ørskov, and F.D.DEB. Hovell. 1990. Excretion of purine derivatives by ruminants: endogenous excretion, differences between cattle and sheep. *Br. J. Nutr.* 63: 121-129
- Chen, X.B., S.A. Chowdhury, F.D.DEB. Hovell, E.R. Ørskov, and D.J. Kyle. 1992. Endogenous allantoin excretion in response to changes in protein supply in sheep. *J. Nutr.* 122: 2226-2232.
- Clark, J. H., T.H. Klusmeyer, and M.R. Cameron. 1992. Microbial protein synthesis and flows of nitrogen fractions to the duodenum of dairy cows. *J. Dairy Sci.* 75: 2304–2323.

- Cortés, J.E., B. Moreno, M.L. Pabón, P. Avila, M. Kreuzer, H.D. Hess, and J.E. Carulla. 2009. Effects of purified condensed tannins extracted from Calliandra, Flemingia and Leucaena on ruminal and postruminal degradation of soybean meal as estimated *in vitro*. *Anim. Feed Sci. Technol.* 151: 194–204.
- Dai, J. and R.J. Mumper. 2010. Plant Fenolics: Extraction, analysis and their antioxidant and anticancer properties. *Molecules* 15: 7313-7352.
- Dalgaard, P., H.L. Madsen, N. Samieian, and J. Emborg. 2006. Biogenic amine formation and microbial spoilage in chilled garfish (*Belone belone*) effect of modified atmosphere packaging and previous frozen storage. *J. Applied Microbiol.* 101: 80-95.
- Dapkevicius, M.L.N.E.N., I. Batista, M.J.R. Nout, and F.M. Rombouw. 1998. Lipid and protein changes during the ensilage of blue whiting (*Micromesistius poutassou*) by acid and biological methods. *Food Chem.* 63 (1): 97-102.
- Dapkevicius, M.L.N.E.N., M.J. Robert Nout, F.M. Rombouts, and J. H. Houben. 2007. Preservation of blue-jack mackerel (*Trachurus picturatus bowdich*) silage by chemical and fermentative acidification. *J. Food Process. Preserv.* 31: 454–468.
- De Klein, C.A.M. and R.J. Eckard. 2008. Targeted technologies for nitrous oxide abatement from animal agriculture. *Aust. J. Exp. Agric.* 48:14–20
- De Man, J., M. Rogosa, and M.E. Sharpe. 1972. A medium for the cultivation of lactobacilli. *J. Appl. Bacteriol.* 23: 130-135.
- Devant, M., A. Ferret, S. Calsamiglia, R. Casals, and J. Gasa. 2001. Effect of nitrogen source in high concentrate, low-protein beef cattle diets on microbial fermentation studied *in vivo* and *in vitro*. *J. Anim. Sci.* 79: 1944-1953.
- Dewhurst, R.J., D.R. Davies, and R.J. Merry. 2000. Microbial protein supply from the rumen: Review. *Anim. Feed Sci. Technol.* 85: 1-21
- Dixon, R.A., D.Y. Xie, and S.B. Sharma. 2005. Proanthocyanidins: a final frontier in flavonoid research. *New Phytologist* 165: 9–28.
- Eckard, R.J., C. Grainger, and C.A.M. de Klein. 2010. Options for the abatement of methane and nitrous oxide from ruminant production. *Livest.Sci.* 130: 47–56.
- Ekawati, E., A. Muktiani, dan Sunars. 2014. Efisiensi dan Kecernaan Ransum Domba yang Diberi Silase Ransum Komplit Eceng Gondok Ditambahkan Starter *Lactobacillus plantarum*. *Agripet.* 14 (2): 107-114.
- Emborg, J., B.G. Laursen, and P. Dalgaard. 2005. Significant histamine formation in tuna (*Thunnus albacares*) at 2°C effect of vacuum and modified atmosphere-packaging on psychrotolerant bacteria. *Int. J. Food Microbiol.* 101: 263–279.

- Ennouali, M., L. Elmoualdi, H. Labioui, M. Ouhsine, and M. Elyachioui. 2006. Biotransformation of the fish waste by fermentation. *Afric. J. Biotechnol.* 5 (19): 1733-1737.
- Espe, M., H. Haaland, and L.R. Njaa. 1992. Substitution of fish silage protein and a free amino acid mixture for fish meal protein in a chicken diet. *J. Sci. Food Agric.* 58 (3): 315-319.
- Fagbenro, O. and K. Jauncey. 1993. Chemical and nutritional quality of raw, cooked and salted fish silages. *Food Chem.* 48: 331-335.
- Faid, M., A. Zouiten, A. Elmarrakchi, and A.A. Begdouri. 1997. Biotransformation of fish waste into a stable feed ingredient. *Food Chem.* 60 (1): 13-18.
- Faid, M., H. Karani, A. Elmarrakchi, and A. Achkari-Begdouri. 1994. A biotechnological process for the valorization of fish waste. *Bioresour. Technol.* 49: 237-241.
- FAO. 2004. International plan of action for the management of fishing capacity (IPOA-Capacity): Review of progress in Southeast Asia. TC IUU-CAP. Rome.
- FAO. 2005. Asian fisheries today: The production and use of low value/trash fish from marine fisheries in the Asia-Pacific region. FAO Regional Office for Asia and the Pacific. Bangkok.
- Fardiaz, S. 1989. Penuntun Praktikum Mikrobiologi Pangan. Fakultas Teknologi Pertanian. Institut Pertanian Bogor.
- Fujihara, T., M.N. Shem, and T. Matsui. 2007. Urinary excretion of purine derivatives and plasma allantoin level in sheep and goats during fasting. *Anim. Sci. J.* 78: 129-134.
- Geron, L.J.V., L.M. Zeoula, R.M. Vidotti, M. Matsushita, R. Kazama, S.F.C. Neto, and F. Fereli. 2007. Chemical characterization, dry matter and crude protein ruminal degradability and *in vitro* intestinal digestion of acid and fermented silage from tilapia filleting residue. *Anim. Feed Sci. Technol.* 136: 226-239.
- Getachew, G., W. Pittroff, D.H. Putnam, A. Dandekar, S. Goyal, and E.J. DePeters. 2008a. The influence of addition of gallic acid, tannic acid, or *quebracho* tannins to alfalfa hay on *in vitro* rumen fermentation and microbial protein synthesis. *Anim. Feed Sci. Technol.* 140: 444-461.
- Getachew, G., W. Pittroff, E. J. DePeters, D. H. Putnam, A. Dandekar, and S. Goyal. 2008b. Influence of tannic acid application on alfalfa hay: *in vitro* rumen fermentation, serum metabolites and nitrogen balance in sheep. *Animal* 2 (3): 381-390.
- Getachew, G., H.P.S. Makkar, and K. Becker. 2000. Tannins in tropical browses: effects on *in vitro* microbial fermentation and microbial protein synthesis in media containing different amounts of nitrogen. *J. Agric. Food Chem.* 48: 3581-3588.

- Ghaly, A.E., D. Dave, S. Budge, and M.S. Brooks. 2010. Fish spoilage mechanisms and preservation techniques: Review. *Am. J. Appl. Sci.* 7 (7): 859-877.
- Gironi, F. and V. Piemonte. 2011. Temperature and solvent effects on polyphenol extraction process from chestnut tree wood. *Chem. Eng. Res. Des.* 89: 857–862.
- González, S., M. L. Pabón, and J. Carulla. 2002. Effects of tannins on *in vitro* ammonia release and dry matter degradation of soybean meal. *Arch. Latinoam. Prod. Anim.* 10: 97–101.
- Goutara dan S. Wijandi, 1985. *Dasar-dasar Pengolahan Gula I dan II*. Agroindustri Press, FATETA-IPB, Bogor.
- Grainger, C., T. Clarke, M.J. Auldist, K.A. Beauchemin, S.M. McGinn, and G.C. Waghorn. 2009. Potential use of *Acacia mearnsii* condensed tannins to reduce methane emissions and nitrogen excretion from grazing dairy cows. *Can. J. Anim. Sci.* 89: 241–251.
- Gram, L. and P. Dalgard. 2002. Fish spoilage bacteria-problem and solutions. *Current Opinion in Biotechnology*. Elsevier Sci. 13: 262-266.
- Gram, L., 2009. Microbial spoilage of fish and seafood products. In: Sperber, W.H. and M.P. Doyle (eds.). *Compendium of the Microbiological Spoilage of Feeds and Beverages*. pp. 87-119. Springer. London.
- Guimarães-Beelen, P.M., T.T. Berchielli, R. Beelen, and A.N. Medeiros. 2006. Influence of condensed tannins from Brazilian semi-arid legumes on ruminal degradability, microbial colonization and ruminal enzymatic activity in Saanen goats. *Small Rumin. Res.* 61: 35–44.
- Haaland, H. and L.R. Njaa. 1989. Effect of temperature on the autolysis of capelin silages for stored for one year. *Fisk. Dir. Skr. Ser. Ernoering III.* 219-226.
- Hagerman, A.E. 1987. Radial diffusion method for determining tannins in plant extracts. *J. Chem. Ecol.* 13: 437-449.
- Hagerman, A.E. 1992. Tannin-protein interaction. In: Ho, C.T., C.Y. Lee, and M.T. Huang (eds). *Fenolic Compounds in Food and Their Effect on Health*. American Chemical Society. pp. 236-247.
- Hagerman, A.E. 2002. *Tannin Chemistry*. Department of Chemistry and Biochemistry. Miami University. Oxford.
- Hagerman, A.E. and C.T. Robbins. 1987. Implications of soluble tannin-protein complexes for tannin analysis and plant defense mechanisms. *J. Chem. Ecol.* 13: 1243-1259.

- Hagerman, A.E. and K.M. Klucher. 1986. Tannin-protein interactions. In: Cody, V., E.Jr. Middleton, and J.B. Harborne. (eds.). *Plant Flavonoids in Biology and Medicine: Biochemical, Pharmacological and Structure-Activity Relationships*. Alan R. Liss, New York. pp. 67-76.
- Hagerman, A.E. and L.G. Buttlar. 1978. Protein precipitation method for the quantitative determination of tannin. *J. Agric. Food Chem.* 26: 809-812.
- Hagerman, A.E. and L.G. Buttlar. 1980. Determination of protein in tannin-protein precipitates. *J. Agric. Food Chem.* 28: 944-947.
- Hasan, B. 2003. Fermentation of fish silage using *Lactobacillus pentosus*. *Jurnal Natur Indonesia.* 6 (1): 11-15.
- Haslam, E. 2007. Vegetable tannins: Lessons of a phytochemical lifetime: a review. *Phytochemistry.* 68: 2713–2721.
- Henson G.L., L. Niemeyer, G. Ansong, R. Forkner, H.P.S. Makkar, and A. E. . 2004. A modified method for determining protein binding capacity of plant polyphenolics using radiolabelled protein. *Phytochem. Anal.* 15: 159–163.
- Hervás, G., P. Frutos, F.J. Giráldez, A.R. Mantecón, and M.C.A.D. Pino. 2003. Effect of different doses of quebracho tannins extract on rumen fermentation in ewes. *Anim. Feed Sci. Tech.* 109: 65-78.
- Hess H.D., M.L. Mera, T.T. Tiemann, C.E. Lascano, and M. Kreuzer. 2008. In vitro assessment of the suitability of replacing the low-tannin legume *Vigna unguiculata* with the tanniniferous legumes *Leucaena leucocephala*, *Flemingia macrophylla* or *Calliandra calothyrsus* in a tropical grass diet. *Anim. Feed Sci. Technol.* 147: 105–115.
- Hoffmann E.M., S. Muetzel, and K. Becker. 2002. A modified dot-blot method of protein determination applied in the tannin-protein precipitation assay to facilitate the evaluation of tannin activity in animal feeds. *Br. J. Nutr.* 87: 421–426.
- Huang, X.D., J.B. Liang, H.Y. Tan, R. Yahya, B. Khamsekhiew, and Y.W. Ho. 2010. Molecular weight and protein binding affinity of *Leucaena* condensed tannins and their effects on *in vitro* fermentation parameters. *Anim. Feed Sci. Technol.* 159: 81–87.
- Huang, X.D., J.B. Liang, H.Y. Tan, R. Yahya, R. Long, and Y.W. Ho. 2011. Protein-binding affinity of *Leucaena* condensed tannins of differing molecular weights. *J. Agric. Food Chem.* 59: 10677–10682.
- Husain, R.A.K. and N.W. Offer. 1987. Effect of formaldehyde treatment on the degradation of acid-preserved fish silage protein in vitro. *Anim. Feed Sci. Technol.* 16(4): 297-304.
- Huss, H.H. 1988. *Fresh Fish: Quality and Quality Changes*. FAO Fisheries Series No. 29, FAO, Rome, Italy, ISBN: 92-5-102395-6, pp. 61-75.
- IBM SPSS Statistics. 2013. Version 22, IBM Corporation.

- IFOAM (International Federation of Organic Agriculture Movements). 2006. Proceedings of the First International Conference of Animal in Organic Production, Minnesota University, St. Paul, Minnesota, August 23–25.
- Ipharraguerre, I.R., J.H. Clark, and D. E. Freeman. 2005. Varying protein and starch in the diet of dairy cow. I. Effects on ruminal fermentation and intestinal supply of nutrient. *J. Dairy Sci.* 88: 2537-2555.
- Jayanegara. A., E. Wina, C.R. Soliva, S. Marquardt, M. Kreuzer, and F. Leiber. 2011. Dependence of forage quality and methanogenic potential of tropical plants on their fenolic fractions as determined by principal component analysis. *Anim. Feed Sci. Technol.* 163: 231–243.
- Jeong, H.S and T. Oshima. 2011. Lipid oxidation, odour and colour of fish flesh. In: Alasalvar, C., F. Shahidi, K. Miyashita and U. Wanasundara (eds.). *Handbook of Seafood Quality, Safety and Health Application.* pp. 96 - 107. Wiley-Blackwell.
- Johnson, R.J., N. Brown, P. Eason, and J. Sumner. 1985. The nutritional quality of two types of fish silage for broiler chickens. *J. Sci. Food Agric.* 36 (11): 1051-1056.
- Jones, G.A., T.A. McAllister, A.D. Muir, and K.J. Cheng. 1994. Effects of sainfoin (*Onobrychis viciifolia Scop.*) condensed tannins on growth and proteolysis by four strains of ruminal bacterium. *Appl. Environ. Microbiol.* 60: 1374–1378.
- Jones, W.T. and J.L. Mangan. 1977. Complexes of the condensed tannins of sainfoin (*Onobrychis viciifolia Scop.*) with fraction 1 leaf protein and with submaxillary mucoprotein, and their reversal by polyethylene glycol and pH. *J. Sci. Food Agric.* 28: 126-136.
- Jones, W.T., R.B. Broadhurst, and J.W. Lyttleton. 1976. The condensed tannins of pasture legume species. *Phytochemistry* 15: 1407–1409.
- Komolong, M.K., D.G. Barber, and D.M. McNeill. 2001. Post-ruminal protein supply and N retention of weaner sheep fed on a basal diet of lucerne hay (*Medicago sativa*) with increasing levels of quebracho tannins. *Anim. Feed Sci. Technol.* 92: 59–72.
- Kompiang, I.P., Yushadi, and D.C. Creswell. 1980. Microbial fish silage: chemical composition, fermentation characteristic and nutritional value. *FAO Fish. Rep. No 230*, 38-43.
- Kraus, T.E.C., R.A. Dahlgren, and R.J. Zasoski. 2003. Tannins in nutrient dynamics of forest ecosystems: a review. *Plant Soil* 256: 41–66.
- Kumar, R. and S. Vaithyanathan. 1990. Occurrence, nutritional significance and effect on animal productivity of tannins in tree leaves. *Anim. Feed Sci. Technol.* 30: 21–38.

- Lascano, C., P. Avila, and J. Stewart. 2003. Intake, digestibility and nitrogen utilization by sheep fed with provenances of *Calliandra calothyrsus* Meissner with different tannin structure. Arch. Latinoameric. Produc. Anim. 11 (1): 21-28.
- Lee, M.C., S.Y. Hwang, and P.W.S. Chiou. 2001. Application of rumen undegradable protein on early lactating dairy goats. Asian-Aust. J. Anim. Sci. 14: 1549-1554.
- Litherland, A.J., T. Sahlu, C.A. Toerien, K. Puchala, K. Tesfai, and A.L. Goetch. 2000. Effect of dietary protein sources on mohair growth and body weight of yearling Angora doelings. Small Rumin. Res. 38: 29-35.
- Makkar, H.P.S. 2003. Effects and fate of tannins in ruminant animals, adaptation to tannins, and strategies to overcome detrimental effects of feeding tannin-rich feeds. Small Rumin. Res. 49: 241–256.
- Makkar, H.P.S., B. Singh, and R.K. Dawra. 1988. Effect of tannin rich leaves of oak (*Quercus incana*) on various microbial enzyme activities of the bovine rumen. Br. J. Nutr. 60: 287-296.
- Makkar, H.P.S., M. Blümmel, and K. Becker. 1995. Formation of complexes between polyvinyl pyrrolidones or polyethylene glycols and tannins, and their implications in gas production and true digestibility in in vitro techniques. Br. J. Nutr. 73: 897-913.
- Makkar, H.P.S., M. Blümmel, N.K. Borowy, and K. Becker. 1993. Gravimetric determination of tannins and their correlations with chemical and protein precipitation methods. J. Sci. Food Agric. 61: 161-165.
- Makkar, H.P.S., P. Siddhuraju, and K. Becker. 2007. Plant Secondary Metabolites. Humana Press Inc. New Jersey. pp. 67-81.
- Mané, C., N. Sommerer, T. Yalcin, I.V. Cheynier, R. B. Cole, and H. Fulcrand. 2007. Assessment of the molecular weight distribution of tannin fractions through MALDI-TOF MS analysis of protein-tannin complexes. Anal. Chem. 79: 2239-2248.
- Mangan, J.L. 1988. Nutritional effects of tannins in animal feeds. Nutr. Res. Rev. 1: 209-231.
- Maria L.N. E. D., M.J. R. Nout, F. M. Rombouts, J. H. Houben, and W. Wymenga. 2000. Biogenic amine formation and degradation by potential fish silage starter microorganisms. Inter. J. Food Microbiol. 57: 107–114.
- Markom, M., M. Hasan, W.R.W. Daud, H. Singh, and J.M. Jahim. 2007. Extraction of hydrolysable tannins from *Phyllanthus niruri* Linn.: Effects of solvents and extraction methods. Sep. Purif. Technol. 52: 487–496.
- Mathius, I.W. 1993. Tanaman lamtoro sebagai bank pakan hijauan yang berkualitas untuk kambing-domba. Wartazoa. 3 (1): 24-29.

- McAllister, T.A., T. Martinez, H.D. Bae, A.D. Muir, L.J. Yanke, and G.A. Jones. 2005. Characterization of condensed tannins purified from legume forages: chromophore production, protein precipitation and inhibitory effects on cellulose digestion. *J. Chem. Ecol.* 31: 2049–2068.
- McDonald, P. 1981. *The Biochemistry of Silage*. John Willey & Sons. Toronto.
- McManus, J.P., K.G. Davis, T.H. Lilley, and E. Haslam. 1981. The association of protein with polyphenols. *J. Chem. Soc. Chem. Commun.* 7: 309–311.
- McNeill, D.M., M. Komolong, N. Gobius, and D. Barber. 2000. Influence of dietary condensed tannin on microbial crude protein supply in sheep. In: Brooker, J.D. (Ed.), *Tannins in Livestock and Human Nutrition*, ACIAR Proceedings number 92. Australian Centre for International Agricultural Research, Canberra, Australia, pp. 57–61
- McSweeney, C.S., B. Palmer, D.M. McNeill, and D.O. Krause. 2001. Microbial interaction with tannins: nutritional consequences for ruminants. *Anim. Feed Sci. Technol.* 91: 83-93.
- Meng, Q., M.S. Kerley, P.A. Ludden, and R.L. Belyea. 1999. Fermentation substrate and dilution rate interact to affect microbial growth and efficiency. *J. Anim. Sci.* 77: 206–214.
- Miller, P.R. and N.J. Ehlke. 1994. Condensed tannin relationships with in vitro forage quality analyses for birdsfoot trefoil. *Crop Sci.* 34: 1074-1079.
- Min, B.R., T.N. Barry, G.T. Attwood, and W.C. McNabb. 2003. The effect of condensed tannins on the nutrition and health of ruminants fed fresh temperate forages: a review. *Anim. Feed. Sci. Technol.* 106: 3–19.
- Misselbrook, T.H., J.M. Powell, G.A. Broderick, and J.H. Grabber. 2005. Dietary manipulation in dairy cattle: laboratory experiments to assess the influence on ammonia emissions. *J. Dairy Sci.* 88: 1765–1777.
- Mohammadabadi, T. and M. Chaji, 2012. The Influence of the plant tannins on in vitro ruminal degradation and improving nutritive value of sunflower meal in ruminants. *Pak. Vet. J.* 32 (2): 225-228.
- Mole, S. and P.G. Waterman. 1987. A critical analysis of techniques for measuring tannins in ecological studies. II. Techniques for biochemically defining tannins. *Oecologia.* 72: 148-156.
- Mueller-Harvey, I. 2001. Analysis of hydrolysable tannins. *Anim. Feed Sci. Technol.* 91: 3-20.
- Mueller-Harvey, I. and A. B. McAllan. 1992. Tannins their biochemistry and nutritional properties. *Adv. Plant Cell Biochem. Biotechnol.* 1: 151-217.
- Mueller-Harvey, I. 2006. Unravelling the conundrum of tannins in animal nutrition and health: a review. *J. Sci. Food Agric.* 86: 2010–2037.

- Mui, N.T., I. Lein, P. Udén, and D.V. Binh. 2001. Effect of replacing a rice bran–soya bean concentrate with Jackfruit (*Artocarpus heterophyllus*) or Flemingia (*Flemingia macrophylla*) foliage on the performance of growing goats. *Livest. Prod. Sci.* 72: 253–262.
- Natsir, A. 2008. Rumen microbial protein supply as estimated from purine derivative excretion on sheep receiving faba beans (*Vicia faba*) as supplement delivered at different feeding frequencies. *JITV* 13 (2): 103–108.
- Ndaw, A.D., M. Faid, A. Bouseta, and A. Zinedine. 2008. Effect of controlled lactic acid bacteria fermentation on the microbiological and chemical quality of moroccan sardines (*Sardina pilchardus*). *Int. J. Agric. Biol.* 10: 21–27.
- Norman, F. H., N.Kariel, G. Herzberg, L. A. W. Feltham, and K. Winter. 1985. Stabilisation of protein and oil in fish silage for use as a ruminant feed supplement. *J. Sci. Food Agric.* 36 (4): 229–241.
- NRC (National Research Council). 1985. *Nutrient Requirements of Sheep*. 6th Revised Ed. National Academy Press, Washington, D.C.
- Nsahlai, I.V., F.N. Fon, and N.A.D. Basha. 2011. The effect of tannin with and without polyethylene glycol on *in vitro* gas production and microbial enzyme activity. *S. Afr. J. Anim. Sci.* 41 (4): 337–344.
- Odenyo, A.A. and P.O. Osuji. 1998. Tannin tolerant ruminal bacteria from East African ruminants. *Can. J. Microbiol.* 44: 905–909.
- Oh, H.I., J.E. Hoff, G.S. Armstrong, and L.A. Haff. 1980. Hydrophobic interaction in tannin-protein complexes. *J. Agric. Food Chem.* 28: 394–398.
- Paskal, C., C.P. Legrand, B. Cabane, and A. Vernhet. 2008. Aggregation of a proline-rich protein induced by epigallocatechin gallate and condensed tannins: Effect of protein glycosylation. *J. Agric. Food Chem.* 56: 6724–6732.
- Patra, A.K., D.N. Kamra, and N. Agarwal. 2008b. Effect of extracts of leaves on rumen methanogenesis, enzyme activities and fermentation in *in vitro* gas production test. *Indian. J. Anim. Sci.* 78: 91–96.
- Patra, A.K., D.N. Kamra, N. Agarwal, and P.N. Chatterjee. 2008a. Effect of *Terminalia chebula* and *Allium sativum* on rumen fermentation, enzyme activities and microbial counts in buffalo. *Indian J. Anim. Nutr.* 24: 251–255.
- Patra, A.K. 2010. Effects of supplementing low-quality roughages with tree foliages on digestibility, nitrogen utilization and rumen characteristics in sheep: a meta-analysis. *J. Anim. Phys. Anim. Nutr.* 94: 338–353.
- Patra, A.K. and J. Saxena. 2011. Exploitation of dietary tannins to improve rumen metabolism and ruminant nutrition. *J. Sci. Food Agric.* 91: 24–37.

- Patra, A.K. and J.Saxena. 2009. The effect and mode of action of saponins on microbial population and fermentation in the rumen and ruminant production : a review. *Nutr. Res. Rev.* 22: 204–219.
- Patra, A.K., D.N. Kamra, and N. Agarwal. 2006. Effect of plants containing secondary metabolites on *in vitro* methanogenesis, enzyme profile and fermentation of feed with rumen liquor of buffalo. *Anim Nutr Feed Technol* 6: 203–213.
- Pawelek, D.L., J.P. Muir, B.D. Lambert, and R.D. Wittie. 2008. *In sacco* rumen disappearance of condensed tannins, fiber, and nitrogen from herbaceous native Texas legumes in goats. *Anim. Feed Sci. Technol.* 142: 1–16.
- Pearson, D. 1971. *The Chemical Analysis of Food*. 6th ed. , J & A Churchill, London.
- Perez, R. 1995. Fish silage for feeding livestock. *World Anim. Rev.* 82(1): 34-42.
- Perez-Maldonado, R.A. and B.W. Norton. 1996. The effects of condensed tannins from *Desmodium intortum* and *Calliandra calothyrsus* on protein and carbohydrate digestion in sheep and goats. *Br. J. Nutr.* 76: 515–533.
- Perez-Maldonado, R.A., B.W. Norton, and G.L. Kerven. 1995. Factors affecting *in vitro* formation of tannin-protein complexes. *J. Sci. Food Agric.* 69: 291–298.
- Piard, J.C., and M. Desmazeaud, 1992. Inhibiting factor produced by lactic acids bacteria: 2. Bacteriocin and other actibacterial substances. *Lait.* 72 (2): 113-142
- Piluzza, G., L. Sulas, and S. Bullitta. 2013. Tannins in forage plants and their role in animal husbandry and environmental sustainability: a review. *Grass Forage Sci.* 69: 32-48.
- Playne, M.J., 1985. Determination of ethanol, volatile fatty acids, lactic and succinic acid in fermentation liquids by gas chromatography. *J. Sci. Food Agric.* 36: 638–644.
- Plummer, D.T. 1987. *An Introduction to Practical Biochemistry*. McGraw Hill Ltd. Bombay, New Delhi.
- Porter, L.J., L.N. Hrstich, and B.G. Chan. 1986. The conversion of procyanidins and prodelfinidins to cyanidin and delphinidin. *Phytochemistry* 25: 223–230.
- Puastuti, W., I.W. Mathius, dan D. Yulistiani. 2006. Bungkil kedelai terproteksi cairan batang pisang sebagai pakan imbuhan ternak domba: *In sacco* dan *in vivo*. *JITV.* 11 (2): 106-115.
- Puchala, R., B. R. Min, A. L. Goetsch, and T. Sahlu. 2005. The effect of a condensed tannin-containing forage on methane emission by goats. *J. Anim. Sci.* 83: 182-186.

- Purbowati, E., C.I. Sutrisno, E. Baliarti, S.P.S. Budhi, and W. Lestariana. 2007. Pengaruh pakan komplit dengan kadar protein dan energi yang berbeda pada penggemukan domba lokal jantan secara *feedlot* terhadap konversi pakan. Prosiding Seminar Nasional Teknologi Peternakan dan Veteriner Puslitbangnak. Bogor. pp. 394-401.
- Purnomo, E. 1997. Upaya peningkatan daya saing gula merah rakyat dari pengolahan hasil tanaman pemanis alami. Prosiding Seminar Nasional Teknologi Pangan. IPB, Bogor. Hal. 438 - 450.
- Raa, J. and A. Gildberg. 1982. Fish silage : a review. CRC Crit. Rev. Food Sci. Nutr. 16: 383 - 419.
- Raia, A.K., H.C. Swapnaa, N. Bhaskara, P.M. Halamib, and N.M. Sachindraa. 2010. Effect of fermentation ensilaging on recovery of oil from fresh water fish vicera. Enzyme Microb. Technol. 46: 9-13.
- Rakhmani, S., J.D. Brooker, G.P. Jones, and B. Palmer. 2005. Composition of condensed tannins from *Calliandra calothyrsus* and correlation with *in sacco* digestibility. Anim. Feed Sci. Technol. 121: 109–124.
- Ramirez-Restrepo, C.A, T.N. Barry, W.E. Pomroy, N. Lopez-Villalobos, W.C. McNabb, and P.D. Kemp. 2005. Use of *Lotus corniculatus* containing condensed tannins to increase summer lamb growth under commercial dry land farming conditions with minimal anthelmintic drench input. Anim. Feed. Sci. Technol. 122: 197–217.
- Repetto, M., J. Semprine, and A. Boveris. 2012. Lipid peroxidation: chemical mechanism, biological implications and analytical determination. In: Catala, A. (ed). Lipid Peroxidation. pp. 3-30. InTech. Croatia.
- Rogisic, J., J.A. Pfister, F.D. Provenza, and J.Pavlicevic. 2008. The effect of polyethylene glycol on intake of Mediterranean shrubs by sheep and goats. J. Anim. Sci. 86: 3491-3496.
- Russel, J. B., J.D.O. Connor, D.G. Fox, P.J. Van Soest, and C.J. Sniffen. 1992. A net carbohydrate and protein system for evaluating cattle diets: I. Ruminant fermentation. J. Anim. Sci. 70: 3551–3561.
- Rustad, T., I. Storro, and R. Slizyte. 2011. Possibilities for the utilisation of marine by-products – invited review. Int. J. Food Sci. Technol. 46: 2001-2014.
- Rymer, C. 2000. The measurement of forage digestibility *in vivo*. In: Givens, D.I., E. Owen, R.F.E. Axford., H.M. Omed. (eds.). Forage Evaluation in Ruminant Nutrition. pp. 113-134. CABI Publishing.
- Sachindra, N. M. and N. Bhaskar. 2008. *In-vitro* antioxidant activity of liquor from fermented shrimp biowaste. Biores. Technol. 99: 9013–9016.
- Sahidi, F. and M. Naczki. 2004. Phenolics in Food and Nutraceuticals. CRC Press. Washington, D.C.

- Santoso, B., E. W. Saragih, and B.T. Hariadi. 2013. Effect of water extract of plants containing tannin on *in vitro* methanogenesis and fermentation characteristics of the grass *Pennisetum purpureophoides*. J.Indonesian Trop. Anim. Agric. 38 (1): 47-54.
- Sasongko, W.T., L.M. Yusiati, Z. Bachruddin, dan Mugiono. 2010. Optimalisasi pengikatan tanin daun nangka dengan protein *bovine serum albumin*. Buletin Peternakan. 34 (3): 154-158.
- Satter, L. D. and L. L. Slyter. 1974. Effect of ammonia concentration of rumen microbial protein production *in vitro*. Br. J. Nutr. 32: 199–208.
- Serrano, J., R. Puupponen-Pimiä, A. Dauer, A. M. Aura, and F. Saura-Calixto. 2009. Tannins: Current knowledge of food sources, intake, bioavailability and biological effects: a review. Mol. Nutr. Food Res. 53: S310–S329.
- Silanikove, N., N. Gilboa, A. Perevolotsky, and Z. Nitsan. 1996. Goats fed tannin-containing leaves do not exhibit toxic syndromes. Small Ruminant Res. 21: 195-201.
- Singh, S. and S.S. Kundu. 2010. Effect of tropical browse supplementation on rumen enzymes of sheep and goats fed *Dichanthium annulatum* grass-based diets. Trop. Anim. Health Prod. 42: 1181-1187.
- Sivaan, S., A.L. Molan, L.P. Meagher, B. Kolb, L.Y. Foo, G.A. Lane, G.A. Attwood, and K. Fraser, 2004. Variation in antimicrobial action of proanthocyanidins from *Dorycnium rectum* against rumen bacteria. Phytochemistry 65: 2485–2497.
- Smith, A.H., E. Zoetendal, and R.I. Mackie. 2005. Bacterial mechanisms to overcome inhibitory effects of dietary tannins. Microb. Ecol. 50: 197–205.
- Steinfeld, H., P. Gerber, T. Wassenaar, V. Castel, M. Rosales, and C. De Haan 2006. Livestock's Long Shadow: Environmental Issues and Options. FAO, Rome, pp. 390.
- Stürm, C.D., T.T. Tiemann, C.E. Lascano, M. Kreuzer, and H.D. Hess. 2007. Nutrient composition and *in vitro* ruminal fermentation of tropical legume mixtures with contrasting tannin contents. Anim. Feed Sci. Technol. 138: 29–46.
- Sudarmadji, S., B. Haryono dan Suhardi. 1984. Prosedur Analisis untuk Bahan Makanan dan Pertanian. Edisi ke-3. Liberty. Yogyakarta.
- Sudaryono, A. 2005. Fatty acid profiles in fish silage made from various marine feedstuffs potential nutrition sources for aquaculture feeds. J. Coastal Dev. 8 (3): 187-204.
- Südekum, K.H., F. Brüsemeister, A. Schroder, and M. Stangassinger. 2005. Effects of amount of intake and stage of forage maturity on urinary allantoin excretion and estimated microbial crude protein synthesis in the rumen of steers. J. Anim. Physiol. Anim. Nutr. 90: 136–145.

- Susanti, S. dan E. Marhaenyanto. 2014. Kadar saponin daun tanaman yang berpotensi menekan gas metan secara *in vitro*. Buana Sains. 14 (1): 29-38.
- Tan, H.Y., C.C. Sieo, N. Abdullah, J.B. Liang, X.D. , and Y.W. Ho. 2011. Effects of condensed tannins from *Leucaena* on methane production, rumen fermentation and populations of methanogens and protozoa *in vitro*. Anim. Feed Sci. Technol. 169: 185–193.
- Tanner, G.J., A.E. Moore, and P.J. Larkin. 1994. Proanthocyanidins inhibit hydrolysis of leaf proteins by rumen microflora *in vitro*. Br. J. Nutr. 71: 947–958.
- Teclu, D., G. Tivchech, M. Laing, and M. Wallis. 2009. Determination of the elemental composition of molasses and its suitability as carbon source for growth of sulphate-reducing bacteria. J. Haz. Mater. 161: 1157-1165.
- Tejirian, A. and F. Xu. 2011. Inhibition of enzymatic cellulolysis by fenolic compounds. Enzyme Microb. Technol. 48: 239-247.
- Terrill, T.H., A.M. Rowan, G.B. Douglas, and T.N. Barry. 1992. Determination of extractable and bound condensed tannin concentrations in forage plants, protein concentrate meals and cereal grains. J. Sci. Food Agric. 58: 321-329.
- Theodoridou, K., J. Aufrère, D. Andueza, J. Pourrat, A. L. Morvan, E. Stringano, I. Mueller-Harvey, and R. Baumont. 2010. Effects of condensed tannins in fresh sainfoin (*Onobrychis viciifolia*) on *in vivo* and *in situ* digestion in sheep. Anim. Feed Sci. Technol. 160: 23–38.
- Tiemann, T. T., C. E. Lascano, H.R. Wettstein, A. C. Mayer, M. Kreuzer, and H. D. Hess. 2008a. Effect of the tropical tannin-rich shrub legumes *Calliandra calothyrsus* and *Flemingia macrophylla* on methane emission and nitrogen and energy balance in growing lambs. Animal 2 (5): 790–799.
- Tiemann, T. T., J. E. Cortés, M. L. Pabón, H. D. Hess, M. Kreuzer, and J. E. Carulla. 2010a. *In vitro* evidence for the importance of cultivation conditions on the effects of *Calliandra* tannins on ruminal escape of soybean protein and its post-ruminal degradability. J. Anim. Physiol. Anim. Nutr. 94: e225–e230.
- Tiemann, T. T., P. Avila, G. Ramirez, E. Lascano, M. Kreuzer, and H.D. Hess. 2008b. *In vitro* ruminal fermentation of tanniferous tropical plants: plant specific tannin effects and counteracting efficiency of PEG. Anim. Feed Sci. Technol. 146: 222–241.
- Tiemann, T.T., L.H. Franco, G. Ramírez, M. Kreuzer, C.E. Lascano, and H.D. Hess. 2010b. Influence of cultivation site and fertilisation on the properties of condensed tannins and *in vitro* ruminal nutrient degradation of *Calliandra calothyrsus*, *Flemingia macrophylla* and *Leucaena leucocephala*. Anim. Feed Sci. Technol. 157: 30–40.
- Tilley, J.M.A. and R.A. Terry. 1963. A two-stage technique for the *in vitro* digestion of forage crops. J. Br. Grassl. Soc. 18 (2): 104-111.

- Tscherning, K., E. Barrios, C. Lascano, M. Peters, and R. Schultze-Kraft. 2005. Effects of sample post harvest treatment on aerobic decomposition and anaerobic *in-vitro* digestion of tropical legumes with contrasting quality. *Plant Soil*. 269: 159–170.
- Utomo, R. 1997. Kemungkinan penggunaan daun kaliandra sebagai pengganti daun lamtoro untuk pakan kambing. *Bulletin Peternakan*. 21 (1): 56-62.
- Utomo, R. 2010. Modifikasi metode penetapan pencernaan *in vitro* bahan kering atau bahan organik. *Bulletin Sintesis*. ISSN: 0853-9812. 14 (1): 1-11.
- Utomo, R. 2015. *Konservasi Hijauan Pakan dan Peningkatan Kualitas Bahan Pakan Berserat Tinggi*. Cetakan Pertama. Gadjah Mada University Press.
- Vaithyanathan, S., R. Bhatta, A.S. Mishra, R. Prasad, D.L. Verma, and N.P. Singh. 2007. Effect of feeding graded arass of *Prosopis cineraria* leaves on rumen ciliate protozoa, nitrogen balance and microbial protein supply in lambs and kids. *Anim. Feed Sci. Technol*. 133: 177–191.
- Vasta, V., D.R. Yáñez-Ruiz, M. Mele, A. Serra, G. Luciano, M. Lanza, L. Biondi, and A. Priolo. 2010. Bacterial and protozoal communities and fatty acid profile in the rumen of sheep fed a diet containing added tannins. *Appl. Environ. Microbiol*. 76 (8): 2549–2555.
- Vázquez, J.A., A.C. Rodrigues, P. Fuciños, L. Pastrana, and M. A. Murado. 2010. Bio-silage of mussel work-processing wastes by lactobacilli on semi-solid culture. *J. Food Engin*. 97: 355 – 359
- Vermerris, W. and R. Nicholson. 2006. *Fenolic Compound Biochemistry*. Springer. Netherland.
- Vidotti, R.M., E.M.M. Viegas, and D.J. Carneiro. 2003. Amino acid composition of processed fish silage using different raw materials. *Anim. Feed Sci. Technol*. 105: 199–204
- Vizcarra-Magaña, L.A., E. Avila, and A. Sotelo. 1999. Silage preparation from tuna fish wastes and its nutritional evaluation in broilers. *J. Sci. Food Agric*. 79 (13): 1915-1922.
- Waghorn, G. 2008. Beneficial and detrimental effects of dietary condensed tannins for sustainable sheep and goat production - Progress and challenges: a review. *Anim. Feed Sci. Technol*. 147: 116–139.
- Waghorn, G. 1996. Condensed tannins and nutrient absorption from the small intestine. In: Rode, L.M. (ed.), *Proceedings of the 1996 Canadian Society of Animal Science Annual Meeting, Lethbridge, Canada*, pp. 175–194.
- Waghorn, G.C., I.D. Shelton, W.C McNabb, and S.N. McCutcheon. 1994. Effects of condensed tannins in *Lotus pedunculatus* on its nutritive value for sheep. 2. Nitrogenous aspects. *J. Agric. Sci. Camb*. 123: 109–119.

- Waghorn, G.C., M.J. Ulyatt, A. John, and M.T. Fisher. 1987. The effect of condensed tannins on the site of digestion of amino acids and other nutrients in sheep fed on lotus. *Br. J. Nutr.* 57: 115–126.
- Wang, Y., G.B. Douglas, G.C. Waghorn, T.N. Barry, and A.G. Foote. 1996a. Effect of condensed tannins in *Lotus corniculatus* upon lactation performance in ewes. *J. Agric. Sci.* 126: 353–362.
- Wang, Y., G.C. Waghorn, W.C. McNabb, T.N. Barry, M.J. Hedley, and I.D. Shelton. 1996b. Effect of condensed tannins in *Lotus corniculatus* upon the digestion of methionine and cysteine in the small intestine of sheep. *J. Agric. Sci.* 127: 413–421.
- Wang, Y., T.W. Alexander, and T.A. McAllister. 2009. *In vitro* effects of phlorotannins from *Ascophyllum nodosum* (brown seaweed) on rumen bacterial populations and fermentation. *J. Sci. Food Agric.* 89: 2252–2260.
- West, J.W., G.M. Hill, and P.R. Utley. 1993. Peanut skins as a feed ingredient for lactating dairy cows. *J. Dairy Sci.* 76: 590–599.
- Wheatherburn, M.W. 1967. Fenol-hypoclorite reaction for determination of ammonia. *Anal. Chem.* 39: 971-974.
- Wiryawan, K.G., A. Parakkasi, R. Priyanto, dan I.P. Nanda. 2007. Evaluasi penggunaan bungkil inti sawit terproteksi formaldehida terhadap performa ternak, efisiensi penggunaan nitrogen dan komposisi asam lemak tidak jenuh domba Priangan. *JITV.* 12 (4): 249-254.
- Wischer G., J. Boguhn, H. Steingass, M. Schollenberger, and M. Rodehutschord. 2013. Effects of different tannin-rich extracts and rapeseed tannin monomers on methane formation and microbial protein synthesis *in vitro*. *Animal*, 7 (11): 1796-805.
- Yusiati, L.M., Z. Bachrudin, C. Hanim, dan W.K. Ratriningtyas, 2007. Pengaruh Daun Ketepeng Cina Terhadap Produksi Gas Methan, Asam Lemak Volatile Dan Mikrobial Pada Fermentasi Substrat Dengan Rasio Hijauan Dan Konsentrat Yang Berbeda Menggunakan Mikrobial Rumen Secara *In Vitro*. *Prosiding Seminar Nasional Dies Natalis ke-38 Fakultas Peternakan UGM*. Yogyakarta. ISBN: 978-979-1215-10-7. Hal. 102-107.
- Zahar, M., N. Benkerroum, A. Guerouali, Y. Laraki, and K. El Yakoubi. 2002. Effect of temperature, anaerobiosis, stirring and salt addition on natural fermentation silase of sardine and sardine wastes in sugarcane molasses. *Bioresource Technol.* 82: 171–176.
- Ziony, M.H., N. Gollop, S.Y. Landau, E.D. Ungar, H. Muklada, T.A. Glasser, A. Perevolotsky, and J.W. Walker. 2010. No major role for binding by salivary proteins as a defense against dietary tannins in mediterranean goats. *J. Chem. Ecol.* 36: 736–743.