UNIVERSITAS
GADJAH MADA
ANALISIS KERAGAMAN GENETIK KEEMPUKAN DAN MARBLING DAGING SAPI BALI (Bos sondaicus)
AGUS SUSILO, Prof Ir Soeparno PhD;Prof drh Wayan Tunas Artama PhD; Tety Hartatik SPt PhD
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

.

Aberle, E D., Forrest, J.C. Gerrard, D , Mills, E.W., Hedrick. H.B., Judge, M.D., and Merkel R.A.. 2001. Principle of Meat Science. 4thEd. Iowa : Kendall/Hunt

Albrecht, E, F. Teuscher, K. Ender and J. Wegner, 2006. Growth and Breed Related Changes of Marbling Characteristic in Cattle, *J Anim Sci.* 84:1067-1075.

Allais S, L Journaux, H Levéziel, N Payet-Duprat, P Raynaud, JF Hocquette, J Lepetit, S Rousset, C Denoyelle, C Bernard-Capel and G Renand. 2011. Effects of polymorphisms in the calpastatin and μ-calpain genes on meat tenderness in 3 French beef breeds. J. Anim. Sci. 89:1-11.

Amri, U., Iskandar dan L, Manalu., 2012, Kualitas Daging Sapi Bali Pada Lahan Penggemukan Yang Berbeda, Jurnal Penelitian Universitas Jambi Seri Sains, Volume 15, Nomor 2, Hal. 21-24

Anderson, S. (2007). Determination of fat, moisture, and protein in meat and meat products by using the FOSS FoodScan TM near-infrared spectrophotometer with FOSS artificial neural network calibration model and associated database: collaborative study.Journal of AOAC International, 90(4), 1073–1083.

Anonim, 2012. Survei kaskas 2012, Dirjen peternakan dan kesehatan hewan, Departemen pertanian Republik Indonesia.

AOAC, 1980. *Official Method of Analysis.* 13 th Ed. Assosiation of Official Analitical Chemistry. Washington, DC.

Arka, I, B, (1996), meat quality and marketing of bali cattle, proceding of seminar on bali catle, a special for dry tropics, held by Indonesia Australia eastern university project (iaeub)21 september 1996, udayana university, bukit jimbaran bali.

Armero, E., M. Flores, J.A Barbosa, F. Toldra, and M. Pla, 1998. Effect of Terminal Pig Sire Types and Sex : On Carcass Traits, Meat Quality and Sensory Analysis of Dry-Cured Ham. *Proc. 44th Inter. Congg. On Meat Sci. and Technol*, Barcelona 2 : 904-905

Arthaud, V.H., C.H. Adams, D.R. Jacobs and R.M. Koch. 1969. Comparison of carcass traits of bulls and steers. *J. Anim. Sci.* 28:742-745.

Barendse, W. 1999. Assessing Lipid Metabolisme International Patent Application Pct/Au98/00882, *International Patent Publication Wo 99/23428*.

UNIVERSITAS
GADJAH MADA
ANALISIS KERAGAMAN GENETIK KEEMPUKAN DAN MARBLING DAGING SAPI BALI (Bos sondaicus)
AGUS SUSILO, Prof Ir Soeparno PhD;Prof drh Wayan Tunas Artama PhD; Tety Hartatik SPt PhD
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

Basuki, P. 1994. Kajian Agribisnis Usaha Penggemukan Sapi Potong (Feedlot) Sistem Perusahaan Inti Rakyat (PIR) di Indonesia. *Makalah Seminar Nasional* "Pengembangan Agribsnis Bidang Peternakan dan Perikanan Pelita VI". 1 September 1994. Fakultas Peternakan, Universitas Diponegoro. Semarang.

Batan, I. W. 2006. Sapi Bali dan Penyakitnya. Fakultas Kedokteran Hewan. Universitas Udayana

Berg, R.T and R.M. Butterfield. 1976. *New Concepts of Cattle Growth*. Sydney University Press Sydney.

Black, J.L. 1983. Implication of Developments in Meat Science, Production and Marketing for Lamb Production Systems. *National Workshop*, Orange, NSW.

Bonbouza H, Jaquemin JM, Baudoin JP, danMergeai G. 2006. Optimization of a realible, fast, cheap and sensitive silver staining method to detect SSR markers in polyacrylamide gels.Biotechnol.Agron. Soc. Environ. 2006 10 (2), 77-81.

Bonneau M., Kempster A.J., Claus R., Claudi-Magnussen C., Diestre A., Tornberg E., Walastra P., Chevillon P., Weiler U., Cook G.L., (2000), An international study on the importance of androstenone and skatole for boar taint: I. Presentation of the programme and measurement of boar taint compounds with different analytical procedures, Meat Sci. 54 (2000) 251–259.

.

Bouton, P.E., and P.V. Harris, 1972. The Effect of Cooking Temperature and Time on Some Mechanical Properties of Meat. *J. Food. Sci*. 37: 140.

Brewer, M, (2014), Water holding Capacity in Encyclopedia Meat Science 2nd edition, Elsevier ltd. London.

Bruns, K.W., R.H. Pritchard and D.L. Boggs, 2004, The Relationship among Body Weight, Body Composition and Intramuscular Fat Content in Steers, *J. Anim Science* 82:1315-1322.

Casas, E., S. N. White, D.G.Riley, T.P.L. Smith, R.A. Brennemen, T.A. Olson, D.D. Johnson, S.W.Coleman, G.L.Bennet and C.C.Chase.2005. Assessment of Single Nucleotide Polymorfisms in Genes Residing on Chromosomes 14 and 29 for Association with Carcass Composition Traits in *Bos Indicus Cattle*. *J Anim Sci* 83:13-19

Christensen, M., Ertbjerg, P., Failla, S., Sañudo, C., Richardson, R.I., Geoff R. N., José L. Oll. Begoña P, Albertí, P., Manuel, J., Hocquette J.F., Williams,J.L, (2011), Relationship between collagen characteristics, lipid content and raw and cooked texture of meat from young bulls of fifteen European breeds, Meat Science 87 (2011) 61–65

UNIVERSITAS
GADJAH MADA
ANALISIS KERAGAMAN GENETIK KEEMPUKAN DAN MARBLING DAGING SAPI BALI (Bos sondaicus)
AGUS SUSILO, Prof Ir Soeparno PhD;Prof drh Wayan Tunas Artama PhD; Tety Hartatik SPt PhD
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

Ciobanu, D., J. Bastiaansen, M. Malek, J. Helm, J. Woolard, G. Plastow, and M. Rocthcild, 2001. Evidencer New Alleles In the Protein Kinase Amp-Activated, Sub Unit Gen Assosiated with Low Glycogen Content in Pig Skeletal Muscle And Improved Meat Quality , *Science.* 12

Clark, P. D. 2005. Molecular Biology: Understanding The Genetic Revolution. Elsevier Academic Press. London. Hal 52-62 dan568-582.

Colby, D.S. 1996. *Ringkasan Biokimia Harper* (Biochemistry: A Synopis). Alih bahasa: Adji Dharma. EGC. Penebit Buku Kedokteran, Jakarta.

Curi, R.A., H.N. Oliveira, A.C. Silveira and C.R. Lopes. 2005. Effectof Polymorphic Microsatellites in the Regulatory Region og IGHF1 and GHR on Growth and Carcass Traits in Beef Cattle. *Animal Genetics* 36 (1):58-62.

Daley, C.A., A, Amber , S. Patrick S, Doyle , G.A , Nader and S. Larson, 2010. A review of fatty acid profiles and antioxidant content in grass-fed and grain-fed beef, Nutrition Journal 9:10

Ditjen Peternakan. 2006. Strategi dan Kebijakan Pencapaian Program Kecukupan Daging Tahun 2010. *Workshop Rencana Tindak Dalam Rangka Kecukupan Daging 2010.* Bukittinggi, 18 Mei 2006.

Djagra, I.B., I.G.N.R. Haryana, I.G.M. Putra, I.B. Mantra dan A.A. Oka, 2002. Ukuran Standar Tubuh Sapi Bali Bibit. Laporan Hasil Penelitian Kerjasama Bappeda Propinsi Bali dengan Fakultas Peternakan Universitas Udayana, Denpasar. Bali.

Dunn, J. L., S. E. Williams, J. D. Tatum, J. K. Bertrand, and T. D. Pringle. 2000. Identification of optimal ranges in ribeye area for portion cutting of beef steaks. J. Anim. Sci. 78:966.

Dunne P.G., F.J, Monahan, F.P O'Mara , A.P Moloney . 2009, Colour of bovine subcutaneous adipose tissue: A review of contributory factors, associations with carcass and meat quality and its potential utility in authentication of dietary history, Meat Sci. Jan;81(1):28-45

Edey, T.N., 1983. Lactation, Growth and Body Composition. In: Edey T.N. Ed. *Tropical Sheep and Goat Production*. Pp. 83-110. Auidp. Canberra.

Enfalt A.C., K. Lundstrom, A. Karlsson, and I. Hansson, 1997. Estimated Frequency of The Rn Allele In Swedish Hampshire Pigs and Comparison of Glycolitic Potential, Carcass Composition and Technological Meat Quality Among Swedish Hampshire, Landrace and Yorksire Pigs, *J. Anim. Sci.,* 75: 2924

Fiems, L. O., De Campeneere, S., De Smet, D., Van de Voorde, G., Vanacker, J. M., and Boucqué, C. V, 2000: Relationship between fat depots in carcasses of beef bulls and effect on meat colour and tenderness, Meat Sci., 56, 41–47.

UNIVERSITAS
GADJAH MADA
ANALISIS KERAGAMAN GENETIK KEEMPUKAN DAN MARBLING DAGING SAPI BALI (Bos sondaicus)
AGUS SUSILO, Prof Ir Soeparno PhD;Prof drh Wayan Tunas Artama PhD; Tety Hartatik SPt PhD
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

Forrest, J.C., E.D. Aberle, A.B. Hedrick, M.D. Judge and R.A. Merkel, 1975. *Principles of Meat Science*. W.H. Freeman And Company. San Fransisco.

Fuji, J., K. Otsu, F. Zorzato, S. De Leon, V.K. Khanna, J.F. Weiler, P.J. O'brien, and D.H. Mac Lennan, 1991. Identification of A Mutation in Porcine Ryanodine Receptorassociated with Malignant Hyperthermia. *Science* 253, 448-451

Gerbens, F., A. Jansen, A.J.M. Van Erp, F. Harders, T.H.E. Meuwissen, G. Retterberger, J.H. Veerkamp, and M.F.W. Te Pas, 1998. The Adipocyte Fatty Acid Binding Protein Locus: Characterization and Association with Intramuscular Fat Content in Pig. *Mamm Genome* 9:1022-1026.

Gerbens, F., F.J. Verburg, H.T.B. Van Moerkerk, B. Engel, W. Buist, J.H. Veerkamp, and M.F.W. Te Pas, 2001. Assosiation of the Heart and Adipocyte Fatty Acid-Binding Protein Gene Expression with Intramuscular Fat Content in Pigs. *J. Anim. Sci.*, 79, 347 – 354.

Gerrard, F. 1977. Meat Technology. 6th ed. Northwood Publications Ltd., London.
.

Girard,I., J. L. Aalhus, J. A. Basarab., I. L. Larsen., and H. L. Bruce, 2012, Modification of beef quality through steer age at slaughter, breed cross and growth promotants, Can. J. Anim. Sci.92: 175188.

Grisart, B., F. Farnir, L.Karim, N.Cabisano, J.J. Kim, A.Kvaszzz, M. Mini, P. Simon, J.M. Frere, W. Coppeiterrs, and M.Georges. 2004. Genetic and Functional Confirmation of The Causality of DGAT1 K232a Quantitative Traits Nucleotide in Affecting Milk Yield and Composition. *Proc. Nat. Acad.Sci.Usa* 101 : 2398-2403

Guntoro, S. 2002. Membudidayakan Sapi Bali. Yogyakarta: Kanisius.

Hafid, H dan R, Priyanto, 2006, Pengaruh konformasi *Butt Shape* terhadap karakteristik karkas sapi Brahman *cross* pada beberapa klasifikasi jenis kelamin, Media peternakan, Vol 29 No 3

Hafid, H. 2002. Pengaruh Pertumbuhan Kompensasi Terhadap Efisiensi Pertumbuhan Sapi Brahman *Cross* Kebiri Pada Penggemukan Feedlot. *Jurnal Ilmu-Ilmu Pertanian Agroland,* Fakultas Pertanian Universitas Tadulako Palu. Vol. 9(2): 179 - 185 (Akreditasi No. 395/ Dikti/Kep/2000).

Hafid, H., dan N. Rugayah. 2009. Persentase karkas sapi Bali pada berbagai berat badan dan lama pemuasaan sebelum pemotongan, Seminar Nasional TeknologiPeternakan dan Veteriner 2009.

UNIVERSITAS
GADJAH MADA
ANALISIS KERAGAMAN GENETIK KEEMPUKAN DAN MARBLING DAGING SAPI BALI (Bos sondaicus)
AGUS SUSILO, Prof Ir Soeparno PhD;Prof drh Wayan Tunas Artama PhD; Tety Hartatik SPt PhD
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

Hafid, H., R.E. Gurnadi, R. Priyanto, dan A. Saefuddin. 2001. Komposisi Potongan Komersial Karkas Sapi Australian Commercial Cross Kebiri yang Digemukkan Secara Feedlot Pada Lama Penggemukan yang Berbeda. *Jurnal Ilmu-Ilmu Pertanian Agroland*, Fakultas Pertanian Universitas Tadulako Palu. Vol. 8 (1) : 90 - 96. (Akreditasi No. 395/ Dikti/Kep/2000).

Hafid, H.H.1998. Kinerja produksi sapi Australian Commercial Crossyang dipelihara secara feedlot dengan kondisi bakalan dan lama penggemukan berbeda. Tesis. Program Pascasarjana, Institut Pertanian Bogor, Bogor.

Handiwirawan, E., dan Subandriyo. 2004. Potensi dan Keragaman Sumberdaya, Genetik Sapi Bali. Wartazoa. Vol. 14 (3): 5-8.

Harafin, H, 2005, "Kajian Pertumbuhan dan Distribusi Daging Serta Estimasi Produktivitas Karkas Sapi Hasil Penggemukan". *Disertasi*, IPB Bogor .

Hardjosubroto W, Astuti JM. 1993. Buku Pintar Peternakan . PT Gramedia Widiasarana Indonesia. Jakarta..

Hardjosubroto, W. 1994. *Aplikasi Pemuliabiakan Ternak di Lapangan*. Gramedia Widiasarana Indonesia, Jakarta.

Harris, H. 1994. *Dasar-Dasar Genetika Biokemis Manusia*. Edisi Ketiga diperbaharui Penerjemah: dr. Abdul Salam M. Soofro, Ph.D. Gadjah Mada University Press.

Herring, H.K., R. G. Cassens and E. J. Briskey, 2006, Factors Affecting Collagen Solubility in Bovine Muscles, J.Food.Sci, 25 Aug 2006.

Huff, E. J., and Parrish, F. C. Jr. 1993. Bovine longissimus muscle tenderness as affected by post-mortem aging time, animal age and sex.Journal of Food Science, 58, 713–716.

Kadim,I.T.,Mahgoub,O.,Al-Ajmi,D.S.,Al-Maqbaly,R.S.,Al-Mugheiry,S.M.,Bartolome,D.Y., (2004).Theinfluenceofseasononqualitycharacteristicsofhot-bonedbeefM.longissimusthoracis.MeatSci.66,831–836.

Kauffman, R.G., R.G. Cassens, A. Scherer, and D.L. Meeker, 1992. *Variation in Pork Quality*. Des Moines. National Pork Producers Council Publication. Ia. USA.

Kemp CM, PL Sensky, RG Bardsley, PJ Buttery and T Parr. 2010. Tenderness – An enzymatic. Meat Science, 84 (2): 248–25.

UNIVERSITAS
GADJAH MADA
ANALISIS KERAGAMAN GENETIK KEEMPUKAN DAN MARBLING DAGING SAPI BALI (Bos sondaicus)
AGUS SUSILO, Prof Ir Soeparno PhD;Prof drh Wayan Tunas Artama PhD; Tety Hartatik SPt PhD
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

Kim, C. J. and Lee, E. S.: Effects of quality grade on the chemical, physical and sensory characteristics of Hanwoo (Korean native cattle) beef, Meat Sci., 63, 397–405, 2003.

Kirby, L.T. 1990. *DNA Fingerprinting: An Introduction*. M. Stockton Press. New York.

Knight, T.W and A.F. Death, 1997. Is beef with yellow fat potentially healthier for you than beef with white fat? . Proceedings of the New Zealand Society of Animal Production 1997, Vol57.

Koch, R.M., M.F Dikeman and J.D Crouse. 1982. Characterization Of Biological Types of Cattle (Cycle Iii). Iii. Carcass Composition Quality and Palatability. *J.Anim.Sci., 52:35-45*

Kochert, G. 1990. *Introduction to RFLP Mapping and Plant Breeding Applications*. Depertement of Botan, Univerity of Georgia, Athens, GA 30602.

Koohmaraie, M. 1996. .Biochemical factors regulating the toughening and tenderization processes of meat.Meat Science, 43(1), S193–S201.

Lawrence TLJ. 1980. *Growth in Animals: Studies in the Agricultural and Food Science.* Butterworths, London.

Lawrie, R.A. 2003. *Ilmu Daging*. Terjemahan: Aminuddin Parakkasi. Penerbit Universitas Indonesia Press, Jakarta.

Ledger, T. 1978. Notes on Growth and Body Compsition Change. Short Course in Pig Production. *AAUCS-Udayana Uiversity*. Denpasar, Bali.

Leslie, D.E., T.K. Leo , S.S. Loo , Z.A. Aghwan , A.R. Alimon , J.M. Panandam , S.A. Karsani and A.Q. Sazili, 2012, Pre-Rigor Beef Quality Assessment of Bali Cattle Subjected to Different Finishing Systems in Malaysia, Journal of Animal and Veterinary Advances, Volume: 11, Issue: 20, 3766-3771.

Liotta, L., L.N. Costa., B. Chiofalo., L. Ravarotto., and V. Chiofalo, 2007, Effect of lairage duration on some blood constituents and beef quality in bulls after long journey, ITAL.J.ANIM.SCI. VOL. 6, 375-384.

Lundstrom K., A.C. Enfalt, E. Tornberg, and H. Agerhem, 1998. Sensory and Technological Meat Quality in Carriers and Non Carriers ff The Rn Allele in Hampshire Crosses and in Purebred Yorkshire Pigs. *Meat Sci.*, 48: 115-124.

Mancini, R. A., and Hunt M. C.. (2005). Current research in meat color. Meat Sci. 71:100–121.

UNIVERSITAS
GADJAH MADA
ANALISIS KERAGAMAN GENETIK KEEMPUKAN DAN MARBLING DAGING SAPI BALI (Bos sondaicus)
AGUS SUSILO, Prof Ir Soeparno PhD;Prof drh Wayan Tunas Artama PhD; Tety Hartatik SPt PhD
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

Martojo, H. 1992. *Peningkatan Mutu Genetik Ternak*. Departemen Pendidikan dan Kebudayaan Direktorat Pendidikan Tinggi Pusat Antar Universitas Bioteknologi Institut Pertanian Bogor, Bogor.

McDowelll, P. E. Richard. G.J. H.C. Pant, A. Roy. E.J. Siegentha Ler and J. R. Stouffer.(1980) *Improvement of Livestook Production in Warm Climats*. W. H. Freeman and Co. San Fransisco. pp. 30-32; 83-87.

McKenna, D. R., P. D. Mies, B. E. Baird, K. D. Pfeiffer, J. W. Ellebracht, and J. W. Savell. (2005). Biochemical and physical factors affecting discoloration characteristics of 19 bovine muscles. Meat Sci. 70:665–682

Miguel1, J.A., Ciria1, J., Asenjo1, B., Colmenarez2, D and Pargas, H.,, 2011, Effect of Castration on Sensorial and Instrumental Characteristics of *Longissimus Dorsi Muscle (LDM)* of Brahman Cattle, Journal of Life Sciences 5, 460-465.

Milan, D., J.T. Jeon, C. Looft, V. Amarger, and A. Robic, 2000. A Mutation In Prkag3 Associated with Excess Glycogen Content in Pig Skeletal Muscle. *Science*, 288: 1248-1251.

Moloney, A.P., Keane, M.G., Dunne, P.G., Mooney, M.T. and Troy, D.J. (2001)a. Delayed concentrate feeding in a grass silage/concentrate beef finishing system: effects on fat colour and meat quality. Proceedings of the 47th International Congress of Meat Science and Technology, Kraków, Poland, pages 188–189.

Monin, G., P. Sellier, and M.Bonneau, 1998. Trente ans D'evolution De La Notion De Qualite De La Carcasse Et De La Viande De Porc*. Journees De La Recherche Porcine En France,* 30: 13-27

Moore S.S., Li C, J. Basarab, W.M. Snelling, J. Knieeland, B. Murdoch, C. Hansen, and B. Benkel. 2003. Fine Mapping of Quantitative Traint Loci and Assenssment of Positional Candidate Genes For Backfat on Bovine Chromosome 14 in A Commercial Line of Bos Taurus. *J. Anim. Sci.81* : 1919-1925.

Muchtadi, T.R. dan Sugiono. 1992. *Ilmu Pengetahuan Bahan Pangan.*Departemen Pendidikan dan Kebudayaan. Direktorat Jenderal Tinggi Pusat Antar Universitas Pangan Dan Gizi. Bogor: Institut Pertanian Bogor.

Muladno, R. Prijanto, dan S. Sulandari, 1999. Identification of Single Base Mutation in the *Ryanodine Receptor* (Ryri) Gene Associated with Carcass Quality of Commercial Pigs in Indonesia, IPB. Bogor

Murray, I., & Williams, P. C. (1987). Chemical principles of near-infrared technology. In P. C. Williams & K. Norris (Eds.), Near infrared technology in the agricultural and food industries(pp. 17–34). St. Paul, Minnesota, USA: American Association of Cereal Chemists, Inc

UNIVERSITAS
GADJAH MADA
ANALISIS KERAGAMAN GENETIK KEEMPUKAN DAN MARBLING DAGING SAPI BALI (Bos sondaicus)
AGUS SUSILO, Prof Ir Soeparno PhD;Prof drh Wayan Tunas Artama PhD; Tety Hartatik SPt PhD
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

Mutholib, R, A., (2003). Carcass and meat Characteristics of F1 Crossbreed among Bali Female Cattle and Four Sire Breed, J.Indon.trop.Anim.Agric.28(1)

N.G. Gregory, (2010), How climatic changes could affect meat quality, Food Research International 43 (2010) 1866–1873.

Ngadiyono, N. 1995. Pertumbuhan serta sifat-sifat karkas dan daging sapi Sumba, Ongole, Brahman Cross dan Australian Commercial Crossyang dipelihara secara intensif pada berbagai bobot potong. Disertasi. Program Pascasarjana, Institut Pertanian Bogor, Bogor.

Niciura, S.C.M., A.M.G Ibelli, G.V Gouveia., J.G.G Gromboni., M.I.P Rocha., M.M de Souza., S.S de Mello., and L.C.A. Regitano, 2012. Polymorphism and parent-of-origin effects on gene expression ofCAST, leptin and DGAT1in cattle. Meat Science 90 ; 507–510.

Nugroho, H., W, Busono, B., Soejosopoetro, 2013, peningkatan performans sapi bali melalui seleksi berbasis marka gen growth hormone dan miostatin pada village breeding centre untuk menghasilkan bibit berkualitas, laporan akhir penelitian unggulan perguruan tinggi Universitas brawijaya, malang.

Oka, L, (2003). Performance of bali cattle heifers and calves prior to weaning in a feedlot system. ACIAR Proceeding No 110. Strategies to Improve Bali Cattle in Eastern Indonesia.

Page BT, E. Casas. R.L. Quaas, R.M. Thallman, T.L. Wheeler, M. Koohmaraie, S.D. Schackelford, S.N. White, J.W. Keele and T.P.L. Smith. 2004. Association of Markers in the Bovine CAPN1 with Meat Tenderness in Large Crossbreed Populations that Sample Influential Industry Sires. *J.Anim. Sci. 80 :3474 – 3481.*

Page, B. T., E. Casas, M. P. Heaton, N. G. Cullent, D. L. Hyndman, and A. M. Morris. 2002. Evaluation of Single-Nucleotide Polymorphism in CAPN1 for Association with Meat Tenderness in Cattle. *J Anim Sci 80: 3077–3085.*

Pallawarukka. 1999. *Ilmu Pemuliaan Ternak Perah*. Diktat Kuliah. Jurusan Ilmu Produksi Ternak Fakultas Peternakan Institut Pertanian Bogor, Bogor.

Palupi, W.D.E., 1986. *Tinjauan Literatur Pengolahan Daging*. PDII. Lipi. Jakarta

Pane, I. 1986. *Pemuliabiakan Ternak Sapi*. Gramedia, Jakarta.

Panjono, S.M. Kang, I.K. Lee, and S.K. Lee, 2009, The quality characteristics of *M. longissimus* from Hanwoo (Korean cattle) steer with different raising altitudes and slaughter seasons, Livestock Science, Volume 123, Issues 2–3, August 2009, Pages 283–287

UNIVERSITAS
GADJAH MADA
ANALISIS KERAGAMAN GENETIK KEEMPUKAN DAN MARBLING DAGING SAPI BALI (Bos sondaicus)
AGUS SUSILO, Prof Ir Soeparno PhD;Prof drh Wayan Tunas Artama PhD; Tety Hartatik SPt PhD
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

Paola R, Alessandro G, Emiliano L, Francesco F, Ahmed H, Cristian P, Alessio S, Gianfranco G, and Luigi Bm(2010), Proteomics for improved meat quality and traceability, 4th EuPa meeting, 6 th Procura Meeting, 23-27 Oct 2010, Estoril Protugal

Parakkasi A. 1999. Ilmu Nutrisi dan Makanan Ternak Ruminan. Cetakan Pertama. Penerbit UI Press, Jakarta.

Payne, W.J.A. and J. Hodges. 1997. Tropical Cattle: Origin, Breeds and Breeding Policies. Blackwell Science.

Plessis, I du and L.C. Hoffman, 2007, Effect of slaughter age and breed on the carcass traits and meat quality of beef steers finished on natural pastures in the arid subtropics of Sauth Africa, The South African Journal of Animal Science, 57, 5.

Ponsuksili, S., K. Wirmmers, F. Schmoll, Robic., and K. Schellander, 2000. Porcine Ests Detected by Differential Display Representing Possible Candidates For The Trait Eye Muscle Area. *J. Anim. Breeding And Genetics,* 117, 25 – 36

Preston, T.R, and M.B. Willis. 1982. *Intensif Beef Production.* The Second Ed. Pergamon Press. Oxford-New York-Toronto-Sydney-Paris-Frankfurt.

Priyanto R., E.R, Johnson and D.G. Taylor. 1993. Prediction of Carcass Composition in Heavy-Weight Grass-Fed and Grain-Fed Beef Cattle. *Anim. Prod.* 57:65-72.

Puja,I.K, I. N. Wandia, P. Suastika, dan I.N. Sulabda, 2013. Asosisasi polimorfisme genetika lokus DNA mikrosatelit gen Bovine Limphocyte (Bola) dengan kualitas semen pada sapi Bali. Jurnal Kedokteran Hewan Vol. 7 No. 2, September 2013.

Purnomo, H. 1995. Studi Tentang Stabilitas Protein Daging dan Dendeng Selama Penyimpanan. Laporan Penelitian. Fakultas Peternakan. Malang: Universitas Brawijaya.

Rahayu S, A. Purwanto , A. Susilo , M.S. Djati dan Suyadi, 2010. Analisis variasi gen diacylglyserol acyltransferase 1 (dgat1) pada sapi limpo (limousin–peranakan ongole) menggunakan teknik PCR-RFLP, Seminar Nasional Teknologi Peternakan dan Veteriner 2010.

Rahayu S, A Susilo and Suyadi, 2013. Calpastatin (CAST) gene polymorphism in Indonesian PO cattle. Inter J Agri Biosci, 2(1): 15-17

Rahayu S., Jayarani, A. Susilo, M.S Djatidan Suyadi, 2010, Identifikasi polimorfisme gen *kalpastatin (cast)* exon 19-20 pada sapi PO (peranakan ongole) dengan metode PCR-RFLP, Seminar Nasional Teknologi Peternakan dan Veteriner 2010

UNIVERSITAS
GADJAH MADA
ANALISIS KERAGAMAN GENETIK KEEMPUKAN DAN MARBLING DAGING SAPI BALI (Bos sondaicus)
AGUS SUSILO, Prof Ir Soeparno PhD;Prof drh Wayan Tunas Artama PhD; Tety Hartatik SPt PhD
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

Rahayu, 2006, analisis keragaman genetic sapi bali (Bos sondaicus) suatu acuan kajian biologi molekuler.disertasi,sekolah pasca sarjana program studi ilmu kedokteran kekhusussan biologi reproduksi. Universitas brawijaya.

Rhee,Y.J.,Hyun,C.B.,Kim,J.T.,Lee,S.K.,Song,Y.H., (2006).AltitudeinfluencedhematologicalandbiochemicaldifferencesinHanwoo.ProceedingsoftheXIIthAAAPScienceCongress2006,Busan,Korea,p.630.

Robyt, I. M dan B. J. White. 2000. Biochemical Techniques : teory and practice. Brooks Publishing Company. California.

Saka I,K., I.G, Suranjaya dan dan I.Gst.K., Budiarto, 1997, Efek jenis kelamin terhadap susut bobot badan dan beberapa karakter karkas sapi bali di rumah potong umum pesanggrahan denpasar., Media veteriner. Vol 4 (3).

Sambrook, J. and D.W. Russel, 2001. *Molecular Clonning a Laboaratory Manual*. Third Ed. Vol. 1. Cold Sping Harbor Laboratory Press. New York.

San˜udo, C. E.S. Macie., J..L. Olleta., M. Villarroel., B. Panea., and P. Albertı, 2004. The effects of slaughter weight, breed type and ageing time on beef meat quality using two different texture devices.,Meat Science 66 . 925–932.

Saragih, C.I, 2014. Profil Hormon Pertumbuhan Sapi Bali Di Kecamatan Nusa Penida Kabupaten Klungkung Provinsi Bali. Tesis , Program Pascasarjana, Universitas udayana

Sariubang, M., D. Pasambe dan Chalidjah, 1998, pengaruh kawin silang terhadap performans hasil turunan (f1) pada sapi Bali di Sulawesi selatan. Proseding seminar nasional peternakan dan veteriner Bogor, 1-2 desember 1998.

Schmidt-Nielsen,K.,,1990.AnimalPhysiology:AdaptationandEnvironment,4thEdition.CambridgeUniversityPress,NewYork.

Seyfert, M., R. A. Mancini, M. C. Hunt, J. Tang, C. Faustman, and M. Garcia. 2006. Color stability, reducing activity, and cytochrome c oxidase activity of five bovine muscles. J. Agric. Food Chem. 4:8919–8925.

Shackelford SD[1], Wheeler TL, Koohmaraie M., 1999, Evaluation of slice shear force as an objective method of assessing beef longissimus tenderness.J Anim Sci. 1999 Oct;77(10):2693-9.

Shackelford, S. D., T. L. Wheeler and M. Koohmaraie. 1997. Tenderness classification of beef: I. Evaluation of beef longissimus shear force at 1 or 2 days

UNIVERSITAS
GADJAH MADA
ANALISIS KERAGAMAN GENETIK KEEMPUKAN DAN MARBLING DAGING SAPI BALI (Bos sondaicus)
AGUS SUSILO, Prof Ir Soeparno PhD;Prof drh Wayan Tunas Artama PhD; Tety Hartatik SPt PhD
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

postmortem as a predictor of aged beef tenderness. J. Anim. Sci. 75:2417-2422..

Shenk, J. S., Westerhaus, M. O., and Workman, J. J. ,1992. Application of NIRspectroscopy to agricultural products. In D. A. Burns (Ed.), &E. W. Ciurczak,Handbook of Near Infrared Analysis, Practical pectroscopy Series(pp. 383–431). New York, USA: Marcel Dekker.

Singer D.S., L.J. Parent, and R. Ehrlich, 1987. Identification and Dna Sequence of an Interspersed Repetitive Dna Element in The Genome of The Miniature Swine. *Nucleid Acid Res. 15*:2780

Soeparno. 1992. *Ilmu dan Teknologi Daging*. Gadjah Mada University Press. Yogyakarta.

Sonjaya, H dan Idris, T, 1996. Kecenderungan perkembangan populasi sapi potong di Sulawesi selatan. Forum Komunikasi Pimpinan Perguruan Tinggi Peternakan Se-Indonesia 9-10 Agustus 1996. Ujung Pandang.

Steel, R.G.D and J.H. Torrie. 1991. *Principle and Procedure of Statistic*, 2^{ed}. International Book Company, Tokyo.

Sulandari, S., Muladno, T. Harumi, S. Yanai, Y. Wada, and H. Yasue, 1997., Localization of Swine Pre-1 Homologues in 13 Loci of *Phacochoerus Aethiopicus* and *Tayasu Tajacu* Genomes and Their Sequence Divergence. *Anim. Genetics*, 28:210-215.

Suman,S.P., G. rentfrow, M. N. Nair, and P. Joseph, 2014. Proteomics of muscle- and species-specificity in meat color stability, J. Anim. Sci. 2014.92:875–882.

Supriyantoono, A., Lugman H., Suyadi dan Ismudiono, 2005. Performans sapi bali pada tiga daerah di propinsi bali. Buku panduan seminar nasional biologi dan pembelajarannya. Jurusan Biologi. FMIPA, Universitas negeri malang

Suyadi, N. Isnaini dan S. Rahayu. 2005. Preseleksi Kemampuan Produksi Daging pada Sapi Madura berdasarkan Marka Gen Kandidat untuk Pertumbuhan. *Laporan RUT XII-1. Ristek-KMRT RI*. Lembaga Penelitian Universitas Brawijaya.

Suyadi, N. Isnaini dan S. Rahayu. 2006c. Penggunaan Teknik PCR-RFLP untuk Studi Polimorfisme Gen Growth Hormone pada sapi Madura di Kabupaten Sumenep. *Seminar Basic Science* III. FMIPA-Biologi, Universitas Brawijaya. Malang

Suyadi, N. Isnaini dan S. Rahayu.. 2006a. Bioteknologi untuk Konservasi Ternak Local : Analisis keragaman Genetic untuk Seleksi Sapi Madura. *Seminar Nasional Konservasi Dan Bioteknologi Lingkungan. PPS-UNS*. Surakarta.

UNIVERSITAS
GADJAH MADA
ANALISIS KERAGAMAN GENETIK KEEMPUKAN DAN MARBLING DAGING SAPI BALI (Bos sondaicus)
AGUS SUSILO, Prof Ir Soeparno PhD;Prof drh Wayan Tunas Artama PhD; Tety Hartatik SPt PhD
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

Suyadi, N. Isnaini dan S. Rahayu.. 2006b. Karakteristik Fenotipik dan Genotipik pada sapi Madura di Pamekasan..J. Hayati (submitted). Unibraw

Swatland, H.J., 1984. *Structure And Development of Meat Animals*. Prentice-Hall. Inc. Englewood Cliffs, New Jersey.

Switonski, M. 2002. Molecular Genetics in Beef Cattle Breeding – a Review. *Animal Science Papers and Reports* Vol 20 (1):7-18.

Talbot,S. J. Gusti, K. Sage, J, Pearce, T. Wiecke. 2003. DNA Sampling Protocols. http://absc.usgs.gov/.

Talib, C. 2002. Sapi Bali di Daerah Sumber Bibit dan Peluang Pengembangannya. Wartazoa vol 12 No.3: 100-1007.

Taylor, R. E. 1984. *Beef Production and The Beef Industry* : A Beef Producer's Perspective. Departement of Animal Science Colorado State University Fort Cullins, Colorado, Macmillan Publishing Company. New York.

Thaller, G., Kuhn, C., Winter, A., Ewald, G., Bellmann, O., Wegner, J., Zuhlke, H., Fries, R.2003.DGAT1, A New Positional And Functional Candidate Gene for Intramuscular Fat Deposition In Cattle. Animal Genetics. 34(5):354-357, October 2003. 2003 Blackwell Science Ltd. http://pt.wkhealth.com/pt/re/agen.

Tillman, A.D., H. Hartadi, S. Reksohadiprodjo, S. Prawirokusumo dan S. Lebdosoekojo. 1984. Ilmu Makanan Ternak Dasar. Gadjah Mada University Press, Yogyakarta.

Tulloh, N.M. 1978. Growth, Development, Body Composition, Breeding and Management. In: Tulloh, N.M. (Ed): A Course Manual in Beef Cattle Management and Economics. Pp. 59-94. AAUCS. Canberra.

Turner, P.C. 2000. Moleculer Biology, Second Edition. BIOS Scientific Publishers Limited. Liverpool.

Ueda, Y., Watanabe, A., Higuchi, M., Shingu, H., Kushibiki, S., and Shinoda, M.: Effects of intramuscular fat deposition on the beef traits of Japanese Black steers (Wagyu), Anim. Sci. J., 78, 189–194, 2007.

Vaiman, D. 1999. *The Molecular Genetics of Cattle*. In: Fries, R. and A. Ruvinsky., editor. The Genetic of Catlle. New York: CABI Publishing Company. Hal 123-161.

Warwick, E.J., J.M. Astuti dan W. Hardjosubroto. 1983. Pemuliaan Ternak. Gadjah Mada University Press, Yogyakarta.

Weaver, R. F. 2003. *Moleculer Biology*. Mc Graw Hill. New York

UNIVERSITAS
GADJAH MADA
ANALISIS KERAGAMAN GENETIK KEEMPUKAN DAN MARBLING DAGING SAPI BALI (Bos sondaicus)
AGUS SUSILO, Prof Ir Soeparno PhD;Prof drh Wayan Tunas Artama PhD; Tety Hartatik SPt PhD
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

Weston, A.R., Rogers. R.W, Pas, and G.althe T.. (2002). Review the role of collagen in meat tenderness, the professional animal scientist 18:107-111

Wheeler, T.L, L.V. Cundiff, S.D. Shackelford and M. Koohmarie, 2001. Characteristic of Biological Types of Cattle (Cycle V): Carcass Traits and Longissimus Palatability. J Anim Sci 79:1209-1222.

Williams, I.H. 1982. A Course Manual in Nutrition And Growth. Australian Vice-Choncellors-Committee, Melbourne.

Williamson, G. And W.J.A. Payne. (1968)*An Introduction to Animal Husbandry in The Tropics*. Third Edition. Longmans and Co. Ltd. London,. pp. 2-26.

Wood, J.D. and Fisher, A.V.(1998). Carcass and meat quality: definitions and measurements. In: 'Effects of Extensification on Animal Performance, Carcass Composition and Product Quality'. Occasional Publication No. 4 of Concerted Action AIR3-CT93–0947, (ISBN 1- 901138-25-9), pages 30–38.

Wythes JR, Smith PC, Arthur RJ, Round PJ, 1984, Feeding cattle at abattoirs: the effect on carcass attributes and muscle pH. Animal Production in Australia 15, 643–646.

Yosita, M., U, Santosa, dan E,Y, Setyowati, 2012, Persentase karkas, tebal lemak punggung dan indeks perdagingan sapi bali, peranakan ongole dan australian commercial cross, JPPT Vol 1.No 1

Yuniarsih P., Jakaria dan Muladno, 2011, Eksplorasi gen growth hormone exon 3 pada Kambing peranakan etawah(pe), Saanendan Pesa melalui teknikpcr-sscp, Seminar Nasional Teknologi Peternakan dan Veteriner 2011

Yupardhi, W. 2009. Sapi Bali Mutiara dari Bali. Udayana University Press.Denpasar.

Zeugolis,D.I., S.T. Khew, E.S.Y. Yew, A.K. Tong, L.L. Yung, D.W. Hutmacher, C. Sheppard and Michael, 2008. Electro-spinning of pure collagen nano-fibres-Just an expensive way to make gelatin? Biomaterials., 15: 2293-2305.

Zhao , Q, M.E Davis, and H.C. Hines. 2004. Association of Polymorphisms in The Pit-1 Ge With Growth and Carcass Composition Traits in Angus Breed Cattle. J.Anim. Sci. 82:2229-2233.