

DAFTAR PUSTAKA

- _____ (2006) *BD Bionutrients™ Technical Manual Advanced Bioprocessing*, [Online], Available: https://www.bd.com/ds/technicalCenter/misc/br_3_2547.pdf [10 September 2015].
- Ananta, E., Volkert, M. and Knorr, D. (2005) 'Cellular injuries and storage stability of spray-dried *Lactobacillus rhamnosus* GG', *International Dairy Journal*, vol. 15, pp. 299-409.
- Barbosa, J., Borges, S. and Teixeira, P. (2015) 'Influence of sub-lethal stresses on the survival of lactic acid bacteria after spray-drying in orange juice', *Food Microbiology*, vol. 52, pp. 77-83.
- Bury, D., P., J. and Kimura, K. (1998) 'Whey protein concentrate as a nutrient supplement for lactic acid bacteria. ', *Int. Dairy Journal*, vol. 8, pp. 149-151.
- Cal, K. and Sollohub, K. (2009) 'Spray drying technique. I : Hardware and Process Parameters', *Journal of Pharmaceutical Sciences*, Available: DOI 10.1002/jps.21886.
- Capozzi, V., Weidmann, S., Fiocco, D., Rieu, A., Hols, P., Guzzo, J. and Spano, G. (2011) 'Inactivation of a small heat shock protein affects cell morphology and membrane fluidity in *Lactobacillus plantarum* WCFS1', *Research in Microbiology*, vol. 162, pp. 419-425.
- Corcoran, B.M., Ross, R.P., Fitzgerald, G.F. and Stanton, C. (2004) 'Comparative survival of probiotic lactobacilli spray-dried in the presence of prebiotic substances', *Journal of Applied Microbiology*, vol. 96, no. 5, pp. 1024–1039.
- De Angelis, M.C.R., Huet, C., Crecchio, C., Fox, P.F. and Gobbetti, M. (2004) 'Heat shock response in *Lactobacillus plantarum*', *Applied and Environmental Microbiology*, vol. 70, pp. 1336–1346.
- Desmond, C., Stanton, C., Fitzgerald, G.F., Collins, K. and Ross, R.P. (2002) 'Environmental adaptation of probiotic lactobacilli towards improvement of performance during spray drying', *International Dairy Journal*, vol. 11, pp. 801–808.
- Ferreira, V., Soares, V., Santos, C., Silva, J., Gibbs, P.A. and Teixeira, P. (2005) 'Survival of *Lactobacillus sakei* during heating, drying and storage in the dried state when growth has occurred in the presence of sucrose or monosodium glutamate', *Biotechnology Letters*, vol. 27, no. 4, pp. 249-52.
- Fu, N. and Chen, X.D. (2011) 'Towards a maximal cell survival in convective thermal drying processes', *Food Research International*, vol. 44, pp. 1127–1149.
- Gardiner, G.E., O'Sullivan, E., K.J., Auty, M.A.E., Fitzgerald, G.F., Collins, J.K., Ross, R.P. and Stanton, C. (2000) 'Comparative survival rates of human-derived probiotic *Lactobacillus paracasei* and *Lactobacillus salivarius* strains during heat treatment and spray drying ', *Applied and Environmental Microbiology*, vol. 66, no. 6, pp. 2605–2612.

- Ghandi, A., Powell, I.B., Howes, T., Chen, X.D. and Adhikari, B. (2012) 'Effect of shear rate and oxygen stresses on the survival of *Lactococcus lactis* during the atomization and drying stages of spray drying : A laboratory and pilot scale study', *Journal of Food Engineering*, vol. 113 , pp. 194-200.
- Gilliland, S.E., Morelli, L. and Reid, G. (2011) *Report of a Joint FAO/WHO Expert Consultation on Health and Nutritional Properties of Probiotics in Food including Powder Milk with Live Lactic Acid Bacteria*, [Online], Available: http://www.who.int/foodsafety/publications/fs_management/en/probiotics.pdf [1 August 2014].
- Gragerov, A., Nudler, E., Natalia, K., Gaitanaris, G.A., Gottesman, M.E. and Nikiforov, V. (1992) 'Cooperation of GroEL/GroES and DnaK/DnaJ heat shock proteins in preventing protein misfolding in *Escherichia coli*', *Proc. Natl. Acad. Sci. USA*, vol. 89, November, pp. 10341-10344.
- Huang, S. and Chen, X.D. (2013) 'Significant effect of Ca²⁺ on improving the heat resistance of lactic acid bacteria', *FEMS Microbiol Lett* , vol. 344 , pp. 31–38.
- Jantzen, M., Gopel, A. and Beermann, C. (2013) 'Direct spray drying and microencapsulation of probiotic *Lactobacillus reuteri* from slurry fermentation with whey', *Journal of Applied Microbiology*, vol. 115, pp. 1029-1036, Available: 1364-50.
- Kedzierska, S., Staniszewska, M., Wegrzyn, A. and Taylor, A. (1999) 'The role of DnaK/DnaJ and GroEL/GroES systems in the removal of endogenous proteins aggregated by heat-shock from *Escherichia coli* cells', *FEBS Letters*, vol. 446, pp. 331-337.
- Kilstrup, M., Jacobsen, S., Hammer, K. and Vogensen, F.K. (1997) 'Induction of heat shock proteins DnaK, GroEL, and GroES by salt stress in *Lactococcus lactis*', *Applied and Environmental Microbiology*, vol. 63, pp. 1826–1837.
- Liao, Q., Hang, X., Liu, X., J., P., Zhang, H. and Yang, H. (2010) 'The influence of pH on heat stress response by probiotic *Lactobacillus plantarum* LP-Only', *Ann Microbiol*, vol. 60, pp. 341–348.
- Lievens, L.C., Verbeck, M.A.M., Noomen, A. and van't Riet, K. (1994) 'Mechanism of dehydration inactivation of *Lactobacillus plantarum*. ', *Appl. Microbiol. Biotechnol.*, vol. 41, pp. 90-94.
- Manas, P., Pagan, R., Sala, F.J. and Condon, S. (2001) 'Low molecular weight milk whey components protect *Salmonella* senftenberg 775W against heat by a mechanism involving divalent cations', *Journal of Applied Microbiology*, vol. 91, pp. 871-877.
- Meng, X.C., Stanton, C., Fitzgerald, G.F., Daly, C. and Ross, R.P. (2008) 'Anhydrobiotics : The challenges of drying probiotic cultures', *Food Chemistry*, vol. 106, pp. 1406-1416.
- O'Connor, K., Fletcher, S.A. and Csonka, L.N. (2009) 'Increased expression of Mg²⁺ transport proteins enhances the survival of *Salmonella enterica* at high temperature', *Proc Natl Acad Sci U S A.*, vol. 106, no. 41, pp. 17522–17527.
- Onwulata, C.I. and Huth, P.J. (ed.) (2008) *Whey Processing, Functionality and Health Benefits*, 1st edition, Iowa: Blackwell Publishing.

- Paez, R., Lavari, L., Vinderola, G., Audero, G., Cuatrin, A., Zaritsky, N. and Reinhemer, J. (2012) 'Effect of heat treatment and spray drying on lactobacilli viability and resistance to simulated gastrointestinal digestion', *Food Research International*, vol. 48, pp. 748-754.
- Page, J., Meyer, D., Haines, B., Lagrange, V. and Clark, W.B. (2008) *Reference Manual of U.S. Whey and Lactose Product*, [Online], Available: http://usdec.files.cms-plus.com/PDFs/2008ReferenceManuals/Whey_Lactose_Reference_Manual_Complete2_Optimized.pdf [16 September 2015].
- Purwandhani, S.N. and Rahayu, E.S. (2003) 'Isolasi dan Seleksi *Lactobacillus* yang berpotensi sebagai agensia probiotik', *Agritech*, vol. 23, no. 2, pp. 67-74.
- Rahayu, E.S. and Purwandhani, S.N. (2004) 'Suplementasi *Lactobacillus acidophilus* SNP-2 pada tape dan pengaruhnya pada relawan', *Jurnal Teknologi Dan Industri Pangan*, vol. 15, no. 2, pp. 129-134.
- Rahayu, E.S., Yogeswara, I.B., Utami, T. and Suparmo., &. (2011) 'Indigenous Probiotic Strains of Indonesia and Their Application for Fermented Food', The 12th Asean Food Conference 16-18 June 2011, BITEC Bangna, Bangkok, Thailand.
- Ray, B. (2005) *Fundamental Food Microbiology Third Edition*, Florida: CRC Press.
- Ricciardi, A., Parente, E., Guidone, A., Ianniello, R.G., Zotta, T., Sayem, S.M.A. and Varcamonti, M. (2012) 'Genotypic diversity of stress response in *Lactobacillus plantarum*, *Lactobacillus paraplantarum* and *Lactobacillus pentosus*', *International Journal of Food Microbiology*, vol. 157, pp. 278–285.
- Santivarangkna, C., Kulozik, U. and Foerst, P. (2007) 'Alternative Drying Processes for the Industrial Preservation of Lactic Acid Starter Cultures', *Biotechnol. Prog.*, vol. 23, p. 302–315.
- Santivarangkna, C., Kulozik, U. and Foerst, P. (2008) 'Inactivation mechanisms of lactic acid starter cultures preserved by drying processes', *Journal of Applied Microbiology*, vol. 105, pp. 1–13.
- Silva, J., Carvalho, A.S., Pereira, H., Teixeira, P. and Gibbs, P.A. (2004) 'Induction of stress tolerance in *Lactobacillus delbrueckii* ssp. *bulgaricus* by the addition of sucrose to the growth medium', *Journal of Dairy Research*, vol. 71, pp. 121-125.
- Teixeira, P., Castro, H., Mohacsi-Farkas, C. and Kirby, R. (1997) 'Identification of sites of injury in *Lactobacillus bulgaricus* during heat stress', *Journal of Applied Microbiology*, vol. 83, pp. 219–226.
- Utami, T., Giyarto, Djaafar, T.F. and Rahayu, E.S. (2014) 'Acid production and antioxidant activity in peanut milk fermented with *Lactobacillus paracasei* SNP2 and *Lactobacillus plantarum* Dad 13', *Indonesian Food and Nutrition Progress*, vol. 13, no. 1, pp. 11-16.
- von Wright, A. and Axelsson, L. (2012) 'Lactic Acid Bacteria : an Introduction', in Lahtinen, S., Ouwehand, A.C., Salminen, S. and von Wright, A. (ed.) *Lactic Acid Bacteria Microbiological and Functional Aspects Fourth Edition*, 4th edition, London: CRC Press.
- Wolfe, J. (1987) 'Lateral stresses in membranes at low water potential', *Australian Journal of Plant Physiology*, vol. 14, pp. 311–318.

- Yogeswara, I.B., Utami, T. and Rahayu, E.S. (2011) *Potensi bakteri asam laktat lokal sebagai agensia probiotik dan ketahanannya pada proses spray drying.*, Tesis Pascasarjana Jurusan Ilmu dan Teknologi Pangan Universitas Gadjah Mada.
- Zheng, X., Fu, N., Duan, M., Woo, M.W., Selomulya, C. and Chen, X.D. (2015) *The mechanisms of the protective effects of reconstituted skim milk during convective droplet drying of lactic acid bacteria*, [Online], Available: <http://dx.doi.org/10.1016/j.foodres.2015.07.045>.