

DAFTAR PUSTAKA

- Ahmad, U. (2013). *Teknologi Penanganan Pascapanen Buah dan Sayuran*. Yogyakarta: Graha Ilmu.
- Ali, A., Muhammad, M. T., Sijam, K., & Siddiqui, Y. (2011). Effect of chitosan coatings on the physicochemical characteristics of Eksotika II papaya (*Carica papaya L*) fruti during cold storage. *Food Chemistry* , 124, 620-626.
- Anonymous. (2006). Keputusan Menteri Pertanian Nomor : 511/Kpts/PD-310/9/2006 tentang Jenis Komoditi Tanaman Binaan Direktorat Jendral Perkebunan. Jakarta: Direktorat Jendral Tanaman Pangan dan Direktorat Jendral Hortikultura.
- Aranaz, I., Mengibar, M., Harris, R., Panos, I., Miralles, B., Acocta, N., et al. (2009). Functional Characterization of Chitin and Chitosan. *Current Chemical and Biology* , 3, 203-230.
- Ayranci, E., & Tunc, S. (2003). A Method for Measurement of Oxygen Permeability and the Development of Edible Film to Reduce the Rate of Oxidative Reactions in Fresh Foods. *Food Chemistry* , 80, 423-431.
- Azeredo, H. M., Britto, D. d., & Assis, O. B. (2010). Chitosan Edible Film and Coating - A Review. In: *Chitosan Manufacture, Properties, and Usage*. (S. P. Davis, Penyunt.) Brazil: Nova Science publisher, Inc.
- Bajdik, J., Marciello, M., Caramella, C., Domjan, A., Suvegh, K., Marek, T., et al. (2009). Evaluation of surface and microstructure of differently plasticized chitosan films. *Journal of Pharmaceutical and Biomedical Analysis* , 49, 655-659.
- Bangyekan, C., Aht-Ong, D., & Srikulkit, K. (2006). Preparation and properties evaluation of chitosan-coated cassava starch films. *Carbohydrate Polymers* , 63, 61-71.
- Bruck, W. M., Slater, J. W., & Carney, B. F. (2011). Chitin and Chitosan from Marine Organisms. Dalam S.-K. Kim, *Chitin, Chitosan, Oligosaccharides and Their Derivatives* (hal. 13). Boca raton: CRC Press.
- Calero, N., Munos, J., Ramirez, P., & Guerrero, A. (2010). Flow behaviour, linear viscoelasticity and surface properties of chitosan aqueous solutions. *Food Hydrocoloids* , 24, 659-666.

- Casariago, A., Souza, B. W., Cerqueira, M. A., Teixeira, J. A., Cruz, L., Diaz, R., et al. (2009). Chitosan/clay films properties as affected by biopolymer and clay micro/nanoparticles concentrations . *Food Hydrocoloids* , 1-8.
- Casariago, A., Souza, B. W., Vicenta, A. A., Teixeira, J. A., Cruz, I., & Diaz, R. (2008). Chitosan Coating Surface Properties as Affected by Plasticizer, Surfactant and Polymer Concentrations in Relation to the Surface Properties of Tomato and Carrot. *Food Hydrocolloids* , 22, 1452-1459.
- Chakraverty, A., Mujumdar, A., Vijaya-Raghavan, G., & Ramaswamy, H. (2003). *Handbook of Postharvest Technology*. New York: Marcel Dekker, Inc.
- Channer, C., Vergano, P. J., & Wiles, J. L. (1998). Chitosan film mechanical and permeation properties as affected by acid, plasticizer, and storage. *Journal of Food Science* , 63 (6), 1049-1053.
- Chao, J., Heuzey, M. C., Begin, A., & Carreau, P. J. (2006). Viscoelastic properties of chitosan solutions: Effect of concentration and ionic strength. *Journal of Food Engineering* , 74, 500-515.
- Chen, R. H., & Hwa, H. D. (1996). Effect of molecular weight of chitosan with the same degree of deacetylation on the thermal, mechanical and permeability properties of the prepared membrane. *Carbohydrate Polymers* , 29, 353-358.
- Chen, R. H., & Hwa, H. D. (1996). Effect of molecular weight of chitosan with the same degree of deacetylation on thermal, mechanical, and permeability properties of the prepared membrane. *Carbohydrate Polymers* , 29, 353-358.
- Chen, R. H., Chen, W. Y., Wang, S. T., Hsu, C. H., & Tsai, M. L. (2009). Change in the Mark-Houwink hydrodynamic volume of chitosan molecules in solutions of different organic acids at different temperatures and ionic strengths. *Carbohydrate Polimers* , 78, 902-907.
- Chen, R. H., Lin, H. J., & Yang, M. H. (1994). Relationship between the chain flexibilities of chitosan molecules and the physical properties of their casted film. *Carbohydrate Polymers* , 24, 41-46.
- Chien, P. J., Sheu, F., & Lin, H. R. (2007). Coating citrus (Murcott tangor) fruit with low molecular weight chitosan increases postharvest quality and shelf life. *Food Chemistry* , 100, 1160-1164.

- Chillo, S., Flores, S., Mastromatteo, M., Conte, A., Gerschenson, L., & Del Nobile, M. A. (2008). Influence of glycerol and chitosan on tapioca starch-based edible film properties. *Journal of Food Engineering* , 88, 159-168.
- Cho, J., Heuzey, M. C., Begin, A., & Carreau, P. J. (2006). Viscoelastic properties of chitosan solution: Effect of concentration and ionic strength. *Journal of Food Engineering* , 74, 500-515.
- Choi, W. Y., Park, H. J., Ahn, D. J., Lee, J., & Y, L. C. (2002). Wettability of chitosan coating solution of Fuji Apple skin. *Journal of Food Science* , 67, 2668-2672.
- Choppe, E., Puaud, F., Nicolai, T., & Benyahia, L. (2010). Rheology of xanthan solution as a function of temperature, concentration and ionic strength. *Carbohydrate Polymers* , 82, 1228-1235.
- Cowd, M. A. (1991). *Kimia Polimer*, Terjemahan Harry Firman. Bandung: ITB.
- Devlieghere, F., Vermeulen, A., & Debevere, J. (2004). Chitosan: antimicrobial activity, interactions with food components and applicability as a coating on fruit and vegetables. *Food Microbiology* , 21, 703-714.
- Do, D. D. (1998). *Adsorption Analysis: Equilibria and Kinetics*. London: Imperial College Press.
- Dong, H., Cheng, L., Tan, J., Zheng, K., & Jiang, Y. (2004). Effect of Chitosan Coating on Quality and Shelf life of Peeled litchi Fruit. *Journal of Food Engineering* , 64, 355-358.
- Dutta, P. K., Tripathi, S., Mehrotra, G. K., & Dutta, J. (2009). Perspectives for Chitosan Based Antimicrobial Films in Food Applications. *Food Chemistry* , 114 (4), 1173-1182.
- El-hefian, E. A., Yahaya, A. H., & Misran, M. (2009). Characterisation of chitosan solubilised in aqueous formic and acetic acids. *Maejo Int. J. Science Technology* , 3 (03), 415-425.
- Gardjito, M., & Saifudin, U. (2011). *Penanganan Pascapanen Buah-buahan Tropis*. Yogyakarta: Kanisius.

- Ghaout, A. E., Aul, J., & Ponampalan, R. (1991). Chitosan Coating Effect on Storability and Quality of Fresh Strawberries. *Journal of Food Science* , 56 (6).
- Gonzales, L. S., Pastor, C., Vargas, M., Chiralt, A., & Martinez, C. G. (2011). Effect of hydroxypropylmethylcellulose and chitosan coatings with and without bergamot essential oil on quality and safety of cold stored grapes. *Postharvest Biology and Technology* , 60, 57-63.
- Guadarrama, S. V., Solares, T. E., Veloz, C. S., & Valdivia, C. B. (2005). Oxygen diffusivity in Avocado fruit tissue. *Biosystems Engineering* , 92 (2), 197-206.
- Gupta, K. C., & Jabrail, F. H. (2006). Effects of degree of deacetylation and cross-linking on physical characteristics, swelling and release behavior of chitosan microspheres. *Carbohydrate Polymers* , 66, 43-54.
- Gupta, R. K. (2000). *Polymer and Composite Rheology*. New York: Marcel Dekker, Inc.
- Han, C., Zhao, Y., Leonard, S. W., & Traber, M. G. (2004). Edible Coatings to Improve Storability and Enhance Nutritional Value of Fresh and Frozen Strawberries (*Fragaria ananassa*) and Raspberries (*Rubus idaeus*). *Postharvest Biology and Technology* , 33, 67-78.
- Harish Pranshanth, K. V., & Tharanathan, R. N. (2007). Chitin/chitosan: modifications and their unlimited application potential-an overview. *Trend in Food Science and Technology* , 18, 117-131.
- Hershko, V., & Nussinovitch, A. (1998). The Behaviour of Hydrocolloid Coatings on Vegetative Materials. *Biothechnol Progr* , 14, 756-765.
- Hines, A. L., & Maddox, R. N. (1985). *Mass Transfer Fundamentals and Applications*. New Jersey: Prentice-Hall, Inc.
- Hong-xia, Z., De-zhong, W., Wei-guo, G., & Han-ping, C. (2008). Effects of temperature and concentration on rheological characteristics of surfactant additive solutions. *Journal of Hydrodynamics* , 20 (5), 603-610.
- Hwang, K. T., Kim, J. T., Jung, S. T., Cho, G. S., & Park, H. J. (2003). Properties of Chitosan-Based Biopolymer Films with Various Degrees of

- Deacetylation and Molecular Weights. *Journal of Applied Polymer Science* , 89, 3476-3484.
- Jiang, Y., & Li, Y. (2001). Effects of Chitosan Coating on postharvest Life and Quality of Longan Fruit. *Food Chemistry* , 73, 139-143.
- Jiang, Y., Li, & Jiang, W. (2005). Effects of chitosan Coating on Shelf life of Cold-Stored litchi Fruit at Ambient Temperature. *LWT-Food Science and Technology* , 38, 757-761.
- Lammertyn, J., Scheerlinck, N., Verlinden, B. E., & Schotsmans, W. (2001). Simulation determination of oxygen diffusivity and respiration in pear skin and tissue. *Postharvest Biology and technology* , 23, 93-104.
- Lee, D. S., Hagggar, P. E., Lee, J., & Yam, K. L. (1991). Model for fresh produce respiration in modified atmosphere based on principles of enzyme kinetics. *Journal of Food Science* , 56 (6), 1580-1585.
- Lee, D. S., Song, Y., & Yam, K. L. (1996). Application of an enzyme kinetics based respiration model to permeable system experiment of fresh produce. *Journal of Food Engineering* , 27, 297-310.
- Lencki, R. W., Zhu, M., & Chu, C. L. (2004). Comparison of unsteady and steady-state methods for produce respiration rate determination 1. Model development and validation. *Postharvest Biology and Technology* , 31, 229-238.
- Mangunwidjaja, D., & Suryani, A. (1994). *Teknologi Bioproses*. Jakarta: Penebar Swadaya.
- Matsuo, M., Nakano, Y., Nakashima, T., & Bin, Y. Mechanical Properties of Chitosan and Chitosan-Poly (Vinil Alcohol) Blend Films. Dalam *Chitin, Chitosan, Oligosaccharides and Their Derivatives* (hal. 95-116).
- McHugh, T. H., Avena-Bustillos, R., & Krochta, J. M. (1994). Hydrophilic edible films : Modified Procedure for water vapor permeability and explanations of thickness effect. *J. Food Science* , 58, 889-903.
- Meyers, S. P., No, H. K., Prinyawitwakui, W., & Xu, Z. (2007). Applications of chitosan for improvement of quality and shelf life of foods : A review. *Journal of Food Science* .
- Mitschka, P. (1982). Simple conversion of Brookfield R.V.T. reading into viscosity functions. *Rheologica Acta* , 21, 207-209.

- Mohamed, E. I., & Entsar, I. R. (2009). Potential of The Biopolymer Chitosan with Different Molecular Weights to Control Postharvest Gray Mold of Tomato Fruit. *Postharvest Biology and Technology* , 51, 110-117.
- Munoz, P. H., Almenar, E., Del Valle, V., Velez, d., & Gavara, R. (2008). Effect of chitosan coating combined with postharvest calcium treatment on strawberry (*Fragraria x ananassa*) quality during refrigerated storage. *Food Chemistry* , 110, 428-435.
- Nadarajah, K. (2005). Development and characterization of antimicrobial edible film from crawfish chitosan. Dissertation in Department of Food Science. University of Paradeniya .
- Nadarajah, K. (2006). Sorption behaviour of crawfish chitosan films as affected by chitosan extraction process and solvent types. *Journal of Food Science* , 71 (33).
- Nagahama, H., Maeda, K., Jayakumar, R., Furuike, T., & Tamura, H. (2009). Preparation and characterization of novel chitosan/gelatin membranes using chitosan hydrogel. *Carbohydrate Polymers* , 76, 255-260.
- Niamsa, N., & Baimark, Y. (2009). Preparation and characterization of highly flexible chitosan films for use as food packaging. *American Journal of Food Technology* , 4 (4), 162-169.
- No, H. K., Park, N. Y., Lee, S. H., & Meyer, S. P. (2002). Antibacterial Activity of chitosan and chitosan oligomer with different molecular weight. *International Journal Food Microbial* , 74, 65-72.
- Noor, Z. (2007). Perilaku selulase buah pisang dalam penyimpanan udara termodifikasi. Seminar Nasional Teknologi, (hal. A-1 - A-8). Yogyakarta.
- Nussinovitch, A. (2003). *Hydrocolloid Coatings. Dalam Water Soluble Polymer Applications in Foods*. Blackwell Publishing Ltd.
- Pajak, A., & Szumilewicz, J. (2009). Heterogeneous deacetylation of chitin degraded with hydrogen peroxide in a microwave field. *Progress on Chemistry and Application of Chitin and Its* , XIV.
- Pamekas, T. (2013). *Penyakit Pascapanen: Fisiologi Patologi dan Pengendalian*. Bengkulu: Pertelon Media.

- Pantastico, E. B. (1989). Post Harvest Physiology Handling and Utilization of Tropical and Subtropical Fruits and Vegetable. Phillipines: College of Agriculture, Laguna.
- Park, H. J. (1999). Development of Advanced Edible Coatings for Fruits. Trends Food Science Technology , 10, 254-260.
- Paul Singh, R. (2001). Postharvest Technology Cereals, Pulses, Fruits and Vegetables. India: Science Publisher, Inc.
- Puspawati, N. M., & Simpen, I. N. (2010). Optimasi deasetilasi khitin dari kulit udang dan cangkang kepiting limbah restoran seafood menjadi khitosan melalui variasi konsentrasi NaOH. Jurnal Kimia , 4 (1), 79-90.
- Queiroz, A. J., Figueiredo, R. M., & Silva, C. L. Rheological evaluation of honey produced from *piptadenia moniliformis* flowers. 2nd Mercosur Congress on Chemical Engineering (hal. 1-8). Enpromer.
- Qun, G., & Ajun, W. (2006). Effects of molecular weight, degree of acetylation and ionic strength on surface tension of chitosan in dilute solution. Carbohydrate Polymers , 64, 29-36.
- Ramadhan, L. O., Radiman, C. L., Wahyuningrum, D., Suendo, V., Ahmad, L. O., & Valiyaveetiil, S. (2010). Deasetilasi Kitin secara Bertahap dan Pengaruhnya terhadap Derajat Deasetilasi serta Massa molekul Kitosan. Jurnal Kimia Indonesia , 5 (1), 17-21.
- Ramirez, c., Gallegos, I., Ihl, M., & Bifani, V. (2012). Study of contact angle, wettability and water vapor permeability in carboxymethylcellulose (CMC) based film with murta leaves (*Ugni molinae Turcz*) extract. Journal of Food Engineering , 109, 424-429.
- Rao, M., Rizvi, S., & Datta, A. (2005). Engineering Properties of Foods. New York: Taylor & Francis Group.
- Ravindra, M. R., & Goswani, T. K. (2008). Modelling the respiration rate of green mature mango under aerobic conditions. Biosystem Engineering , 99, 239-248.
- Ravindra, R., Kameswara, K. R., & Khan, A. A. (1998). Solubility parameter of chitin and chitosan. Carbohydrate Polymers , 36, 121-127.

- Rodriguez, M., Oses, J., Ziani, K., & Mate, J. I. (2006). Combined Effect of Plasticizers and Surfactant on The Physical Properties of Starch Based Edible Films. *Food Research International* , 39 (8), 840-846
- Sagheer, F. A., Al-Sughayer, M. A., Muslim, S., & Elsabee, M. Z. (2009). Extraction and characterization of chitin and chitosan from marine sources in Arabian Gulf. *Carbohydrate Polymers* , 77, 410-419.
- Sahin, S., & Sumnu, S. G. (2006). *Physical Properties of Foods*. New York: Springer.
- Sapers. (1992). Chitosan Enhance Control of Enzymatic Browning in Apple and Pear Juice. *Journal of Food Science* , 57 (5).
- Sothornvit, R., & Krotcha, J. M. (2005). Plasticizers in edible films and coating. *Innovations in in Food Packaging*. Elsevier Ltd , 403-433.
- Srijanto, B., Paryanto, I., Masduki, & Purwantiningsih. (2006). Pengaruh derajat deasetilasi bahan baku pada depolimerisasi kitosan. *Akta Kimindo* , 1 (2), 67-72.
- Srinivasa, P. C., Ramesh, M. N., & Tharanathan, R. N. (2007). Effect of plasticizer and fatty acids on mechanical and permeability characteristic of chitosan film. *Journal of Food Hydrocolloids* , 21, 1113-1122.
- Stevens, M. (2007). *Kimia Polimer*. Diindonesiakan oleh Iis Sopyan. Jakarta: PT Pradnya Paramita.
- Sudjata, W., & Wisaniyasa, N. W. (2001). *Fisiologi dan Teknologi Pascapanen (Buah dan Sayuran)*. Denpasar: Program Studi Teknologi Pertanian, Universitas Udayana.
- Sugimoto, M., Morimoto, M., Sashiwa, H., Saimoto, H., & Shigemasa, Y. (1998). Preparation and characterization of water-soluble chitin and chitosan derivatives. *Carbohydrate Polymers* , 36, 49-59.
- Tang, Z. X., Shi, L., & Qian, J. (2007). Neutral lipase from aqueous solutions on chitosan nano particles. *Journal Biochemical Engineering* , 34, 217-223.
- Tharanathan, R. N. (2003). Biodegradable films and composite coating: past, present and future. *Trends in Food Science & Technology* , 14, 71-78.

- Tharanathan, R. N., & Kittur, F. S. (2003). Chitin – The Undisputed biomolecule of great potential. *Critical Reviews. Food Science and Nutritional* , 43 (1), 61-87.
- Tian, F., Liu, Y., Hu, K., & Zhao, B. (2004). Study of the depolymerization behavior of chitosan by hydrogen peroxide. *Carbohydrate Polymers* , 57, 31-37.
- Tsaih, M. L., & Chen, R. H. (1999). Molecular Weight Determination of 83% Degree of Deacetylation Chitosan with Non-Gaussian and Wide Range Distribution by High Performance Size Exclusion Chromatography and Capillary Viscometry. *Journal of Applied Polymer Science* , 71, 1905-1913.
- Twu, Y., Chang, I., & Ping, C. (2005). Preparation of novel chitosan scaffolds by electrochemical process. *Carbohydrate Polymers* , 62, 113-119.
- Venugopal, V. (2009). *Marine Products for Healthcare Functional and Bioactive Nutraceutical Compounds from the Ocean*. CRC Press Taylor & Francis Group London
- Yaghoobi, N., F. Hormozi. 2010. Multistage deacetylation of chitin: Kinetics study. *Carbohydrate Polymers* , 81, 892-896.
- Welty, J. R., Wicks, C. E., Wilson, R. E., & Rorrer, G. L. (2002). *Dasar-dasar Fenomena Transport*. Jakarta: Erlangga.
- Win, N. K., Jitareerat, P., Kanlayanarat, S., & Sangchote, S. (2007). Effect of cinnamon extract, chitosan coating, hot water treatment and their combinations on crown rot disease and quality of banana fruit. *Postharvest Biology and Technology* , 45, 333-340.
- Winarno, F. G. (2002). *Fisiologi Lepas Panen Produk Hortikultura*. Bogor: M-Brio Press.
- Yam, K. L., Hagggar, P. E., & Lee, D. S. (1993). Modeling respiration of low CO₂ tolerance produce using a closed system experiment. *Food and Biotechnology* , 2 (1), 22-25.
- Yanniotis, S. (2008). *Solving Problems in Food Engineering*. New York: Springer.
- Youn, D. K., Kyoon No, H., & Prinyawiwatkul, W. (2009). Physicochemical and functional properties of chitosans prepared from shells of crabs harvested in three different years. *Carbohydrate Polymers* .

Zhang, C., Cui, Y., & Jia, Z. (2009). Study on the Reaction Kinetics of Ultrasonic Radiation Non-homogeneous Phase Chitin Deacetylation. *International Journal of Chemistry* , 1 (1).

Zhu, X., Wang, Q. M., Cao, J. K., & Jiang, W. B. (2008). Effects of Chitosan Coating on Postharvest Quality of Mango (*Mangifera indica* L. cv. Tainong) Fruits. *Journal of Food Processing and Preservation* , 32, 770-784.ods. New York: Taylor & Francis Group.