

DAFTAR PUSTAKA

- Abdullah, M., Kusmartono, Suyadi, Soebarinoto dan M. Winugroho. 2007. Pengaruh pemberian tepung ikan lokal dan impor terhadap pertambahan berat badan, tingkah laku seksual dan produksi semen kambing kacang. *Jurnal Produksi Ternak*. 9(3):135-144.
- Allen, M.S. and B.J. Bradford. 2006. Metabolic regulation of food intake in ruminants. *J. Anim. Sci.* 84: Suppl 1.
- Al-Shorepy, S.A., G.A. Alhadrami and K Abdulwahab. 2002. Genetic and phenotypic parameters for early growth traits in Emirati goat. *Small Ruminant Research* 45 (2000) 217-223.
- A.O.A.C. 1994. *Official Methode of Analysis*. Association of Official Agricultural Chemists. Agricultural Chemicals; Contaminants and Drugs. Vol 2. Association of Official Agricultural Chemists. Inc. Virginia USA.
- Aryawansa, S. 2000. *The Evaluation of Functional Properties of Fish Meal*. Final Project 2000. The Nations University Fisheries Training Programme. Reykjavik, Iceland.
- Arthington, J.D. and W.F. Brown. 2005. Estimation of feeding value of four tropical forage species at two stages of maturity. *J. Anim. Sci.* 83, 1726–1731.
- Avondo, L., L. Biondi, R.I. Pagano, A. Bonanno and L. Lutri. 2008. Cit. Dairy Goats Feeding and Nutrition. Editor: A. Cannas and G. Pulina. CABI. Bologna, Italy. P147.
- Abu-Ghazaleh, A.A., D.J. Schingoethe and A.R. Hippen. 2001. Blood amino acids and milk composition from cows fed soybean meal, fish meal or both. *J. Dairy Sci.* 84:1174-1181.
- A.O.A.C. 1994. *Official Methods of Analysis*. Association of Official Agricultural Chemists. Agricultural Chemicals; Contaminants and Drugs. Vol 2. Association of Official Agricultural Chemists. Inc. Virginia USA.
- Bearden, H.J., J.W. Fuquay and S.T. Willard. 2004. *Applied animal reproduction*. 6th edition. Pearson Prentice Hall New Jersey. P 62.
- Bhatta, R., S. Vaithyanathan, N.P. Singh, D.L. Verma. 2007. Effect of feeding complete diets containing graded levels of *Prosopis cineraria* leaves on feed intake, nutrient utilization and rumen fermentation in lambs and kids. *Small Ruminant Research* 67:75–83
- Brink, M. and C. G. Achigan-Dako. 2012. *Plant Resource of Tropical Africa* 16. Fibre. Editor: M. Brink and C. G. Achigan-Dako. PROTA Foundation ICTA. Wageningen Netherland.
- Budisatria, I.G.S., A. Agus, T.S.M. Widi, A. Pertiwiningrum dan T. Yuwanta. 2008. *Road Map Pengembangan Ternak Kambing Provinsi D.I. Yogyakarta*. Penerbit Ardana Media dan Rumah Produksi Informatika. Yogyakarta. P18-19.

- Burke, J.M., C.R. Staples, C.A. Risco, R.L. de la Sota and W.W. Thatcher. 1997. Effect of feeding a ruminant grade Manhaden fish meal on reproductive and productive performance of lactating dairy cows. *J. Dairy Sci.* 80:3386 – 3398.
- Cam, M.A., M. Olfaz and E. Soydan. 2010. Body measurements reflects body weights and carcass yields in Karayaka sheep. *Asian J. Anim. Vet. Adv.* 5, 120-127.
- Cao, Y., T. Takahashi, K. Horiguchi. 2009. Effects of addition of food by-products on the fermentation quality of a total mixed ration with whole crop rice and its digestibility, preference, and rumen fermentation in sheep. *Anim. Feed Sci. and Technol.* 151:1–11.
- Cheeke, P.R. 2005. *Applied Animal Nutrition. Feed and Feeding.* 3rd edition. Pearson Educaion Inc. Prentice Halls. Upper Saddle River, New Jersey. p 109
- Department of Dairy Science. 1966. *General Laboratory Procedures.* University of Wisconsin, Wisconsin. USA.
- Despal. 2007. Suplementasi nutrisi defisien untuk meningkatkan penggunaan daun rami (*Boehmeria nivea*, L. Gaud) dalam ransum domba. *Media Peternakan.* 30(3): 181-188
- Direktorat Jenderal Peternakan. 2008. *Buku Statistik Peternakan.* Direktorat Jenderal Peternakan. Departemen Pertanian. Jakarta
- Draganovic, V., A. J. van der Goot, R. Boom and J. Jonkers. 2011. Assessment of the effects of fish meal, wheat gluten, soy protein concentrate and feed moisture on extruder system parameters and the technical quality of fish feed. *Anim. Feed Sci. Tech.* 165 (3-4): 238-250
- Duarte, A.D., V.C. Sgarberi and R.B. Junior. 1997. Composition and nutritive value of ramie leaf flour for monogastric animals. *Reviata PAB:* 32 (12). [http://webnotes.sct.embrapa.br/pab/pab.nsf/1369aa7a4f8bbb9d03256508004f4e1d/d59fc8d31a8cf5dc032565730060cd62/\\$FILE/Pab05296.doc](http://webnotes.sct.embrapa.br/pab/pab.nsf/1369aa7a4f8bbb9d03256508004f4e1d/d59fc8d31a8cf5dc032565730060cd62/$FILE/Pab05296.doc). Diunduh tanggal 10/1/2010.
- Early, R.J., O. Mahgoub, C.D. Lu, A. Ritchie, A.S. Al-Halhali K. Annamalai. 2001. Nutritional evaluation of solar dried sardines as a ruminant protein supplement. *Small Ruminant Research* 41:39-49.
- Ensminger, M.E. and C.G. Olentine. 1978. *Feed and Nutrition Complete.* 1st Ed. The Ensminger Publication Co. California.
- Ferreira, D.J., R.P. Lana, A.M. Zanine, E.M. Santos, C.M. Veloso and G.A. Ribeiro. 2013. Silage fermentation and chemical composition of elephant grass inoculated with rumen strains of *Streptococcus bovis*. *Animal Feed Science and Technology.* 183:22-28.
- [FIN] Fishmeal Information Network. 1999. *Feeding Fishmeal Improves Cow Fertility.* FIN Nutritional Paper 4. Minerva Business Park, Peterborough, Cambridgeshire, UK.

- Gabbi, A.M., J. Viegas., G.S.P. Toledo., A.L. Iora., L. Fronza. and S.B. Carlotto. 2002. Increasing level of Ramie (*Boehmeria nivea*) hay on the diets of Fattening rabbits. Departamento de Zootecnia, Universidade Federal de Santa Maria. Santa Maria, RS, Brazil. 97105-900.
- Gill, J.L. 1978. *Design and Analysis Experiment in the Animals and Medical Sciences*. Vol. 2. The Iowa State University of Florida, USA
- Gollop, N., V. Zakin and Z.G.Weinberg. 2005. Antibacterial activity of lactic acid bacteria included in inoculants for silage and in silages treated with these inoculants. *J. Appl. Microbiol.* 98:662-666.
- Günes, H., P. Horst, M. Evrim and A. Valle-Zárate. 2002. Studies on improvement of the productivity of Turkish Anggora goats by crossing with South African Anggora goats. *Small Ruminant Research* 45 (2002) 115 – 122.
- Hames, D. And N. Hooper. 2005. *Biochemistry*. 3rd. Taylor and Francis Group. UK. p 30-31.
- Hardjosubroto, W. dan J.M. Astuti. 1993. *Buku Pintar Peternakan*. P.T. Gramedia Widiasarana Indonesia, Jakarta.
- Hartadi, H., S. Reksohadiprodjo dan A.D. Tillman. 2005. *Tabel Komposisi Pakan untuk Indonesia*. Gajah Mada University Press. Yogyakarta.
- Hogg, S. 2005. *Essential Microbiology*. JohnWiley and Sons, Ltd. England. P79-84
- Howe, J.C., T.N. Burry and A.I. Popay. 1988. Voluntary intake and digestion of gorse (*Ulex europaeus*) by goats and sheeps. *J. Agri. Sci.* 11:107-114
- Hurley W.L. 2000. Mammary tissue organization Lactation Biology. ANSCL 308. [http:// classes aces.uiuc.edu/Ansci 308/](http://classes.aces.uiuc.edu/Ansci308/). [5-05-2014].
- Hunter, R.H.F. 1995. Fisiologi dan teknologi reproduksi hewan betina domestik. Penerjemah: D.K. Harya P. ITB Bandung. Hal18
- Hussein, H.S. and R.M. Jordan. 1991. Fish meal as a protein supplement in ruminant diet. A Review. *J. of Anim. Sci.* 69: 2147 – 2156.
- Hvelplund, T. And M.R. Weisbjerg. 2000. In Situ techniques for the estimation of protein degradability and postrumen availability. In *Forage Evaluation in Ruminants Nutrition*. Editors: D.I. Givens, E. Owen, R.F.E. Oxford and H.M. Omed. CABI Publishing. CAB International. Wallingford, UK. P237.
- IAFMM, 1970. Available amino acid content of fish meals. Hertfordshire. FAO. Rome
- Jalě, D., A. Lauková, M.P. Simonová, Z. Váradyová and P. Homolka. 2009. Bacterial inoculant effects on corn silage fermentation and nutrient composition. *Asian-Aust. J. Anim. Sci.* 7:977-983.
- Johnson, K.A. and D.E., Johnson. 1995. Methane emission from cattle. *J. Anim. Sci.* 73, 2483–2492.
- Kanjanapruthipong, J. 1998. Supplementation of milk replacers containing soy protein with threonine, methionine and lysine in the diets of calves. *J. Dairy Sci.* 81:2912-2915.

- Khan, M.A., M. Sarwar, M.Nisa, M.S. Khan, Z. Iqbal, W.S. Lee, H.J. Lee and H.S. Kim. 2006a. Chemical composition, in situ digestion kinetic and feeding value of Oat grass (*Avena sativa*) ensiled with molasses for *Nili-Ravi* Buffaloes. *Asian-Aust. J. Anim. Sci.* 19:1127-1133.
- Khan, M.A., M. Sarwar, M.Nisa, S.A. Bhatti, Z. Iqbal, W.S. Lee, H.J. Lee, H.S. Kim and K.S. Kii. 2006b. Feeding value of urea treated straw ensiled with or without acidified molasses in *Nili-Ravi* buffaloes. *Asian-Aust. J. Anim. Sci.* 19:645-650.
- Kondo, M., M. Hidaka, K. Kita and H. Yokota. 2007. Ensiled green tea and black tea waste as protein supplement for goats. *Options Mediterraneennes Series A no 74.* P165-169
- Kondo, M., K. Kita and H. Yokota. 2007. Ensiled and oven-dried green tea by-product as protein feedstuffs: effects of tannin on nutritive value in goats. *Asian-Aust. J. Anim. Sci.* 20(6): 880-886.
- Kramer, J.W. 2000. Normal Hematology of Cattle, Sheep and Goats. *In* Feldman B.F., J.G. Zinkl and N. C. Jain. (Ed.). *Schalm's Veterinary Hematology.* P 1075-1084. Lippincote Williams and Wilkins. Baltimore.
- Kriča, T., V. Jurišić, N. Voča, D. Ćurić, T. Blek Savić and A. Matin. 2009. Amino acid composition, urease activity and trypsin inhibitor activity after toasting of soybean in thick and thin layer. *Agriculturae Conspectus Scientificus Vol 74 (3):* 209-213.
- Kuhla, S., P.E. Rudolph. D. Albrecht, U. Schoenhusen, R. Zitnan, W. Tomek, K. Huber, J. Voigt and C.C. Metges. 2007. A milk diet partly containing soy protein does not change growth but regulates jejunal proteins in young goats. *J. Dairy Sci.* 90:4334-4345.
- Kung, Jr.L. 2005. Aerobic stability of silages. In: Proceedings of the conference on silage for dairy farms. Harrisburg <http://ag.udel.edu/faculty/kung/documents/05AerobicStability.pdf> (cited 19.01.12)
- Kung, Jr. L., J.R. Robinson, N.K. Ranjit, J.H. Chen, C.M. Golt and C.D. Pesek. 2000. Microbial populations, fermentation end products and aerobic stability of corn silage treated with ammonia or a propionic acid-based preservative. *J. Dairy Sci.* 83:1479-1486.
- Kurnianto, E., S. Sutopo, E. Purbowati, E.T. Setiatin, D. Samsudewa and T. Permatasari. 2013. Multivariate analysis of morphological traits of local goats in Central Java, Indonesia. *Iranian Journal of Applied Animal Science (2013) 3(2),* 361-367.
- Linder, M.C. 2006. *Biokimia Nutrisi dan Metabolisme.* Dengan pemakaian secara klinis. Penerjemah A. Parakkasi. Universitas Indonesia Press. Jakarta.
- Man, N.V. and H. Wiktorsson. 2002. Effect of molasses on nutritional quality of cassava and gliricidia tops silage. *Asian-Aust. J. Anim. Sci.* 15(9):1294 – 1299.
- Marjuki. 2007. Evaluasi kualitas tepung ikan produksi dalam negeri dibanding tepung ikan impor. *J. Agritek* 15(1): 200 – 211.

- McDonald, P., A.R. Henderson and S.J.E. Heron. 1981. *Biochemistry of Silage*. 2nd. Chalcombe Publications. Marlow, U.K. p. 184.
- Miller, E.L. and F. DeBoer. 1988. By-product and animal origin. *Livest. Prod. Sci.* 19:159-196.
- Mohd-Setapar, S.H., N. Abd-Talib and R. Aziz. 2012. Review on crucial parameters of silage quality. *SciVerse ScienceDirect.APCBEE Procedia* 3:99-103.
- Murray, R.K.; D.A. Bender; K.M. Botham; P.J. Kennelly; V.W. Rodwell and P.A. Weil. 2009. *Harper's Illustrated Biochemistry*. 28th ed. McGraw Hill Lang. New York. P94-95
- Musnandar, E., A. Hamidah and R.A. Muthalib. 2011. The effect of Fermented oil fronds in diet on body weight gain and meat quality of goat. *J. Indonesian. Trop. Anim. Agric:* 36(2) June 2011.
- Nadeau, E.M., G.D.R. Buxton, J.R. Russel. M.j. Allison and J.W. Young. 2000. Enzyme, bacterial inoculant and formic acid effects on silage composition of orchard grass and alfalfa. *J. Dairy Sci.* 83:1487-1492.
- Nelson, D.L. and M.M. Cox. 2008. *Lehninger Principles of biochemistry*. 5th ed. WH Freeman and Company. New York. P 699.
- Nishino, N., H. Wada, M. Yoshida and H. Shiota. 2004. Microbial counts, fermentation products and aerobic stability of whole crop corn and a total mixed ration ensiled with and without inoculation of *Lactobacillus casei* or *Lactobacillus buchneri*. *J. Dairy Sci.* 87:2563-2570.
- Nigam, A. and A. Ayyagari. 2007. *Lab Manual in Biochemistry, Immunology and Biotechnology*. Tata McGraw Hill Education Private Limited. New Delhi.
- Nkosi, B.D. and R. Meeske. 2010. Effects of ensiling totally mixed potato hash ration with or without a Heterofermentative bacterial inoculant on silage fermentation, aerobic stability, growth performance and digestibility in lambs. *Animal Feed Sci. and Technol.* 161 (2010) 38–48.
- Ohmomo, S., S. Nitisinprasart and Hiranpradit. 2002a. Silage-making recent trend of dairy farming in Thailand. *JARQ* 36:227-234.
- Ørskov, E.R., M. Hughes-Jones and M.E. Aliman. 1983. Studies on degradation and outflow of protein supplements in the rumen of sheep and cattle. *Livest. Prod. Sci.* 10:17-24.
- Ørskov, E.R. and M. Lyle. 1990. *Energy Nutrition in Ruminants*. Elsevier Applied Science. London.
- Owen, V.N., K.A. Albrecht and R.E. Muck. 2002. Protein degradation and fermentation characteristics of unwilted red clover and alfalfa silage harvested at various times during the day. *Grass Forage Sci.* 57:329-341.
- Ozturk, D., M. Kizilsimek, A. Kamalak, O. Canbolat and C.O. Ozkan. 2006. Effects of ensiling alfalfa with whole-crop maize on the chemical composition and nutritive value of silage mixtures. *Asian-Aust.J.Anim. Sci.* 19(4):526-532.

- Pike, I.H., E.L. Miller and K. Short. 1994. The Role of Fish Meal in Dairy Cow Feeding. IFOMA *Technical Bulletin* (27 August 1994). IFOMA. St Albans, Herfordshire.
- Provenza, F.D., J.J. Villalba, L.E. Dziba, S.B. Atwood and R.E. Banner. 2003. Linking herbivore experience, varied diets and plant biochemical diversity. *Small Ruminant Research* 49, 257-274.
- Ranjhan, S.K. 1981. *Animal Nutrition in the Tropics*. 2nd Revised Edition. Vikas Publishing House PVT. LTD. New Delhi.
- Rocha, A., M. Carpena, B. Triplett, D.W. Forest and R.D. Randel. 1995. Effect of ruminally undegradable protein from fish meal on growth and reproduction of peripubertal Brahman bull. *J. Anim. Sci.* 73:947-953.
- Rout, P.K., V.K. Saxena, B.U. Khan, R. Roy, A. Mandal, S.K. Singh and L.B. Singh. 2000. Characterisation on Jamunapari Goats in Their Home Tract. *AGRI/2000*, 27: 43-52.
- Samanta, A.K., K.K. Singh, M.M. Das, S.B. Maity, S.S. 2003. Effects of complete feed block on nutrient utilisation and rumen fermentation in Barbari goats. *Small Ruminants Research* 48:95-102
- Sandhi, G.N., G.G. Mayun, M. Pastika, P. Sarini dan SGN.D. Darmadja. 1989. Umur Pubertas dan Beberapa Performans Reproduksi Kambing Jantan Peranakan Ettawah. *Pertemuan Ilmiah Ruminansia 2*: 160 – 163.
- Santoso, B. 2003. Peluang Usahatani Rami dengan Proses Mikrobiologi. Balai Penelitian Tanaman Serat. Ciawi. Bogor.
- SAS. 1996. SAS/STAT user's guide (Release 6.12). SAS Inst. Inc., Cary, NC.
- Santoso, B. and B.T. Hariadi. 2009. Evaluation of nutritive value and *in vitro* methane production of feedstuffs from agricultural and food industry by-products. *J. Indonesian Trop. Anim. Agric.* 34 (3):189-195
- Saroso, B. 2000. Rami (*Boehmerianivea* Gaud) Penghasil Bahan Tekstil, Pulp dan Pakan Ternak. AGRIS Record-FAO of the United Nation, Bogor.
- Sastrosupadi, A., B. Santoso dan S. Supadi. 2004. Agribisnis Rami. Informasi Tehnis No. 25/03/2004. Badan Penelitian dan Pengembangan Pertanian. Pusat Penelitian dan Pengembangan Perkebunan. Balai Penelitian Tanaman Tembakau dan Serat. Malang.
- Scholljegerdes, E.J., P.A. Ludden and B.W. Hess. 2005. Effect of restricted forage intake on ruminal disappearance of bromegrass hay and a blood meal, feather meal and fish meal supplement. *J. Anim. Sci.* 83: 2146-2150.
- Shao, T., Z.X. Zhang, M. Shimojo, T. Wang and Y. Masuda. 2005. Comparison of fermentation characteristics of Italian ryegrass (*Lolium multiflorum* Lam.) and guineagrass (*Panicum maximum* Jacq.) during the early stage of ensiling. *Asian-Austr. J. Anim. Sci.* 18:1727-1734.
- Silanikove, N. 2000. The physiological basis of adaptation in goats to harsh environments. *Small Ruminants Research* 35, 181-193.

- Sodiq, A. and A.T.A.Sudewo. 2008. Reproductive performance and preweaning mortality of Peranakan Etawah goat under a production system of goat farming group in Gumelar Banyumas. *Animal Production* 10 (2) 67 – 72.
- Sodiq, A. dan B. Haryanto. 2005. Non Genetic Factors Influence on Doe Productivity Performance of Local Kejobong Goat under Village Production System. *Animal Production* 11 (3) 123-128.
- Sodiq, A. dan N. A. Setianto. 2008. Production System of Peranakan Etawah Goat under Application of Feed Technology: Productivity and Economic Efficiency. *Animal Production* 11 (3) 202 -208.
- Spahr, I. 2005. Body Condition Score in Meat Goat. Penn State Collage of Agriculture Science. <http://bedford.extention.psu.edu>. [21-02-2010]
- Steel, R.G.D. dan J.H. Torrie. 1993. Principles and Procedures of Statistics. Mc Graw-Hill Book Co. Inc. Pub. Ltd. London.
- Sudibyo, N., S. Mulyaningsih dan B. Santoso. 2005. Pengaruh proporsi limbah daun rami dalam konsentrat pakan lengkap terhadap pertumbuhan kambing. *Dalam* Prosiding Lokakarya Model Pengembangan Agribisnis Rami. 2005. Pusat Penelitian dan Pengembangan Perkebunan. Garut, Jawa Barat.
- Sumadi, S. Prihadi dan T. Hartatik. 2003. *Petunjuk Pelaksanaan Standarisasi dan Klasifikasi Kambing Peranakan Etawah (PE) di DIY*. Fakultas Peternakan UGM, Yogyakarta.
- Sumadi. 2001. Estimasi dinamika dan populasi dan output Kambing Peranakan Etawah di Kabupaten Kulonprogo. *Buletin Peternakan* 25(4): 161-171.
- Suratman. 1986. Penelitian rami (*Boehmeria nivea L.*). *Jurnal Litbang Pertanian* V (1) : 27-30. Badan Litbang Pertanian. Bogor.
- Sutton, J.D., M.S. Dhanoa, S.V. Morant, J. France, D.J. Napper and E. Schuller. 2003. Rates of production of acetat, propionat and butyratein the rumen of lactating dairy cows given normal and low roughage diets. *J. Dairy Sci.* 86:3620-3633.
- Susanti, E. dan F.M. Suhartati. 2015. Pemanfaatan limbah rami (*Boehmeria nivea*) sebagai bahan *complete feed* terhadap konsumsi dan pencernaan *in vivo* pada kambing PE lepas sapih. *Buletin Peternakan. In Press*.
- Thakur, M. and C.R. Hurburgh. 2007. Quality of US soybean meal compare to the quality of soybean meal from other origins. *J Am Oil Chem Soc* 84:835-843
- Tilley, J.M.A. and R.A. Terry. 1963. A two-stage technique for the *in vitro* digestion of forage crops. *J. British. Grassl. Soc.* 18(2): 104-111.
- Tisch, D.A. 2006. *Animal Feed, Feeding and Nutrition, and Ration Evaluation with CD-ROM*. Delmar Cengage Learning. NY USA. P 52-65.
- Toharmat, T., E. Nursasaih, R. Nazilah, N. Hotimah, T.Q. Noerzihad, N.A. Sigit dan R. Retnani. 2006. Sifat fisik pakan kaya serat dan pengaruhnya terhadap konsumsi dan pencernaan nutrien ransum pada kambing. *Media Peternakan*, Desember 2006, hal. 146 – 154. ISSN 0126–0472.

- Touqir, N.A., M.A. Khan, M.Sarwar, M.Nisa, W.S. Lee, H.J. Lee and H.S. Kim. 2007. Influence of varying dry matter and molasses levelson berseem and lucerne silage characteristics and in situ digestion kinetic in *Nili-Ravi* buffaloes bull. *Asian-Aust. J. Anim. Sci.* 6:887-893.
- Van Soest, P.J. 1982. *Nutritional Ecology of the Ruminant.* O and B. Book Inc. Corvallis Oregon. USA.
- Vasupen, K., C. Yuangklang, S. Witayakun and Srinanuan. 2005. Effect of Difference Moisture on Quality of Fermented Total Mixed Ration. In: Proceeding of the Technical Conference of 43th Kasetsart University, Bangkok.
- Vasupen, K., C. Yuangklang, C. Sarnklong, S. Wongsuthavas, J. Matchaotai and P. Srenanul. 2006. Effects of total mixed ration and fermented total mixed ration on voluntary feed intake, digestion nutrition digestibility and milk production in lactating dairy cows. In: Proceedings of the Technical Conference of 44th. Kasetsart University, Bangkok.
- Wachirapakorn C., T. Puramongkol and V. Seepuang. 1997. Total mixed ration (TMR) or complete ration (CR) for dairy cows. *J. Dairy Cows.* 5:53.
- Wikipedia. File:///F:/Ramie-Wikioedia, the free encyclopedia.HTML. [19-9-2014]
- Wang, J., J.Q. Wang, D.P. Bu, W.J. Guo, Z.T. Song and J.Y. Zhang. 2010. Effect of storing total mixed rations anaerobically in bales on feed quality. *Animal Feed Science and Technology* 161:94-102.
- Widiati, Y., dan Thalib, A., 2007. Comparison fermentation kinetics (in vitro) of grass and shrub legume leaves: the pattern of VFA concentration, estimated CH₄ and microbial biomass production. *J. Anim. Sci. Vet. (JITV)* 12, 96–104.
- Wongnen, C., C. Wachirapakorn, C. Patipan, D. Panpong, K. Kongweha, N. Namsaen, P. Gunun and C. Yuangklang. 2009. Effects of fermented total mixed ration and cracked cottonseed on milk yield and milk composition in dairy cows. *Asian-Aust. J. Anim. Sci.* 22(12):1625 – 1632.
- Yuangklang, C., K. Vasupen, S. Wittyakun, P. Srinanaun and C. Sukho. 2004. Effects of total mixed ration and fermented total mixed ration on feed intake, ruminal fermentation, nutrient digestibility and blood metabolite in dairy cows. In: Proceedings of 11st AAAP Conggres “New dimensions and challenges for sustainable livestock farming” The Asian-Australian Association of Animal Production Societies, Kuala Lumpur Malaysia.
- Yusmarini, R.Indrati, T. Utami dan Y. Marsono. 2009. Isolasi dan identifikasi Bakteri Asam Laktat Proteolitik dari susu kedelai yang terfermentasi secara spontan. *Jurnal Natur Indonesia* 12(1): 28-33.