



## DAFTAR PUSTAKA

- Aliverti, A., Pandini, V., Pennati, A., de Rosa, M., and Zanetti, G. 2008. Structural and functional diversity of ferredoxin – NADP<sup>+</sup> reductases. *Achieves of Biochem.Biophysics*. 474: 283 – 291.
- Aly, A. S., Vaughan, A.M., and Kappe, S.H. 2009. Malaria parasite development in the mosquito and infection of the mammalian host. *Annu Rev Microbiol*. 63: 195 – 221.
- Ancelin, M.L., Calas, M., Vidal-Sailhan, V., Herbute, S., Ringwald, P., and Vial, H.J. 2003. Potent inhibitors of plasmodium phospholipid metabolism with a broad spectrum of *in vitro* antimalarial activities. *Antimicrob.Agents Chemother*. 47: 2590–2597.
- Balconi, E., Pennati, A., Crobu, D., Pandini, V., Cerutti, R., Zanetti, G., and Aliverti, A. 2009. The ferredoxin – NADP<sup>+</sup> reductase/ferredoxin electron transfer system of Plasmodium falciparum. *FEBS J*. 276: 3825–3836.
- Basco, L.K. 2007. *Field Application of In Vitro Assays for the Sensitivity of Human Malaria Parasites to Antimalarial Drugs*. HWO, Geneva.
- Batista, R., Junior, A.J.S., and Oliveira, A.B. 2009. Plant-derived antimalarial agents: new leads and efficient phytomedicine. Part II. Non-alkaloidal natural products. *Molecules*. 14: 3037-3072.
- Boncler, M., Rozalski, M., Krajewska, U., Podsedek, A., and Watala, C. 2014. Comparison of PrestoBlue and MTT assays of cellular viability in the assessment of anti-proliferative effects of plant extracts on human endothelial cells. *J. Pharmacol. Toxicol.Methods*. 69: 9-16.
- Bozdech, Z., Llinas, M., Pulliam, B.L., Wong, E.D., Zhu, J., and DeRisi, J.L. 2003. The transcriptome of the intraerythrocytic developmental cycle of plasmodium falciparum. *Plos Bio*. 1: 1-16.
- Chen, M., Theander, T. G., Christensen, S. B., HVIID, L., Zhai, L., and Kharazmi, A. 1997. The novel oxygenated chalcone, 2,4-dimethoxy-4-butoxychalcone, exhibits potent activity against human malaria parasite Plasmodium falciparum *in vitro* and rodent parasites Plasmodium berghei and Plasmodium yoelii *in vivo*. *Antimicrob. Agent Chemother*. 38: 1470 – 1475.
- Cowman, A.F., and Foote, S.J. 1990. Chemotherapy and drug resistance in malaria. *Int. J. Parasitol*. 20: 503-513.



- Dahl, E.L., Shock, J.L., Shenai, B.R., Gut, J., DeRisi, J.L., and Rosenthal, P.J. 2006. Tetracyclines specifically target the apicoplast of the malaria parasite *Plasmodium falciparum*. *Antimicrob. Agents Chemother.* 50: 3124-3131.
- Departemen Kesehatan RI. 2008. *Pedoman Penatalaksanaan kasus Malaria di Indonesia*. Departemen Kesehatan RI. Jakarta
- Desjardins, R.E., Canfield, C.J., Haynes, J.D., and Chulay, J.D. 1979. Quantitative assessment of antimalarial activity *in vitro* by a semiautomated microdilution technique. *Antimicrob. Agents Chemother.* 16: 710-718.
- Eisenbrand, G., Pool-Zobel, B., Baker, V., Balls, M., Blauboer, B.J., Boobis, A., Carere, A., Kevekordes, S., Lhuguenot, J.C., Pieters, R., and Kleiner, J. 2002. Methods of *in vitro* toxicology. *Food Chem. Toxicol.* 40: 193-236.
- Ekwall, B., Silano, V., Paganuzzi-Stammati, A., and Zucco, F. 1990. Toxicity test with mammalian cell cultures. In Bourdeau (eds). *Toxicity Test for Non-genotoxic Effect*. John Wiley & Sons Ltd. 75 – 80.
- Elabbadi, N., Ancelin, M.L., and Vial, H.J. 1992. Use of radioactive ethanolamine incorporation into phospholipids to assess *in vitro* antimalarial activity by the semiautomated microdilution technique. *Antimicrob. Agents Chemother.* 36:50-55.
- Fang, X., Reifman, J., and Wallqvist, A. 2014. Modeling metabolism and stage-specific growth of *Plasmodium falciparum* HB3 during the intraerythrocytic developmental cycle. *Mol. BioSyst.* 10: 2526-2537.
- Frölich, S., Schubert, C., Bienzle, U., and Jenett-Siems, K. 2005. *In vitro* antiplasmodial activity of prenylated chalcone derivatives of hops (*Humulus lupulus*) and their interaction with haemin. *J. Antimicrob. Chemother.* 55: 883 – 887.
- Go, M., Liu, M., Wilairat, P., Rosenthal, P.J., Saliba, K.J., and Kirk, K. 2004. Antiplasmodial chalcones inhibit sorbitol – induced hemolysis of *Plasmodium falciparum*-infected erythrocytes. *Antimicrob. Agents Chemother.* 48: 3241 – 3245.
- Goldsmith, R.S. 1994. Obat-obat antiprotozoa. In: Katzung, B.G.: *Farmakologi Dasar dan Klinik* ed.VI. Penerbit Buku Kedokteran EGC, Jakarta.
- Gond, D.S., Meshram, R.J., Jadhav, S.G., Wadhwa, G., and Gacche, R.N. 2013. *In silico* screening of chalcone derivatives as potential inhibitors of



- dihydrofolate reductase: Assessment using molecular docking, paired potential and molecular hydrophobic potential studies. *Drug Invention Today*.5: 182 – 191.
- Gutteridge, C.E., Hoffman, M.M., Bhattacharjee, A.K., Milhous, W.K., and Gerena, L. 2011. In vitro efficacy of 7-benzylamino-1-isoquinolinamines against plasmodiumfalciparumrelated to the efficacy of chalcones. *Bioorg. Med. Chem. Lett.* 21: 786 – 789.
- Guzy, J., Vaskova-Kubalkova, Rozmer, Z., Fodor, K., Marekova, M., Poskobrova, M., and Perjesi, P. 2010. Activation of oxidative stress response by hydroxyl substituted chalcones and cyclic chalcone analogues in mitochondria. *FEBS Lett.* 584: 567 – 570.
- Heinrich, S., Altenkämper, S., Bechem, B., Perruchon, J., Ortmann, R., Dahse, H. M., Wang, Y., Lanzer, M., and Schlitzer, M. 2011.2-Acylamino-5-chlorobenzophenones with enhanced selectivity towards malaria parasites.*Eur. J. Med. Chem.* 46: 1331–1342.
- Jensen, J. B., Trager, W., and Doherty, J. 1979. Plasmodium falciparum: Continous Cultivation in a semiautomated apparatus. *Exp. Parasitol.* 48: 36 – 41.
- Jin, C., Liang, Y., He, H., and Fu, L. 2013. Synthesis and antitumor activity of novel chalcone derivatives. *Biomed. Pharmacother.* 67: 215 – 217.
- Julianti, T., Mieri, M. D., Zimmermann, S., Ebrahimi, S. N., Kaiser, M., Neuburger, M., Raith, M., Brun, R., and Hamburger, M. 2014. HPLC-based activity profiling for antiplasmodial compounds in the traditional Indonesian medicinal plant *Carica papaya* L. *J. Ethnopharmacol.* 155: 426 – 434.
- Kalanon, M., and McFadden, G. I. , 2010. Malaria, Plasmodium falciparum and its apicoplast. *Biochem. Soc. Trans.* 38: 775–782.
- Kaur K., Jain, M., Kaur, T., and Jain R. 2009. Malarials from Nature. *Bioorg. Med. Chem.* 17: 3229-3256.
- Kementrian Kesehatan RI. 2011. Epidemiologi malaria di Indonesia. *Buletin Jendela Data dan Informasi Kesehatan*. Volume III triwulan I: 1 – 14.
- Kementrian Kesehatan RI. 2014. Situasi malaria di Indonesia. *Infodatin*. Pusat data dan informasi Kementrian Kesehatan RI. Jakarta.



- Kimata-Arigo, Y., Saitoh, T., Ikegami, T., Horii, T., and Hase, T. 2007. Molecular interaction of Ferredoxin and Ferredoxin-NADP<sup>+</sup> Reductase from human malaria parasite. *J.Biochem.* 142: 715 – 720.
- Konduru, N.K., Dey, S., Sajid, M., Owais, M. and Ahmed, N. 2013. Synthesis and antibacterial and antifungal evaluation of some chalcone based sulfones and bisulfones. *Eur. J. Medicinal Chemistry.* 59: 23 – 30.
- Kumar, A., Mohanakrishnan, D., Sharma, A., Kaushik, N.K., Kalia, K., Sinha, A. K., and Sahal, D. 2010. Reinvestigation of structure-activity relationship of methoxylated chalcones as antimalarials: Synthesis and evaluation of 2,4,5-trimethoxy substituted patterns as lead candidates derived from abundantly available natural  $\beta$ -asarone. *Eur. J. Medicinal Chemistry.* 45: 5292–5301.
- Kumar, A., Paliwal, D., Saini, D., Thakur, A., Aggarwal, S., and Kaushik, D. 2014. A comprehensive review on synthetic approach for antimalarial agent. *Eur. J. Med. Chem.* 85: 147–178.
- Leroy, D., Campo, B., Ding, X., Jeremy, Burrows, N., and Cherbuin, S. 2014. Defining the Biology component of the drug discovery strategy for malaria eradication. *Trends in Parasitol.* xx: 1-13.
- Li, R., Kenyon, G.L., Cohen, F.E., Chen, X., Gong, B., Dominguez, J.N., Davidson, E., Kurzban, G., Miller, R.E., Nuzum, E.O., Rosenthal, P.J., and McKerrow, J.H. 1995. *In vitro* antimalarial activity of chalcones and their derivatives. *J. Med. Chem.* 38: 5031-5037.
- Ljungström, I., Perlmann, H., Schlichtherle, M., Scherf, A., and Wahlgren, M. 2004. *Methods in Malaria Research*, 4<sup>th</sup> ed., MR4/ATCC Manassas, Virginia.
- Mamoun, C.B., Prigge, S.T., and Vial, H. 2010. Targeting the lipid metabolic pathways for the treatment of malaria. *Drug Dev. Res.* 71: 44-55.
- Mandal, S. 2014. Epidemiological aspects of vivax and falciparum malaria : global spectrum. *Asian Pac J Trop Dis.* 4(Suppl 1): S13-S26.
- McCormick, G.J., Canfield, C.J., and Willet, G.P. 1974. *In vitro* antimalarial activity of nucleic acid precursor analogues in the simian malaria plasmodium knowlesi. *Antimicrob.Agents Chemother.* 6(1): 16.
- Menezes, C., Valério, E., and Dias, E. 2013. The kidney vero-e6 cell line: a suitable model to study the toxicity of microcystins. *New Insights into*



- Toxicity and Drug Testing*. Dr. Sivakumar Gowder (Ed.), [Online] <http://www.intechopen.com/books/new-insights-into-toxicity-and-drug-testing/the-kidney-vero-e6-cell-line-a-suitable-model-to-study-the-toxicity-of-microcystins> (diakses 27 Agustus 2015).
- Milani, M., Balconi, E., Aliverti, A., Mastrangelo, E., Seeber, F., Bolognesi, M., and Zanetti, G. 2007. Ferredoxin-NADP<sup>+</sup> reductase from *Plasmodium falciparum* undergoes NADP<sup>+</sup>-dependent dimerization and inactivation: functional and crystallographic analysis. *J Mol Biol.*367(2):501-13.
- Mishra, N., Arora, P., Kumar, B., Mishra, L. C., Bhattacharya, A., Awasthi, S. K., and Bhasin, V. K. 2008. Synthesis of novel substituted 1,3-diaryl propenone derivatives and their antimalarial activity *in vitro*. *Eur. J. Med. Chem.* 43: 1530 – 1535.
- Mitra, P., Deshmukh, A.S., and Dhar, S.K. 2012. DNA replication during intra-erythrocytic stages of human malarial parasite *plasmodium falciparum*. *Current Sci.* 102: 725-740.
- Mustofa. 2006. *In vitro* antiplasmodial activity and stage-specificity of 1,10-phenantroline derivatives on *Plasmodium falciparum* cycles. *Berkala Ilmu Kedokteran.* 38 (4): 175 – 182.
- Mustofa, Sholikhah, E.N., and Wahyuono, S. 2007<sup>a</sup>. *In vitro* and *in vivo* antiplasmodial activity and cytotoxicity of extracts of *Pyllantus niruri* L. herbs traditionally used to treat malaria in Indonesia. *Southeast Asian J. Trop. Med. Public Health.* 38 (4): 609 – 618.
- Mustofa, Sholikhah, E.N., and Wahyuono, S. 2007<sup>b</sup>. Antiplasmodial activity of fractions isolated from methanolic extract of meniran herb (*Pyllantus niruri* L.) traditionally used to treat malaria. *Berkala Ilmu Kedokteran.* 39 (1): 7 – 13.
- Nguyen-Dinha, P., and Payne, D. 1980. Pyrimethamine sensitivity in *plasmodium falciparum*: determination *in vitro* by a modified 48-hour test. *Bull. WHO.*58:909-912.
- Noedl, H., Wongsrichanalai, C., and Wernsdorfer, W. H. 2003. Malaria drug-sensitivity testing: new assays, new perspectives. *Trends in Parasitol.* Vol.19 No.4.
- Pandini, V., Caprini, G., Thomsen, N., Aliverti, A., Seeber, F., and Zanetti, G. 2002. Ferredoxin - NADP<sup>+</sup> reductase and ferredoxin of the protozoan



- parasite *Toxoplasma gondii* interact productively in vitro and in vivo. *J. Biol. Chem.* 277: 48463 – 48471.
- Patel, D.N., Pradeep, P., Surti, M.M., and Agarwal, S.B. 2003. Clinical manifestation of complicated malaria - an overview. *J. Indian Acad. Clin. Med.* 4: 323-331.
- Ramalhete, C., da Cruz, F.P., Mulhovo, S., Sousa, I.J., Fernandes, M.X., Prudencio, M., and Ferreira, M.U. 2014. Dual-stage Triterpenoid from an African medical plant targeting the malaria parasite. *Bioorg. Med. Chem.* 22: 3887 – 3890.
- Rieckmann, K.H., et al. 1968. Effect of chloroquine, quinine, and cycloguanil upon the maturation of asexual erythrocyte forms of two strains of plasmodium falciparum in vitro. *Cit. Noedl, H., Wongsrichanalai, C., and Wernsdorfer, W. H.* 2003. Malaria drug-sensitivity testing: new assays, new perspectives. *Trends in Parasitol.* Vol.19 No.4.
- Rosenthal, P.J. 2003. Review antimalarial drug discovery: old and new approaches. *J. Exp. Biol.* 206: 3735-3744.
- Shapiro, T. A., and Goldberg, D.E. 2006. Chemotherapy of protozoal infections : malaria. In Brunton, L.L., Lazo, J.S., and Parker, K.L (Editor). *Goodman and Gilman's The Pharmacological Basic of Therapeutics 11<sup>th</sup> eds.* The McGraw-Hill Companies. US
- Shivakumar, P.M., Cometa, S., Alderighi, M., Prabhawathi, V., Doble, M., and Chiellini, F. 2012. Chalcone embedded polyurethanes as a biomaterial : synthesis, characterization and antibacterial adhesion. *Carbohydrate Polymers.* 87: 353 – 360.
- Sholikhah, E. N., Supargiyono, Jumina, Wijayanti, M. A., Tahir, I., Hadanu, R., and Mustofa. 2006. *In vitro* antiplasmodial activity and cytotoxicity of newly synthesized N-alkyl and N-benzyl-1,10-phenantrolin derivatives. *Southeast Asian J. Trop. Med. Public Health.* 37 (6) : 1072 – 1077.
- Sholikhah, E. N., Wijayanti, M. A., Nurani, L. H., and Mustofa. 2008. Stage specificity of pasak bumi root (*Eurycoma longifolia* Jack) isolate on Plasmodium falciparum cycles. *Med. J. Malaysia.* 63 (Suppl A): 98 – 99.
- Sibley, C.H. 2014. Understanding drug resistance in malaria parasites : basic science for public health. *Mol. Biochem. Parasitol.* Xxx: xxx-xxx.



- Smit, F.J., and N'Da, D. 2014. Synthesis, *in vitro* antimalarial activity and cytotoxicity of novel 4-aminoquinolinyl-chalcone amides. *Bioorg. Med. Chem.* 22: 1128–1138.
- Suwito, H., Jumina, Mustofa, Kristanti, A.N., and Puspitaningsih, N.N.T. 2014<sup>a</sup>. Chalcones : synthesis, structure diversity, and pharmacological aspects. *J Chem. Pharm. Res.* 6(5): 1076 – 1088.
- Suwito, H., Jumina, Mustofa, Pudjiastuti, P., Puspitaningsih, N.N.T.Fanani, M. Z., *et al.* 2014<sup>b</sup>. Design and synthesis of chalcones derivatives as inhibitor of ferredoxin – ferredoxin-NADP<sup>+</sup> reductase interaction of plasmodium falciparum : pursuing new antimalarial agent. *Molecules.* 19: 21473-21488.
- Tahita, M.C., Tinto, H., Menten, J., Ouedraogo, J., Guiguemde, R.T., van Geertruyden, J.P., Erhart, A., and D'alessandro, U. 2013. Clinical sign and symptoms cannot reliably predict plasmodium falciparum malaria infection in pregnant women living in an area of high seasonal transmission. *Malaria J.* 12 ; 464.
- Taylor, S. M., and Juliano, J.J. 2014. Artemisinin combination therapies malaria parasite drug resistance : the game is afoot. *J Infect Dis.* 210: 335 – 337.
- Tomar, V., Bhattacharjee, G., Kamaluddin. Rajakumar, S., Srivastava, K., and Puri, S. K. 2010. Synthesis of new chalcone derivatives containing acridinyl moiety with potential antimalarial activity. *Eur J Medicinal Chem* 45: 745 – 751.
- Turkington C.A.and Frey, R.J. 2010. An overview of malaria. in Dziedzic, N. (eds). *Perspective on Disease and Disorder Malaria.* 1st ed. Greenhaven Press. Farmington hills.
- Valdes, A.F., Martínez, J.M., Lizama, R.S., Gaitén, Y.G., Rodríguez, D.A., and Payrol, J.A. 2010. *In vitro* antimalarial activity and cytotoxicity of some selected Cuban medicinal plants. *Rev. Inst. Med. Trop. Sao Paulo.* 52(4): 197-201.
- Wang, H., Wang, F., Tao, X., and Cheng, H. 2012. Ammonia-containing dimethyl sulfoxide: An improved solvent for the dissolution of formazan crystals in the 3-(4,5-dimethylthiazol-2-yl)-2,5-diphenyl tetrazolium bromide (MTT) assay. *Analitic. Biochem.* 421 : 324-326.
- WHO, 2010. *Guideline for the Treatment of Malaria* 2<sup>nd</sup> edition. WHO Press. Geneva



WHO, 2013. World Malaria Report, [Online]  
[http://www.who.int/malaria/media/world\\_malaria\\_report\\_2013/en/](http://www.who.int/malaria/media/world_malaria_report_2013/en/)  
(diakses 13 Agustus 2014).

Yadav, N., Dixit, S.K., Bhattacharya, A., Mishra, L.C., Sharma, M., Awasthi, S.K., and Bhasin, V.K. 2012. Antimalarial activity of newly synthesized chalcone derivatives *in vitro*. *Chem Biol Drug*. 80: 340 – 347.