

DAFTAR PUSTAKA

- Abbot, P. 2001. Individual and population variation in vertebrates revealed by Inter-Simple Sequence Repeats (ISSRs). *Journal of insect Science* 3 pp. 1.8.
- Allard RW. 1960. *Principles of plant breeding*. John Wiley, New York.
- Anonim. 2006a. Induk Udang Windu *Penaeus monodon* (Fabricius, 1798). SNI 01-6142. Badan Standarisasi Nasional, 8 halaman.
- _____. 2006b. Produksi Benih Udang Windu *Penaeus monodon* (Fabricius,1798) kelas benih sebar. SNI 01-6144. Badan Standarisasi Nasional, 11 halaman.
- _____.2011. *Size determination of DNA restriction fragments*. www.edvotek.com. diakses tgl 22 Januari 2015.
- _____.2014. *Naskah akademik udang*. Jepara: Balai Besar Perikanan dan Budidaya air Payau. p.64 – 65.
- Andriantahina F., Liu X., and Huang, H. 2013. Genetic map construction and Quantitative Trait Locus (QTL) detection of growth-related traits in *Litopenaeus vannamei* for selective breeding applications. *PLoS ONE* 8(9): e75206
- Arnold, S.J., Coman, G.J., and Emerenciano, M. 2013. Constraints on seedstock production in eighth generation domesticated *Penaeus monodon* broodstock. *Aquaculture* 410 – 411 : 95 – 100.
- Benzie, J.A.H., 1997. A review of the effect of genetics and environment on the maturation and larval quality of the giant tiger prawn *Penaeus monodon*. *Aquaculture* 155: 69 – 85.
- Bornet, B., and Branchard, M. 2001. Nonanchored Inter Simple Sequence Repeat (ISSR) marker: reproducible and specific tools for genome fingerprinting. *Plant Molecular Biology reporter* 19:209 – 215.
- Bura, M., Muscalu-Nagy, R., Hevesi, C., and Banatean-Dunea, I. 2011. Morphometric studies on anodonta anatine bivalve population from the Dognecea Lake. *Scientific Papers: Animal Science and Biotechnologies*. 44 (2)
- Busack, C.A., Halliburton, R. and Gall. G.A.E. 1979. Electrophoretic variation and differentiation in four strains of domesticated rainbow trout (*Salmo gairdneri*). *Can.J.Genet.Cytol.* 21: 81 – 94.

- Chan, T.Y. 1998. Shrimps and Prawns. page 992 in Carpenter, K.E and Niem V.H. eds. The living marine resources of the Western Central Pacific in *FAO Species Identification guide for Fishery purposes Vol. 2. Cephalopods, crustaceans, holothurians and sharks*. Rome. FAO.
- Cock, J., Gitterle, T., Salazar, M., Hayes, B., and Rye, M. 2010. Selective breeding of shrimp in Alday, S.V., ed. *The Shrimp Book*. Nottingham: Nottingham University Press. p 377 – 408.
- Dixon, T.J., Coman, G.J., Arnold, A.J., Sellars, M.J., Lyons, R.E., Dierens, L., Preston, N.P., and Li, Y. 2008. Shift in genetic diversity during domestication of Black Tiger Shrimp, *Penaeus monodon*, monitored using two multiplex microsatellite system. *Aquaculture* 283: 1 – 6.
- Fernandez, M.V., Maltagliati, F., Pannacciulli, F.G., and Roldan M.I. 2011. Analysis of genetic variability in *Aristaeomorpha foliacea* (crustacea, aristeidae) using DNA-ISSR (Inter Simple Sequence Repeats) markers. *C.R.Biol.* 334 (10): 705-717
- France, S. C., Tachino, N., Duda, T.F. Jr., Shleser, R.A., and Palumbi, S.R. 1999. Intraspecific genetic diversity in the marine shrimp *Penaeus vannamei*: multiple polymorphic elongation Factor-1 α loci revealed by intron sequencing. *Marine biotechnology*. 1, pages 261 – 268.
- Frankham, R., Ballou, J.D., dan Briscoe, D.A. 2002. *Introduction to Conservation Genetics*. Cambridge: Cambridge University Press. Melbourne. pp: 45-70; 197-223; 471-500.
- Gautam, K., Nazar A.R., Ganesh E.A., Mahendran S. and Mahadevan, G. 2014. Study of length and weight relationship of *Litopenaeus vannamei* (Boone, 1931) from east coast of India. *International Journal of Science Inventions Today* 3 (4) : 365 – 376
- Goyard, E., Patrois J., Peignon J., Vanna M V., Dufour R, Viallon J., Bedier E. 2002. Selection for better growth of *Penaeus stylirostris* in Tahiti and New Caledonia. *Aquaculture* 204 : 461-468.
- _____, Goarant. C., Ansquer, D., Brun, P., de Decker, S., Dufour, R., Galinie, S., Peignon, J. M., Pham, D., Vourey, E., Harache, Y., and Patrois, J. 2008. Crossbreeding of different domesticated lines as a simple way for genetic improvement in small aquaculture industries: heterosis and inbreeding effects on growth and survival rates of the Pacific blue shrimp *Penaeus (Litopenaeus) stylirostris*. *Aquaculture* 278: 43 – 50.

- Hadie W., Subandriyo, Hadie, L.E., dan Noor, R.R. 2005. Analisis kemampuan daya gabung gen pada genotipe udang galah untuk mendukung program seleksi dan hibridisasi. *JPPI* 11(5): 51 – 56.
- Haniffa, M. A., Abiya, J. S., Milton. J., Ramesh, K., Bhat, A.A., and Cheliah, A. 2014. Morphometric, meristic and ISSR marker systems for species identification and evolutionary analysis in five Indian Channids. *Biochemical Systematics and Ecology* 55: 131 – 136.
- Hansford, S. W., and Hewitt, D.R. 1994. Growth and nutrient digestibility by male and female *Penaeus monodon*: evidence of sexual dimorphism. *Aquaculture* 125: 147 – 154.
- Hartl, D.L., and Jones, E.W. 1998. *Genetics: principles and analysis fourth edition*. United state: Jones and Bartlett publishers. p.15.
- Jimmy, S., David, M., Donald, K., and Dennis M. 2010. Variability in Body Morphometric measurements and their application in predicting live body weight of Mubende and Small East African Goat breeds in Uganda. *Middle-East Journal of Scientific Research* 5 (2): 98 – 105.
- Klinbunga S, Penman DJ, McAndrew BJ, Tassanakajon A, Jarayabhand P (1998) Genetic variation, population differentiation and gene flow of the giant tiger shrimp (*Penaeus monodon*) inferred from mtDNA-RFLP data. In Flegel, T.W (eds). 1998. *Advances in Shrimp Biotechnology Proceedings to the Special Session on Shrimp Biotechnology 5th Asian Fisheries Forum Chiangmai*, Thailand 11-14 November 1998. Bangkok: Multimedia Asia Co. Ltd.
- Kusrini,E., Hadi, W., Alimudin, Sumantadinata, K., dan Sudrajat, A. 2009. Studi morfometrik udang jerbung (*Fenneropenaeus merguensis* de Man) dari beberapa populasi di perairan Indonesia. *J. Ris. Aquakultur*. 4 (1): 15-21.
- Liu,Y.G., Chen, S.,L., Li, J., and Li, B.,F. 2006. Genetic diversity in three Japanese flounder (*Paralichthys olivaceus*) populations revealed by ISSR markers. *Aquaculture* 255: 565–572.
- Lv, Y. P., Hu, Z.H., Yang, X.Q., and Wang, C.H. 2012. Analysis of Genetic variation in selected generations of “Whole Red” pattern *Cyprinus carpio* var.color using ISSR Markers. *Biochemical systematic and Ecology* 44: 243 – 249.
- Maheswaran, M. 2004. *Molecular marker: history, features, and applications. Advanced biotech*. Tamil: Department of Plant Molecular Biology and Biotechnology Centre for Plant Molecular Biology Tamil Nadu Agricultural University, Coimbatore. p.19.

- Motoh, H. 1985. Biology and ecology of *Penaeus monodon*. In Taki Y., Primavera J. H. and Llobrera J. A. (Eds.). *Proceedings of the First International Conference on the Culture of Penaeid Prawns/Shrimps*, 4-7 December 1984, Iloilo City, Philippines (pp.27-36). Iloilo City, Philippines: Aquaculture Department, Southeast Asian Fisheries Development Center.
- Munasinghe. 2014. Availability of morphologically similar, genetically diverge *Penaeus monodon* populations in Sri Lanka. *Proceedings books of ICETSR*. Malaysia: PAK Publishing Group.
- Nei, M. 1973. Analysis of gene diversity in subdivided populations (population structure/ genetic variability/ heterozygosity/ gene differentiation). *Proc. Nat. Acad. Sci. USA* Vol. 70, No. 12, Part I, pp. 3321-3323.
- Palti, Y., Shirak, A., Cnaani, A., Hulata, G., Avtalion, R.R., and Ron, M. 2002. Detection of genes with deleterious alleles in an inbred line of tilapia (*Oreochromis aureus*). *Aquaculture* Volume 206, Issues 3 – 4 , pages 151 – 164.
- Pin, Y., C. Liqiano, W. Wei, Y. Na, S. Daxiang dan L. Zhanjiang. 2010. Genetic diversity of oriental river prawn (*Machrobracium nipponense* De Haan) revealed by ISSR markers. *Journal of fishery science of China*. 17 (5): 913-920.
- Ponzoni, W.R 2006. Genetic improvement and effective dissemination: keys to prosperous and sustainable aquaculture industries in Ponzoni, W.R., Acosta, B.O., and Ponniah, A.G. eds. *Development of Aquatic animal Genetic Improvement and Dissemination Programs: Current Status and Action Plans*. p. 1 – 6.
- Prastowo, B.W., Rahardianti, R. dan Nur, E.M. 2009. Penurunan heterogenitas induk udang windu (*Penaeus monodon*) dan udang putih (*Litopenaeus vannamei*) beserta keturunannya yang dihasilkan dari pembenihan. *Jurnal Akuakultur Indonesia*. 8(1):47 – 57.
- _____, Pancoro, A., Susanto, A. Nur, E M., Rahardianti, R. 2010. *Seleksi Galur murni induk udang windu dengan marka genetik mikrosatelit*. Kementerian Kelautan dan Perikanan, Direktorat Jenderal Perikanan Budidaya, Balai Penyidikan Penyakit Ikan dan Lingkungan Serang, Balai Besar Perikanan Budidaya Air Payau Jepara.
- Primavera, J.H., Parado-Esteva, F.D., and Lebata, J.L. 1998. Morphometric relationship of length and weight of giant tiger prawn *Penaeus monodon* according to life stage, sex and source. *Aquaculture* 164: 67 – 75.

- Ramandey, E. 2013. *Variasi genetik udang windu (Penaeus monodon Fabricius, 1798) hasil persilangan populasi Aceh dan Pangandaran berdasarkan karakter morfologis dan molekuler*. Thesis Fakultas Biologi UGM.
- Rebello, V.T., George, M.K., Paulton, M.P., and Sathianandan, T.V. 2013. Morphometric structure of the jumbo tiger prawn, *Penaeus monodon* Fabricius, 1798 from southeast and southwest coasts of India. *J. Mar. Biol. Ass. India*, 55 (2), 11-15.
- Reddy M.P., Sarla N., Siddiq E. A. 2002. Inter simple sequence repeat (ISSR) polymorphism and its application in plant breeding. *Euphytica* 128: 9–17.
- Saad, Y. M., Sabir, J. M., dan Abu Zinadah, O. A. H . 2013. Development of ISSR and multiplex ISSR markers for reconstructing phylogenetic relations among some shrimp species. *Life Science Journal* 10(4): 1316 – 1322.
- Santhanam R., Natarajan, S., Subrahmanyam, S., and Thangvel, B. 2011. Morphometric studies on wild caught and cultured shrimp *Penaeus monodon* (Fabricius,1798) from Parangipettai, India. *Advances in Applied Science Research* 2(5):490-507.
- Semagn, K., Bjørnstad, Å., and Ndjiondjop, M. N. 2006. An overview of molecular marker methods for plants. *African Journal of Biotechnology* Vol. 5 (25) pp. 2540-2568.
- Sugama, K., Tridjoko, Haryanti, and Khalik, A. 1992. Study on morphometric variability of broodstock for genetic improvement in tiger prawn, *Penaeus monodon*, J.Pen.Budidaya Pantai, 8 (3):1 – 8.
- _____, K., Haryanti. J.A. H Benzei dan E. Ballment. 2002. Genetic variation and population structure of the giant tiger prawn, *Penaeus monodon*, in Indonesia. *Aquaculture*. 205: 37 – 48.
- Sunnucks P. 2000. Efficient genetic markers for population biology. *Trends Ecol Evol* 15:199 – 203.
- Solis, N.B. 1988. Biology and Ecology. In Tigbauan ed. *Biology and Culture of Penaeus monodon* (pp. 3 – 36).. Iloilo, Philippines: SEAFDEC Aquaculture Department.
- Souframanien J, Gupta S.K., and Gopalakrishna, T. 2007 Segregation distortion in recombinant inbred lines of blackgram [*Vigna mungo* (L.) Hepper] detected by inter simple sequence repeat (ISSR) markers. *Indian J. Genet*, 67(3): 272-274
- Tave, D.1995. Selective breeding programmes for medium-sized fish farms. *FAO Fisheries Technical Paper*.No. 235. Rome. 122p.

- _____. 1999. Inbreeding and brood stock management. *FAO Fisheries Technical Paper*. No. 392. Rome. 122p.
- Takaendengan, B.J., Noor, R.R., Sumantri, C., and Adiani, S. 2011. Jarak genetik populasi kuda lokal Sulawesi Utara berdasarkan analisis morfologi dan polimorfisme protein darah. *Jurnal Ilmiah Sains* (11)1:48 – 57.
- Tamura K, Stecher G, Peterson D, Filipski A, and Kumar S. 2013. MEGA6: Molecular Evolutionary Genetics Analysis version 6.0. *Molecular Biology and Evolution*:30 2725-2729.
- Thomas R.. 1992. *Global biodiversity, status of the earth's living resources*. World Conservation Monitoring Centre. London: Chapman and Hall.
- Trijoko, Handayani, N.S.N., and Feranisa, A. 2013. Karakterisasi morfologi dan diversitas genetik hasil persilangan *Macrobrachium rosenbergii* (De Man, 1879) populasi Samas, Bone, dan Sintetis. *Journal Sains Veteriner* 31 (2):227 – 242.
- Wang, S., Hard, J.J., Utter, F., 2002. Salmonid inbreeding: a review. *Reviews in Fish Biology and Fisheries* 11:301 – 319.
- Weeks, S.C, Reed.S.K, Ott D.W, and Scanabissi.F. 2009. Inbreeding effects on sperm production in clump shrimp (*Eulimnadia texana*). *Evolutionary Ecology Research*. 11: 125 – 134.
- Vrijenhoek, R.c., Pfeiler, E., and Wetherington, J. 1992. Balancing Selection in a desert stream-dwelling fish, *Peociliopsis monacha*. *Evolution* 46: 1642 – 1657.
- Zietkiewicz E, Rafalski A and Labuda D . 1994. Genome fingerprinting by simple sequence repeat (SSR)-anchored polymerase chain reaction amplification. *Genomics* 20: 176-183.