

DAFTAR PUSTAKA

- Accinelli, C., Sacca, M.L., Mariangela, M., Alberto, and Vicari, 2012, Deterioration of bioplastic carrier bags in the environment assessment of a new recycling alternative, *Chemosphere*, Vol. 89, pp. 136-143.
- Askarzadeh, K., Orang, F., and Moztafzadeh, F., 2004, Fabrication and Characterization of a Porous Composite scaffold Based on Gelatin and Hydroxyapatite for Bone Tissue Engineering, *Iranian Polymer Journal*, Vol. 6, pp. 511-520.
- Atala, A., and Mooney, D.J., 1997, *Synthetic Biodegradable Polymer scaffold*, Birkhauser, Boston.
- Avella, M., 2009, Eco-challenges of bio-based polymer composites, *Materials*, Vol. 2, pp. 911-925.
- Aydin, F., Saribiyik, M., 2009, Concrete with compressive and flexural properties of GRP box section profiles the behavior effects of the use of hybrid, *International Symposium on Advanced Technologies*, Karabük, Turkey.
- Bonfield, W., 1984, Elasticity and viscoelasticity of cortical Bone, *Natural and Living Biomaterials*, Diedit oleh G.W. Hastings dan P. Ducheyne, Boca Raton: CRC Press, pp. 43-60.
- Booth, P.W., Schendel, S.A., and Hausamen, M.E., 2007, Maxillofacial Surgery, vol.2, 2nd Ed, Churchill Livingstone, *St. Louis: Elsevier*, hal. 62-67.
- Brighton, C.T., 1984, Principle of Fracture Healing, *Instructional Course Lectures*, Diedit oleh J. Murray, The American Academy of Orthopaedic Surgeons, pp. 60-106.
- Darwis, D., and Warastuti, Y., 2008, Sintesis dan karakteristik komposit hidroksiapatit (HA) sebagai graft tulang sintetik, *A scientific journal for the applications of isotopes and radiation*, Vol 4.
- Darvell, B.W., 2000, Mechanical testing, *Materials Science for Dentistry*, 6th Ed. Hong Kong: University of Hong Kong, Vol. 34, pp.1-18.
- Dasuki, M.Z., Mawarani, L.J., Zulkifli, 2013, Pengaruh Penambahan NaOH Terhadap karakteristik Bioplastik Tepung Porang, *Jurnal Institut Teknologi Sepuluh Nopember*, Surabaya.
- Ding, S.J., 2007, Biodegradation behavior of chitosan/calcium phosphate composite, *Journal of Non-crystalline Solids*, Vol. 353, pp. 2367-2373

- Dutta, K.P., Dutta, J., and Tripathi, V.S., 2004, Chitin and Chitosan : Chemistry, Properties and Application, *J Sci Ind Res*, Vol. 63, pp. 20-31.
- Domenek, S., Feuilloley, P., Jean, G., Marie, H., and Stephane, G., 2002, Biodegradability of wheat gluten based bioplastics, *Chemosphere*, Vol. 54, pp. 551-559.
- Etnerson, J.N., Stevens, K.R., and Kao, W.J., 2002, Synthesis and Physicochemical Analysis of Gelatin-Based Hydrogel for Drug Carrier Matrices. *Biomaterials*, Vol. 4, pp. 509-523.
- Ezeoha, S. L., and Ezenwanne, J. N., 2013, Production of Biodegradable Plastic Packaging Film from Cassava Starch, *IOSR Journal of Engineering*, e-ISSN: 2250-3021, Vol. 3, pp. 14-20.
- Hendayana, S., Kadarohmah, A., Sumarna, A.A., Supriatna, A., 1994, *Kimia Analitik Instrumen*, Edisi Kesatu, IKIP Semarang Press, Semarang.
- Herliansyah, M.K., Nasution, D.A., Hamdi, M., Ide-Ektessabi, A., Wildan, M.W., and Tontowi, A.E., 2007, Preparation and Characterization of Natural Hydroxyapatite: A Comparative Study of Bovine Bone Hydroxyapatite and Hydroxyapatite from Calcite, *Materials Science Forum*, pp. 1441– 1444.
- Herliansyah, M.K., Suyitno, D.P., Hamdi, M., and Ektessabi, A.I., 2011. Development and Characterization of Bovine Hydroxyapatite Porous Bone Graft for Biomedical Applications, *Advanced Material Research*, Vol. 277, pp. 59-65.
- Kim, H.W., Song, J.H., and Kim, H.E., 2005, Hydroxyapatite and gelatin composite foams processed via novel freeze-drying and crosslinking for use as temporary hard tissue scaffolds, *J. Biomed. Mater. Res. A.*, Vol.72, pp. 136-45.
- Lee, K. Y, and Mooney, D. J., 2001, Hydrogels for tissue engineering. *Chemical Reviews*, Vol. 101, No.7, pp. 1869–79.
- Lee, S. H, and Shin, H., 2007, Matrices and scaffold for delivery of bioactive molecules in bone and cartilage tissue engineering, *Adv. Drug Deliv. Ref*, Vol. 4, pp. 339-359.
- Lee, S.H., and Wang, S., 2004, Biodegradable polymers/bamboo fiber biocomposite with bio-based coupling agent, *Composite:part A*, Vol. 37, pp. 80-91.
- Lieberman, J.R., Friedlaender, G.E., 2005, *Bone Regeneration and Repair: Biology and Clinical Applications*, 1st Ed., Humana Press, Totowa: New Jersey, pp. 241-261.

- Montgomery, D.C, and Myers, R.H., 2002, *Response Surface Using Designed Experiments*, 2nd Ed, John Wiley & Sons, New York.
- Nair, R., and Laurencin, C., 2006, Polymers as Biomaterials for Tissue Engineering and Controlled Drug Delivery, *Adv Biochem Engine/Biotechnol*, Vol. 102, pp. 47-90.
- Niekraszewicz, A., 2005, Chitosan medical dressings, *Fibres & Textiles in Eastern Europe*, Vol. 13, No.6, pp. 16-18.
- Novita, M., Satriyana, Martunis, Rohaya, S., and Hasmarita, E., 2012, Pengaruh Pelapisan Kitosan Terhadap Sifat Fisik dan Kimia Tomat Segar (*Lycopersicum pyriforme*) Pada Berbagai Tingkat Kematangan, *Jurnal Teknologi dan Industri Pertanian Indonesia*, Vol.4, No. 3, pp. 1-7.
- Nurseha, D., 2012, Pengaruh Penambahan Plasticizer Sorbitol untuk Pembuatan Bioplastik dari Kulit Singkong, *Skripsi*, UIN Sunan Kalijaga, Yogyakarta.
- Omidian, H., and Park, K., 2008, Swelling Agents and Devices in Oral Drug Delivery, *J Drug Del Sci Tech*, Vol. 18, No.2, pp. 83-93.
- Pandey, N.D., Dutta, P.K., Narvi, S.S., and Singh, A., 2006, External Stimuli Response On Novel Chitosan Hidrogel Crosslinked With Formaldehyde, *Bull Mater Sci*, Vol. 29, No.3, pp. 233-38.
- Pebriani, R.H., Rilda, Y., and Zulhadjri., 2012, Komposisi Kitosan Pada Proses Sintesis Komposit TiO₂-Kitosan, *Jurnal Kimia Unand*, Vol 1, No. 1, pp. 40-46.
- Pourbaix, M., 1984, Electrochemical Corrosion of Metallic Biomaterials, *Biomaterials*, Vol. 5, pp. 122-134.
- Pribadi, B., Iswanto, P.T., and Sujitno, T., 2011, Pengaruh implantasi ion chrom terhadap kekerasan dan laju korosi baja tahan karat AISI 316 L dalam larutan PBS, Pusat teknologi akselerator dan proses bahan, ISSN 0216-3128.
- Putera, S., 2015, Optimasi Komposisi Campuran Bioplastik, Chitosan dan Sericin sebagai Biokomposit untuk Memperoleh Kuat Mekanik Tertinggi, *Skripsi*, Universitas Gadjah Mada, Yogyakarta.
- Riady, T., 2015, Optimasi Komposisi Biokomposit Bioplastik, Hydroxyapatite dan Chitosan untuk Diametral Tensile Strength Tertinggi, *Skripsi*, Universitas Gadjah Mada, Yogyakarta.
- Satrohamidjojo, H., 1992, *Spektroskopi Inframerah*, 2nd Ed, Penerbit Liberty, Yogyakarta.

- Sowjanya, J A., Singh, J., Mohita, T., Sarvanan, S., Moorthi, A., Srinivasa, N., and Selvamurugan, N., 2012, Biocomposite scaffolds containing chitosan/alginate/nano-silica for bone tissue engineering, *Colloids and surface B: biointerfaces*, Vol. 109, pp. 294-300.
- Silverstein, 1986, *Penyidikan Spektroskopi Senyawa Organik*, 4th Ed, Erlangga, Jakarta.
- Specialia, 1971, Hydroxyapatite: Preparation and Properties, *Studiorum Progressus*, Vol.15, pp. 483.
- Suchanek, W., and Yoshimura, M.J., 1998, Processing and properties of hydroxyapatite based biomaterials for use as hard tissue replacement implants, *Mater Res.*, Vol. 13, pp. 94.
- Suzuki, Y., Okamoto, Y., Morimoto, M., Sashiwa, H., Saimoto, H., Tanioka, S., Shigemasa, Y., and Minami, S., 2000, Influence of physico-chemical properties of chitin and chitosan on complement activation, *Carbohydrate Polymers*, Vol. 42, pp.307–10bv.
- Tabata, Y., 2007, Current status of regenerative medical therapy based on drug delivery technology, *Repro. Biomed*, pp. 70-80.
- Tontowi, A.E., Dewo, P., Wahyuni, E.T., Triyono, J., 2012, Scaffold dari bovine hydroxyapatite dengan poly cynialcohol coating, *Jurnal Tekno Sains*, Vol. 1, pp. 71-143.
- Tontowi, A.E., 2013, *Produk Inovatif: Desain, Prototyping dan HKI*, Deepublish, Yogyakarta.
- Wahdah, I., Wardhani, S., Darjito, 2014, Sintesis Hidroksiapatit dari Tulang Sapi denga Metode Basah-Pengendapan, *Kimia Student Journal*, Vol. 1, pp. 92-97.
- Warastuti, Y., and Nani, S., 2013, Degradation characteristics of irradiated poly-(caprolactone-chitosan-hydroxyapatite) biomaterial in simulated body fluid solution, *A scientific journal for the applications of isotopes and radiation*, Vol. 9, pp. 11-22.
- Wongwitwichot, P., Kaewsrichan, J., Chua, K.H., and Ruszymah, B.H.I, 2010, Comparison of TCP and TCP/HA Hybrid scaffold for Osteoinductive Activity, *The Open Biomedical Engineering Journal*, Vol. 4, pp. 279 – 285.
- Wei, L., Liang, S., and Armando G.M., 2014, Thermophysical properties and biodegradation of green composite made from polyhydroxybutyrate and potato peel waste fermentation residue, *Industrial crops and products*, Vol. 69, pp. 91-103.

- Widiyastuti, N.T., Warsito, S.A., and Winardi, S., 2009, Pembuatan Partikel Hydroxyapatite Dengan Proses Flame Sintesis, *Seminar Nasional Teknik Kimia Indonesia- SNTKI 2009*, ISBN 978-979-98300-1-2.
- Williams, D., 1990, *Concise Encyclopedia of Medical and Dental Materials*, United Kingdom: Pergamon Press, pp. 87–93.
- Yao, K., Mao, J., Yin, Y., Liu, W., Cui, Y., CAi, K., and Zhao, F., 2002, Chitosan/gelatin network based biomaterials in tissue engineering, *Biomedical Engineering Applications*, Vol. 14, No. 3, pp. 115-21.
- Yazdimamaghani, M., Razavi, M., Daryoosh, V., and Lobat, T., 2014, Development and degradation behavior of magnesium scaffolds coated with polycaprolactone for bone tissue engineering, *Materials letters*, Vol. 132, pp. 106-110.
- Zhending, S., Zhang, B., Chenrui, J., Qingling, F., and Yingxin, X., 2008, Preparation an in vitro degradation of porous three-dimensional silk fibroin/chitosan scaffold, *Polymer Degradation and Stability*, Vol. 93, pp. 1316-1322.
- Zulkifli, F.H., Hussain, F.S.J., Syaiful M.B.A.R., and Mashitah M.Y., 2014, In vitro degradation study of novel HEC/PVA/collagen nanofibrous scaffold for skin tissue engineering application, *Polymer Degradation and Stability*, Vol. 110, pp. 473-481.