

REFERENCES

- Bavykin, D. V., Carravetta, M., Kulak, A.N. and Walsh, F.C., 2010, Application of magic-angle spinning NMR to examine the nature of protons in titanate nanotubes, *Chem. Mater.*, 22(8), pp.2458–2465.
- Bavykin, D. V. and Walsh, F.C., 2010, *Titanate and Titania Nanotubes*, Cambridge: RSC.
- Gao, T., Fjellvåg, H. and Norby, P., 2009, Crystal structures of titanate nanotubes: A Raman scattering study, *Inorg. Chem.*, 48(4), pp.1423–1432.
- Gentili, V., Brutti, S., Hardwick, L.J., Armstrong, A.R., Panero, S. and Bruce, P.G., 2012, Lithium Insertion into Anatase Nanotubes, *Chem. Mater.*, 24, pp.4468–4476.
- Grätzel, M., 2004, Conversion of sunlight to electric power by nanocrystalline dye-sensitized solar cells, *J. Photochem. Photobiol A-Chem.*, 164(1-3), pp.3–14.
- Hagfeldt, A. and Grätzel, M., 2000, Molecular photovoltaics, *Acc. Chem. Res.*, 33(5), pp.269–277.
- Huang, J., Cao, Y., Wang, M., Huang, C., Deng, Z., Tong, H. and Liu, Z., 2010, Tailoring of low-dimensional titanate nanostructures, *J. Phys. Chem. C*, 114(35), pp.14748–14754.
- IEA, 2012, *World Energy Outlook 2013*, London.
- Jasim, K.E., 2011, Dye Sensitized Solar Cells - Working Principles , Challenges and Opportunities, In P. L. A. Kosyachenko, ed. *Solar Cells - Dye-Sensitized Devices*, InTech.
- Jennings, J.R., Ghicov, A., Peter, L.M., Schmuki, P. and Walker, A.B., 2008, Dye-sensitized solar cells based on oriented TiO₂ nanotube arrays: Transport, trapping, and transfer of electrons, *J. Am. Chem. Soc.*, 130(40), pp.13364–13372.
- Kasuga, T., Hiramatsu, M., Hoson, A., Sekino, T. and Niihara, K., 1998, Formation of Titanium Oxide Nanotube, *Langmuir*, 14(12), pp.3160–3163.
- Kim, S.J., Yun, Y.U., Oh, H.J., Hong, S.H., Roberts, C. a., Routray, K. and Wachs, I.E., 2010, Characterization of Hydrothermally prepared titanate nanotube powders by ambient and in situ Raman spectroscopy, *J. Phys. Chem. Lett.*, 1(1), pp.130–135.

- Liu, N., Chen, X., Zhang, J. and Schwank, J.W., 2014, A review on TiO₂-based nanotubes synthesized via hydrothermal method: Formation mechanism, structure modification, and photocatalytic applications, *Catal. Today*, 225, pp.34–51.
- Liu, P., Zhang, H., Liu, H., Wang, Y., Yao, X., Zhu, G., Zhang, S. and Zhao, H., 2011, A facile vapor-phase hydrothermal method for direct growth of titanate nanotubes on a titanium substrate via a distinctive nanosheet roll-up mechanism, *J. Am. Chem. Soc.*, 133(47), pp.19032–19035.
- Mor, G.K., Varghese, O.K., Paulose, M., Shankar, K. and Grimes, C. a., 2006, A review on highly ordered, vertically oriented TiO₂ nanotube arrays: Fabrication, material properties, and solar energy applications, *Sol. Energy Mater. Sol. Cells*, 90(14), pp.2011–2075.
- Morgado, E., de Abreu, M.A.S., Moure, G.T., Marinkovic, B.A., Jardim, P.M. and Araujo, A.S., 2007, Effects of thermal treatment of nanostructured trititanates on their crystallographic and textural properties, *Mater. Res. Bull.*, 42(9), pp.1748–1760.
- Morgan, D.L., 2010, *Alkaline Hydrothermal Treatment Of Titanate*, Thesis, Queensland University of Technology, Brisbane.
- Nazeeruddin, M.K. et al., 2001, Engineering of efficient panchromatic sensitizers for nanocrystalline TiO₂-based solar cells, *J. Am. Chem. Soc.*, 123(8), pp.1613–1624.
- O'Regan, B. and Grätzel, M., 1991, A low-cost, high-efficiency solar cell based on dye-sensitized colloidal TiO₂ films, *Nature*, 353, pp.727–740.
- Ou, H.H. and Lo, S.L., 2007, Review of titania nanotubes synthesized via the hydrothermal treatment: Fabrication, modification, and application, *Sep. Purif. Technol.*, 58(1), pp.179–191.
- Pang, Y.L., Lim, S., Ong, H.C. and Chong, W.T., 2014, Applied Catalysis A: General A critical review on the recent progress of synthesizing techniques and fabrication of TiO₂-based nanotubes photocatalysts, "*Appl. Catal. A-Gen.*", 481, pp.127–142.
- Park, N.-G., van de Lagemaat, J. and Frank, a J., 2000, Comparison of Dye-Sensitized Rutile- and Anatase-Based TiO₂ Solar Cells, *J. Phys. Chem. B*, 104(38), pp.8989–8994.
- Perez, R. and Perez, M., 2009, A Fundamental Look at Energy Reserves for the Planet, *SHC Solar Update*, 50, pp.2–3.

- Roy, P., Berger, S. and Schmuki, P., 2011, TiO₂ nanotubes: Synthesis and applications, *Angew. Chemie - Int. Ed.*, 50(13), pp.2904–2939.
- Sikhwivhilu, L.M., Sinha Ray, S. and Coville, N.J., 2009, Influence of bases on hydrothermal synthesis of titanate nanostructures, *Appl. Phys. A-Mater. Sci. Process.*, 94(4), pp.963–973.
- Tsai, C.C., Nian, J.N. and Teng, H., 2006, Mesoporous nanotube aggregates obtained from hydrothermally treating TiO₂ with NaOH, *Appl. Surf. Sci.*, 253(4), pp.1898–1902.
- Turki, A., Kochkar, H., Guillard, C., Berhault, G. and Ghorbel, A., 2013, Effect of Na content and thermal treatment of titanate nanotubes on the photocatalytic degradation of formic acid, *Appl. Catal. B-Environ.*, 138-139, pp.401–415.
- Zhang, Y., Chen, J. and Li, X., 2010, Preparation and photocatalytic performance of anatase/rutile mixed-phase TiO₂ nanotubes, *Catal. Lett.*, 139(3-4), pp.129–133.