

DAFTAR PUSTAKA

- Ahmad, R. A., Mahendradhata, Y., Utarini, A., & Vlas, S. J. De. (2011). *Diagnostic delay amongst tuberculosis patients in Jogjakarta Province , Indonesia is related to the quality of services in DOTS facilities*, 16(4), 412–423. doi:10.1111/j.1365-3156.2010.02713.x
- Ahmadi, S., (2008). *Kejadian Malaria Di Desa Lubuk Nipis Kecamatan Tanjung Agung Kabupaten Muara Enim*. Diponegoro University.
- Ariawan, I. (n.d.). *Indeks Sosio-ekonomi Menggunakan Principal Component Analysis*, 83–87.
- Assessment of Insecticide-Treated Bednet Use Among Children and Pregnant Women Across 15 Countries Using Standardized National Surveys. (n.d.).
- Atkinson, J.-A.M. et al., (2010). *Community participation for malaria elimination in Tafea Province, Vanuatu: Part I. Maintaining motivation for prevention practices in the context of disappearing disease. Malaria journal*, 9, p.93. Available at: <http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=2873527&tool=pmcentrez&rendertype=abstract>.
- Atkinson, J.-A., Bobogare, A., Fitzgerald, L., Boaz, L., Appleyard, B., Toaliu, H., & Vallely, A. (2009). *A qualitative study on the acceptability and preference of three types of long-lasting insecticide-treated bed nets in Solomon Islands: implications for malaria elimination. Malaria Journal*, 8, 119. doi:10.1186/1475-2875-8-119
- Badan Penelitian dan pengembangan kesehatan (2013) Riset Kesehatan Dasar 2013, Jakarta
- Baume, C. a & Koh, A.C.F., (2011). *Predictors of mosquito net use in Ghana. Malaria journal*, 10, p.265. Available at: <http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=3196744&tool=pmcentrez&rendertype=abstract>.
- Baume, C. a, Reithinger, R. & Woldehanna, S., (2009). *Factors associated with use and non-use of mosquito nets owned in Oromia and Amhara regional states, Ethiopia. Malaria journal*, 8, p.264. Available at: <http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=2796673&tool=pmcentrez&rendertype=abstract> [Accessed December 14, 2014].
- Departemen Kesehatan RI. (2009). *Pedoman Penatalaksanaan Kasus Malaria Di Indonesia*. Jakarta; Departemen Kesehatan RI
- Departemen Kesehatan RI. (2011). *Pedoman Penggunaan Kelambu Berinsektisida Menuju Eliminasi Malaria*, Jakarta; Departemen Kesehatan RI
- Departemen Kesehatan RI. (2011). *Buku saku menuju eliminasi malaria*. Jakarta; Departemen Kesehatan RI.
- Departemen Kesehatan RI, *Laporan Tahunan Malaria Dit PPBB, Ditjen PP dan PL*, Jakarta Kementrian Kesehatan RI
- Effendi Sofian, Tukiran (2012) *Metode Penelitian Survei* (LP3ES Jakarta)

- Fitriangga, A. & Natalia, D., (2014). *Hubungan Faktor Individu dan Lingkungan dengan Kejadian Malaria di Desa Sungai Ayak 3 Kecamatan Belitang Hilir , Kabupaten Sekadau. , 2(1).*
- Fretis, a.b., (2009). *Hubungan pengetahuan, sikap dan perilakumasyarakat tentang malaria dengan kejadian malaria di desa popnam, wilayah puskesmas oemeu kab.timor tengah utara - prop ntt.* Gadjah mada university.
- Frey, C., Traoré, C., De Allegri, M., Kouyaté, B., & Müller, O. (2006). Compliance of young children with ITN protection in rural Burkina Faso. *Malaria Journal*, 5, 70. doi:10.1186/1475-2875-5-70
- Hadi, H., (2001). *Perilaku Manusia dan Lingkungan Sebagai Faktor Resiko Kejadian Malaria Di Provinsi Jawa Tengah.* Gadjah Mada University.
- Hamel, M. J., Odhacha, A., Roberts, J. M., & Deming, M. S. (2001). *Malaria control in Bungoma District , Kenya : a survey of home treatment of children with fever , bednet use and attendance at antenatal clinics*, 79(11), 1014–1023.
- Holtz TH, Marum LH, Mkandala C, Chizani N, Roberts JM, Macheso A, Parise ME, Kachur SP. (2002) *Insecticide-treated bednet use, anaemia, and malaria parasitaemia in Blantyre District, Malawi. Trop Med Int Health* 7(3): 220 – 230.
- Husin, h., (2007). *Analisis faktor risiko kejadian malaria di puskesmas sukamerindu kecamatan sungai serut kota bengkulu propinsi bengkulu.* Diponegoro university.
- Irianto Koes. (2014) *Epidemiologi penyakit menular dan tidak menular, panduan klinis* (Alfabeta, Bandung)
- Kementerian Kesehatan RI, Subdit Malaria, Distribusi Kelambu malaria tahun 2009_2014. (n.d.).
- Kementerian Kesehatan Republik Indonesia (2009) *Eliminasi Malaria*, Jakarta
- Kilian, A., Boulay, M., Koenker, H., & Lynch, M. (2010). *How many mosquito nets are needed to achieve universal coverage? Recommendations for the quantification and allocation of long-lasting insecticidal nets for mass campaigns. Malaria Journal*, 9(1), 330. doi:10.1186/1475-2875-9-330
- Kurniawan, J., (2008). *Analysis of the Environment and Community Behaviour as the Risk Factors of Malaria Incidence in The Asmat Region, Papua 2008.* Diponegoro University.
- Ndjinga, J. K., & Minakawa, N. (2010). The importance of education to increase the use of bed nets in villages outside of Kinshasa , Democratic Republic of the Congo, 1–6.
- Ng'ang'a, P.N. et al., (2009). *Bed net use and associated factors in a rice farming community in Central Kenya. Malaria journal*, 8, p.64. Available at: <http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=2674467&tool=pmcentrez&rendertype=abstract> [Accessed December 12, 2014].
- Notoatmodjo.S SKM, M. C. .(2012). *Promosi Kesehatan dan Perilaku Kesehatan* (Rineka Cit.).
- Profil Dinas Kesehatan Kabupaten Seluma (2014)
- Rahmawati, S.L. & Raharjo, M., (2014). *Evaluasi Manajemen Lingkungan Pengendalian Vektor Dalam Upaya Pemberantasan Penyakit Malaria di*

- Kota Ternate Evaluation Of Environmental Management Of Vector Control In Efforts Of The Malaria Disease Eradication In Ternate City.* , 11(2).
- Sukoharjo, Santoso, S.S. & Manalu, H., (2003) *Perilaku Masyarakat Dalam Menggunakan Kelambu Celup Di Daerah Endemik Malaria, Mimika Timur, Irian Jaya.* , p.2003
- Soedarto (Ed.). (2011). *Epidemiologi global, plasmodium, anopheles penatalaksanaan penderita malaria.* (sagung Seto) Jakarta.
- Notoatmodjo, S. SKM, M. C. (2012). *Promosi Kesehatan dan Perilaku Kesehatan* (Rineka Cit.).
- Tikupasang, Y.E., (2004). *Faktor-faktor yang berhubungan dengan kepemilikan dan penggunaan kelambu celup di kabupaten kulon progo.* Gadjah Mada University.
- Thang, N. D., Erhart, A., Speybroeck, N., Hung, L. X., Thuan, L. K., Hung, C. T., ... D'Alessandro, U. (2008). *Malaria in central Vietnam: analysis of risk factors by multivariate analysis and classification tree models.* *Malaria Journal*, 7, 28. doi:10.1186/1475-2875-7-28
- Toé, L. P., Skovmand, O., Dabiré, K. R., Diabaté, A., Diallo, Y., Guiguemdé, T. R., ... Gruénais, M.-E. (2009). *Decreased motivation in the use of insecticide-treated nets in a malaria endemic area in Burkina Faso.* *Malaria Journal*, 8, 175. doi:10.1186/1475-2875-8-175
- Willey, B. a et al., (2012). *Strategies for delivering insecticide-treated nets at scale for malaria control: a systematic review.* *Bulletin of the World Health Organization*, 90(9), pp.672–684E. Available at: <http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=3442384&tool=pmcentrez&rendertype=abstract> [Accessed December 11, 2014].
- Yawan, s.f., (2006). *Analisis faktor risiko kejadian malaria di wilayah kerja puskesmas bosnik kecamatan biak timur kabupaten biak – numfor.*
- Yudhastuti, R., (2008). *Gambaran faktor lingkungan daerah endemis malaria di daerah berbatasan (kabupaten tulungagung dengan kabupaten trenggalek).* *Kesehatan Lingkungan*, pp.9–20.
- Zulaikhah, S.T., Etika, D.R. & Mashoedi, I.D., (2011). *Faktor Perilaku yang Berpengaruh terhadap Kejadian Malaria di Daerah Endemis Malaria in Endemic Area.* , 3(2), pp.168–176.