

DAFTAR PUSTAKA

- Anonim. 2011. *Pedoman Penyusunan Deskripsi Varietas Hortikultura*. Dirjen Hortikultura Kementerian Pertanian Republik Indonesia. Jakarta.
- Anonim. 2014. *Prinsip Kerja Refrakterometer ABBE*. <https://indodigital.com/prinsip-kerja-refractometer-abbe.html>
- Alaydrus, Y. 2008. *Pemuliaan dan Pewarisan Sifat Ketahanan terhadap Kyuri green mottle mosaic virus (KGMMV) pada Melon (*Cucumis sativus* L.)* Tesis S2.Fakultas Biologi Universitas Gadjah Mada, Yogyakarta. hal 67 -79
- Anandaraj, M., S. Chandran, R.S. George, A.I. Bhat, & R.S. Bhai. 2008. Development of SCAR marker for Phytophthora resistance in black pepper (*Piper nigrum* L.). *Journal of Spices and Aromatic Crops* 17(3): 215–222
- Aristya, G. N. 2006. *Skrining dan Pewarisan Sifat Ketahanan Tanaman Melon (*Cucumis melo* L.) Terhadap Jamur Tepung*. Skripsi. Fakultas Biologi. Universitas Gadjah Mada. Yogyakarta
- Aristya, G. N. 2009. *Pewarisan dan Pemetaan Penanda Sequence Characterized Amplified Region (SCAR) Terpaut Gen Penyandi Ketahanan Powdery Mildew (*Podhospaera xanthii* (Castag.) Braun et Shishkoff) Pada Tanaman Melon (*Cucumis melo* L.)*. Tesis. Fakultas Biologi Universitas Gadjah Mada. Yogyakarta.
- Aristya, G. N. 2012. *Pengembangan Melon Unggul Tahan Penyakit dan Lahan Kritis Hasil Pemuliaan Tanaman*. Proposal Insetif Riset Sinas. Fakultas Biologi Universitas Gadjah Mada. Yogyakarta.
- Bidwell, R.G.S. 1979. *Plant Physiology Second Edition*. Macmillan Publishing Co Inc. New York.pp 247-266, 385-387, 396.
- Bowen, R. 2000. Principles of gel electrophoresis. 3 Januari 2000: 4 hlm. <http://www.vivo.colostate.edu>. 27 juli 2015, pk. 17.50.
- Brown J. 2002. Comparative genetics of avirulence and fungicide resistance in the powdery mildew fungi. In Bélanger R, WR Bushnell, AJ Dik, TLW Carver, ed, *The Powdery Mildews. A Comprehensive Treatise*. APS Press, St. Paul, Minnesota, pp 56-65
- Busconi, M,L., Sebastiani, and C. Fogher. 2006. Development of SCAR markers for germplasm characterisation in olive tree (*Olea europea* L.). *Molecular Breeding*, 17: 59–68, DOI 10.1007/s11032-005-1395-3
- Cheng, K.T., H.C. Chang, C.H. Su, & F.L. Hsu. 1997. *Identification of dried rhizomes of *Coptis* species using random amplified polymorphic DNA*. *Botanical Bulletin of Academia Sinica*. 38: 241-244.
- Daryono, B. S., & Qurrohman, M. T. 2009. Pewarisan Sifat Ketahanan Tanaman Melon (*Cucumis melo* L.) Terhadap Powdery mildew (*Podhospaera xanthii* (Castag.) Braun et Shishkoff). *Jurnal Perlindungan Tanaman Indonesia*. 15(1): 1-6.
- Davey, M. W, Kenis, K., & Keulemans, J. 2006. Genetik Pengendalian Buah Vitamin C Isi. *Tanaman Fisiologi* 142: 343-351.
- Departemen Pertanian. 2009. Basis Data Statistik Pertanian. Departemen Pertanian Republik Indonesia. http://www.deptan.go.id/tampil.php?page=inf_basisdata (Diakses 29 Juni 2015 Pukul 20.00 WIB).
- Fengge, W., Zhao, J., Dai, J., Guo, J., Wang, L., Yi, H., & Yang, G. 2005. Assessment of the uniformity of chinese maize varieties by a set of SSR

- markers. International Working Group on Biochemical and Molecular Techniques and DNA Profiling in Particular. UPOV. Geneva.
- Fukino, N., Kunihiya, M. & Matsumoto, S. 2004. Characterization of Rekombinant inbred lines derived from crosses in Melon (*Cucumis melo* L.), 'PMAR No. 5' x 'Harukei No. 3'. *Breeding Science* 54:141-145.
- Goldsworthy, P.R., & Fisher N. M. 1984. *The Physiology of Tropical Field Crops (terjemahan)*. Gadjah Mada University Press. Yogyakarta. hal 17, 51 -69
- IPGRI. 2003. *Minimum Descriptors for Cucurbita spp., Cucumber, Melon, and Watermelon*. European Cooperative Programme for Riset Genetic Resource. p.9. <http://www.ecpgr-cgiser.org>. Diakses 30 Juni 2015 Pukul 20.50 WIB.
- Hernandez, P., R. Rosa, L. Rallo, G. Dorado & A. Martin. 2001. Development of SCAR markers in olive (*Olea europea*) by direct sequencing of RAPD products: applications in olive germplasm evaluation and mapping. *Theoretical and Applied Genetics*, 103: 788–791.
- Hill E.B., L.G. Wayne, and W.M. Gross. 1972. Current practices in mycobacteriology: result of a survey of public health laboratories. *J Bacteriol* (112):1033- 39.
- Huda, I.N. 2009. *Perakitan dan Perbandingan Karakter Fenotip Buah Melon (*Cucumis melo* L.) Kultivar Gama Melon Basket dengan Kultivar Melon Komersial*. hal 815.
- Janick, J., Paris, H. S., & Parrish, D. C. 2007. The Cucurbits of Mediterranean Antiquity: Identification of Taxa from Ancient Images and Descriptions. *Annals of Botany*. 100: 1441-1457
- Kementan. 2011. *Pedoman Penyusunan Deskripsi Varietas Hortikultura*. Jakarta
- Klug, W. S. & Cummings M. R. 1994. *Concepts of genetics*. 4th ed. Prentice Hall, Englewood cliffs: xvi + 779 hlm.
- Konstantinidou-Doltsinis S., Schmitt A. 1998. Impact of treatment with plant extracts from *Reynoutria sachalinensis* (F Schmidt) Nakai on intensity of powdery mildew severity and yield in cucumber under high disease pressure. *Crop Protection* 17: 649-656
- Lahogue, F., P. This & A. Bouquet. 1998. Identification of a codominant scar marker linked to the seedlessness character in grapevine. *Theoretical and Applied Genetics*, 97: 950–959.
- Listiawan, D.A. 2009. *Deteksi Gen Pengkode Sifat Ketahanan terhadap Powdery Mildew (*podosphaera xanthii* (Castagne) U. Braun & N. Shishkoff) pada Melon (*Cucumis melo* L.) dengan Penanda Molekuler Sequence Characterized Amplified Region*. Skripsi. Universitas Gadjah Mada.
- Mayunar & Subroto. 2010. *Cultivation of Melon in Rice-Field*. Balai Pengkajian Teknologi Pertanian (BPTP) Banten. http://banten.litbang.deptan.go.id/eng/index.php?option=com_content&view=article&id=43:cultivation-of-melon-in-rice-field&catid=15:benih. (Diakses 30 Juni 2015 Pukul 21.00 WIB)
- McGrath M.T. 2001. Fungicide Resistance in Cucurbit Powdery Mildew: Experiences and Challenges. *Plant Dis*. 85 pp. 3.
- Mossler MA, ON Nesheim .2005. Florida Crop/Pest Management Profile: Squash. Electronic Data Information Source of UF/IFAS Extension (EDIS). CIR 1265. February, 3, 2005. <http://edis.ifas.ufl.edu/>.

- Nasoetion, A. H. & Karyadi, D. 1987. Vitamin. PT. Gramedia. Jakarta Hal. 20-22
- Nunez-Paleniuss, H. G., Gomez-Lim, M., Ochoa-Alejo, N., Grumet, R., Lester, G., & Cantliffe, D. J. 2008. Melon Fruits: Genetic Diversity, Physiology, and Biotechnology Features. *Critical Review in Biotechnology*. 28: 13-55
- Paran, I. & R.W. Michelmore. 1993. Development of reliable PCR-based markers linked to downy mildew resistance genes in lettuce. *Theoretical and Applied Genetics*, 85: 985–999
- Pendayagunaan dan Pemasarakatan Ilmu Pengetahuan dan Teknologi, Jakarta. <http://www.ristek.go.id>. Diakses 30 Januari 2015 Pukul 20.00 WIB.
- Pitrat, M. 2008. Melon in *Hand Book of Plant Breeding. Vegetables I: Asteraceae, Brassicaceae, Chenopodiaceae, and Cucurbitaceae*. Springer. Spain. pp. 283-305.
- Prajnanta, F. 2004. *Pemeliharaan Secara Intensif dan Kiat Sukses Beragrobisnis Melon*. Jakarta : PT. Penebar Swadaya.
- Prajnanta, F. 2008. *Melon : Pemeliharaan Secara Intensif dan Kiat Sukses Beragribisnis*. Penebar Swadaya. Jakarta, hal. 1-5, 8-12.
- Prihatman, K. 2000. *Melon (Cucumis melo L.)*. Kantor Deputi Menegristek Bidang Pendayagunaan dan Pemasarakatan Ilmu Pengetahuan dan Teknologi, Jakarta. <http://www.ristek.go.id>. Diakses pada tanggal 23 Juli 2015.
- Qurrohman, M. T. 2008. Pewarisan sifat Ketahanan Tanaman Melon (*Cucumis melo L.*) Terhadap *Powdery Mildew* (Jamur Tepung). Skripsi. Fakultas Biologi. Universitas Gadjah Mada. Yogyakarta.
- Qurrohman, M. T. 2012. Analisis Keterpautan Gen Ketahanan Terhadap *Powdery Mildew* pada Tanaman Melon (*Cucumis melo L.*) Hasil *Test Cross* dengan Penanda *Sequence Characterized Amplified Region* (SCAR). Thesis. Fakultas Biologi. Universitas Gadjah Mada. Yogyakarta.
- Robinson & Decker-Walker. 1999. *Cucurbits*. Cab International 198 Madison Avenue. New York, USA. pp. 80-90.
- Rosilawati, M.L., P. Sudarmono, dan F. Ibrahim. 2002. Sensitivitas Metode PCR dalam Mendeteksi Isolat Klinis *Mycobacterium tuberculosis*. *J. Kedokteran Trisakti* (21):1.
- Rukmana, R. 1994. *Budidaya Melon Hibrida*. Kanisius, Yogyakarta.
- Setiadi. 1999. Bertanam Melon. Penebar Swadaya, Jakarta. Hal 71
- Theerakulpisut, P., N. Kanawapee, D. Maensiri, S. Bunnag, & P. Chantaranothai. 2008. Development of species-specific SCAR markers for identification of three medicinal species of *Phyllanthus*. *Journal of Systematics and Evolution*, 46 (4): 614–621.
- Tjitrosoepomo. G. 1989. *Taksonomi Tumbuhan Spermatophyta*. Gadjah Mada University Press, Yogyakarta. hal 379-380
- UPOV. 1991. *International Convention for the Protection of New Variety of Plant*. [<http://www.upov.int/en/publications/conventions/1991/act1991.htm>]. Diakses 30 Januari 2015 Pukul 20.00 WIB.
- Wang, X., Li, G., Gao, X., Xiong, L., Wang, W., & Han, R. 2011. Powdery Mildew Resistance Gene (*Pm-AN*) Located in a Segregation Distortion Region of Melon LG V. *Euphytica*. 180: 421-428.
- Wang, J., W.H. Ha, F.N. Ngan, P.P.H. But, & P.C. Shaw. 2001. *Application of sequence characterized amplified region (SCAR) analysis to authenticate Panax species and their adulterants*. *Planta Medica*, 67: 781–783.

