DAFTAR PUSTAKA

Ambiya, E.N. 2011. Sertifikasi Benih. Yayasan Pendidikan Politeknik Agroindustri, Sukamandi.

Anonim. 2015. Jagung. <http://www.ristek.go.id.>. Diakses pada 18 Februari 2015.

Bautista-Ban˜os, S, A.N. Herna´ndez-Lauzardo, M.G. Vela´zquez-del Valle, M. Herna´ndez-Lo´pez, E. Ait Barka, E. Bosquez-Molina, and C.L. Wilson. 2006. Chitosan as a potential natural compound to control pre and postharvest diseases of horticultural commodities. Crop Protection 25 : 108–118.

Benhamou, N. and Thériault, G. 1992. Treatment with chitosan enhances resistance of tomato plants to the crown and root pathogen *Fusarium oxysporum* f. sp. *radicis-lycopersici*. Physiol. Mol. Plant Pathol. 41 : 34–52.

Ben-Shalaom, N, Ardi R, Pinto R, Aki C, and Fallik E. 2003.Controlling gray mould caused by *Botrytis cinerea* in cucumber plants by means of chitosan. Crop Protect 22 : 285–90.

Bhaskara Reddy, B.M.V., Arul J., Angers P., and Couture L. 1999. Chitosan treatment of wheat seeds induces resistance to *Fusarium graminearum* and improves seed quality. J. Agric. Food Chem. 47 :1208–1216.

Boonlertnirun, Suchada, Ed Sarobol, and Isara Sooksathan. 2006. Effects of molecular weight of chitosan on yield potential of rice cultivar Suphan Buri 1. Kasetsart J. (Nat. Sci.). 40 : 854 – 861.

Campo, V.L., Kawano, D.F., Silva Júnior, D.B., and Ivone Carvalho, I. 2009. Carrageenans: Biological Properties, Chemical, Modifications, and Structural Analysis. Dalam Carbohydrate Polymers 77 : 167-180.

Chehri, K., B. Salleh, T. Yli-Mattila, M.J. Soleimani, and A.R. Yousefi. 2010. Occurrence, pathogenicity, and distribution of *Fusarium* spp. in stored wheat seeds Kermanshah Province, Iran. Pakistan Journal of Biological Sciences13 : 1178-1186.

El-Shabrawy, E. M. 2001. Studies on Ear and Kernel Rot of Maize Caused by *Aspergillus* and *Fusarium* spp. M.Sc. Faculty of Agriculture Tanta University. Master Thesis.

Etcheverry M., Torres A., Ramirez M.L., Chulze S., and Magan N. 2002. *In vitro* control of growth and fumonisin production by *Fusarium verticillioides* and *F. proliferatum* using antioxidants under different water availability and temperature regimes. Journal of Applied Microbiology 92: 624–632

Fandofan, P., K. Hell, W.F.O. Marasas, and M.J. Wingfield. 2003. Infection of maize by *Fusarium* species and contamination with fumonisin in Africa. African Journal of Biotechnology 12 : 570-579.

Gerber, B.J. 2010. Yield Response of *Fusarium* Infected Maize Seed Treated with Biological Control Agent Formulations. University of South Africa South Africa. Disertasi Doktor.

Ghaout, A.E., Aul J., and Ponampalan R. 1991. Chitosan coating effect on storability and quality of fresh strawberries. J Food Sci. 56 :1618-1620.

Glicksman, M., 1983. Food Hydrocolloid. Vol. II. CRC Press, New York.

Juck, G., Neetoo, H., and Chen, H. 2010. Application of an active alginate coating to control the growth of *Listeria monocytogenes* on poached and deli turkey products. International Journal of Food Microbiology 142, 302-308.

Kandolo, Sadiki D. 2008. Effect of Fungicide Seed Treatments on Germination and Vigour of Maize Seed. University of Pretoria Pretoria. Disertasi Doktor.

Karlina, M.L. 2015. Karakter Morfologi *Fusarium* Spp. pada Biji Jagung Pascapanen. Universitas Gadjah Mada Yogyakarta. Skripsi.

Kelco, C.P. 2007. GENU Carrageenan. <http://www.cpkelco.com>. Diakses pada 24 September 2014.

Knutsen S.II., Myslabodski D.E., Larsen B., and Usov A.I. 1994. A modified system of nomenclature for red algal galactans. Botanica Marina 37 : 163 – 169.

Leslie, J.F. and B.A. Summerell. 2006. The Fusarium Laboratory Manual. Blackwell Publishing Professional, Ames, IA, U.S.A.

Mejia, Danilo. 2003. Maize : Post – Harvest Operation. Food and Agriculture Organizations of the United Nations, Italia.

Marín S., Companys E., Sanchis V., and Ramos A.J. 1999. Two dimensional profiles of fumonisin B1 production by *Fusarium moniliforme* and *Fusarium proliferatum* in relation to environmental factors and potential for modelling toxin formation in maize grain. International Journal of Food Microbiology 51: 159–167.

Moenne, A. 2009. Composition and method to stimulate growth and defense against pathogens in plants. U.S. Patent Office Application 12 : 666-700.

Nisperos-Carriedo, M.O. 1994. Edible Coatings and Films Based on Polysaccharides. pp.305- 329. Dalam J.M. Krochta, E.A. Baldwin, and M.O. Nisperos-Carriedo (Eds.). Edible Coatings and Films to Improve Food Quality. Technomic Publishing Co., Inc., Lancaster, U.S.A.

Nurhayati, Tirza Hanum, Azhari Rangga, dan Husniati. 2014. Optimasi pelapisan kitosan untuk meningkatkan masa simpan produk buah-buahan segar potong. Jurnal Teknologi Industri dan Hasil Pertanian 19 : 161-178.

Pamekas, T. 2009. Induksi Ketahanan Buah Pisang Ambon Curup terhadap Penyakit Pascapanen Antraknos dan Penundaan Kematangan dengan Aplikasi Kitosan. Fakultas Pertanian, Universitas Gadjah Mada, Yogyakarta (ID):vi.

Ren, H., Endo, H., and Hayashi, T. 2001. Antioxidative and antimutagenic activities and polyphenol content of pesticide-free and organically cultivated green vegetable using water-soluble chitosan as a soil modifier and leaf surface spray. J. Sci. Food Agric. 81 : 1426–1432.

Rheeder, J. P., Marasas, W. F. O., and Vismer, H. F. 2002. Production of fumonisin analogs by *Fusarium* species. Appl. Environ. Microbiol. 68: 2101–2105.

Sangha, J.S., Wajahatullah Khan, Xiuhong Ji, Junzeng Zhang, Aaron A. S. Mills, Alan T. Critchley, and Balakrishnan Prithiviraj. 2011. Carrageenans, sulphated polysaccharides of red seaweeds, differentially affect *Arabidopsis thaliana* resistance to *Trichoplusia ni* (cabbage looper). Plos One Journal 6 : 1-11.

Sui, X-Y, Zhang W-Q, Xia W, dan Wang Q. 2002.Effect of chitosan as seed coating on seed germination and seedling growth and several physiological and biochemical indexes in rapeseed. Plant Physiol Comm 38 : 225.

Sutariati dan Gusti A. K. 2009. Peningkatan mutu benih kedelai melalui aplikasi teknik invigorasi benih plus agens hayati. Warta WIPTEK 17 : 57-65.

Tancic S., S. Stankovic, J. Levic, V. Krnjaja, and J. Vukojevic. 2012. Diversity of the *Fusarium verticillioides* and *F. proliferatum* isolates according to their fumonisin B1 production potencial and origin. Genetika 44 : 163-176.

Van de Velde, F., Knutsen S.H., Usov A.I., Romella H.S., and Cerezo A.S. 2002.1H and 13 C high resolution NMR spectoscopy of carrageenans : aplication in research and industry. Dalam Trend in Food Science and Technology 13 :73-92.

Vera J., Castro J., Contreras R.A, González A., and Moenne A. 2012. Oligo-carrageenans induce a long-term and broad-range protection against pathogens in tobacco plants (var. Xanthi). Physiological and Molecular Plant Pathology 79 : 31-39.

Quazi, S.A.J., S. Meon, H. Jaafar, and Z.A.B.M. Ahmad. 2013. Characterization of *Fusarium proliferatum* through species specific primers and its virulence on rice seeds. Int. J. Agric. Biol. 15: 649–656.

Zainudin, Nur Ain Izzati Mohd, Azmi Abd Razak, and Baharuddin Salleh. 2008. Secondary metabolite profiles and mating populations of *Fusarium* species in section Liseola associated with bakanae disease of rice. Malaysian Journal of Microbiology 1 : 6-13.