

DAFTAR PUSTAKA

- Allen, M.S. 1997. Relationship between fermentation acid production in the rumen and the requirement for physically effective fiber. *J. Dairy Sci.* 80:1447-1462.
- Arora, S.P. 1995. *Pencernaan Mikroba pada Ruminansia*. Gadjah Mada University Press.
- Arora. 1989. *Pencernaan Mikroba pada Ruminansia*. Terj. dari *Microbial Digestion In Ruminants*. R. Murwani. Cetakan I. Gadjah Mada University Press. Jakarta.
- Asanuma, N., M. Iwamoto, M. Kawato and T. Hino. 2002. Numbers of nitrate reducing bacteria in the rumen as estimated by competitive polymerase chain reaction. *Anim. Sci. J.* 73: 199-205.
- Aschenbach, J.R., S. Bilk, G. Tadesse, F. Stumpff, G. Gäbel. 2009. Bicarbonate-dependent and bicarbonate-independent mechanisms contribute to nondiffusive apical uptake of acetate in the ruminal epithelium of sheep. *Am. J. Physiol. Gastrointest. Liver Physiol.* 296: 1098-1107.
- Baker, S.K. 1999. Rumen methanogens and inhibition of methanogenesis. *Aust. J. Agric. Res.* 50: 1293-1298.
- Beauchemin, K.A., M. Kreuzer, F. O'Mara and T.A. McAllister. 2008. Nutritional management for enteric methane abatement: a review. *Aust. J. Exp. Agric.* 48: 21-27.
- Bergman, E.N. 1990. Energy contributions of volatile fatty acids from the gastrointestinal tract in various species. *Physiol. Rev.* 70 (2): 567-583.
- Bergman, E.N., R.S. Reid, M.G. Murray, J.M. Brockway, and F.G. Whitelaw. 1965. Interconversions and production of volatile fatty acids in the sheep rumen. *J. Biochem.* 97 (1): 53-58.
- Blummel, M. and E.R. Orskov. 1993. Comparison of in vitro gas production and nylon bag degradability of roughages in predicting feed intake in cattle. *J. Anim. Feed Sci. Technol.* 40: 109-119.
- Church, D.C. 1988. *Digestive Physiology and Nutrition Of Ruminant*. Vol 2. Departement of Animal Science. Oregon State University Corvalis. Oregon.
- Czerkawski, J.W. 1986. *An introduction to rumen studies*. Pergamon Press Ltd. Oxford, United Kingdom. pp. 1-236.

- Dawson, K.A. and M.J. Allison. 1988. Digestive disorders and nutritional toxicity. In: The Rumen Microbial Ecosystem (Ed. P. N. Hobson). Elsevier Science Publishers Ltd., London. pp. 445-459.
- Dijkstra J, Neal HD, St C, Beever DE. 1992. Stimulation of nutrient digestion, absorption and outflow in the rumen: model description. *J Nutr* 122:2239–2256.
- Dijkstra, J., J.L. Ellis, E. Kebreab, A.B. Strathe, S. López, J. France, A. Bannink. 2012. Ruminant pH regulation and nutritional consequences of low pH. *J. Anim. Feed Sci. Technol.* 172: 22-33.
- Fradita, Y.L. 2015. Pengaruh penambahan buffer pada pakan konsentrat fermentasi berbasis ampas tahu terhadap pola fermentasi mikrobia rumen secara in vitro. Skripsi. Fakultas Peternakan Universitas Gadjah Mada. Yogyakarta.
- Francis, G., Z. Kerem, H.P.S. Makkar and K. Becker. 2002. The biological action of saponins in animal systems: A review. *Bt. J. Nutr.* 88: 587-605.
- Friggens N.C., J.D. Oldham, R.J. Dewhurst. 1998. Proportions of volatile fatty acids in relation to the chemical composition of feeds based on grass silage. *J. Dairy Sci.* 8: 1331-1334.
- Getachew, G., E.J. DePeters, P.H. Robinson, S.J. Taylor. 2004. Relationships between chemical composition, dry matter degradation and in vitro gas production of several ruminant feeds. *Anim. Feed Sci. Technol.* 111: 57-71.
- Ginting, S.P. 2005. Sinkronisasi degradasi protein dan energi dalam rumen untuk memaksimalkan produksi protein mikroba. *WARTAZOA.* 15 (1): 1-10.
- Guo, W.S., D.M. Schafer, X.X. Guo, L.P. Ren, Q.X. Meng. 2009. Use of nitrate-nitrogen as a sole dietary nitrogen source to inhibit ruminal methanogenesis and to improve microbial nitrogen synthesis in vitro. *Asian-australas. J. Anim. Sci.* 22: 542-549.
- Hess H.D., M. Kreuzer, T.E. Diaz. 2003. Saponin rich tropical fruits affect fermentation and methanogenesis in faunated and defaunated rumen fluid. *Anim. Feed Sci. Technol.* 109: 79-94.
- Iwamoto, M., N. Asanuma and T. Hino. 2001. Effects of pH and electron donors on nitrate and nitrite reduction in ruminal microbiota. *Anim. Sci. J.* 72:117-125.
- Iwamoto, M., N. Asanuma, and T. Hino. 2002. Ability of *Selenomonas ruminantium*, *Veillonella parvula*, and *Wolinella succinogenes* to reduce nitrate and nitrite with special reference to the suppression of ruminal methanogenesis. *Anaerobe* 8: 209–215.
- Joblin, K.N. 1999. Ruminant acetogenes and their potential to lower ruminant methane emissions. *Aust. J. Agric. Res.* 50: 1307-1313.

- Johnson, K.A. and D.E. Johnson. 1995. Methane emissions from cattle. *J. Anim. Sci.* 73: 2483-2492.
- Jouany, J. P. 1991. Rumen microbial metabolism and ruminant digestion. Institut National De La Recherche Agronomique. France.
- Leng, R. A. 2008 The potential of feeding nitrate to reduce enteric methane production in ruminants. Report to Department of Climate Change, Commonwealth Government, Canberra.
- Makkar, H.P.S. 2004. Recent advances in the in vitro gas method for evaluation of nutritional quality of feed resources. Animal Production and Health Section Joint FAO/IAEA Division. International Atomic Energy Agency. Vienna, Austria.
- McLeod, M. N. 1974. Plant tannin: their role in forage quality. *Nutr. Abst. Rev.* 44: 804-8115.
- Moss, A.R., J.P. Jouany, J. Newbold. 2000. Methane production by ruminants: its contribution to global warming. *Ann. Zootech.* 49: 231-253.
- Nakamura, Y., J. Yoshida, R. Nakamura, H. Horie. 1975. Nitrate metabolism of microorganisms in the rumen of sheep fed high nitrate forages. *Japanese J. Zootech. Sci.* 47: 63-67.
- Nolan, J.V., R.S. Hegarty, J. Hegarty, I.R. Godwin, and R. Woodgate. 2010. Effects of dietary nitrate on fermentation, methane production and digesta kinetics in sheep. *J. Anim. Prod. Sci.* 50: 801-806.
- Nolan, J.V. 1999. Stoichiometry of rumen fermentation and gas production. In: Meeting the Kyoto Target, Implications for the Australian Livestock Industries. Reyenga P.J. and S.M. Howden. (eds). Bureau of Rural Sciences. pp. 32-40:
- Orskov. 1988. Protein Nutrition in Ruminants. 2nd Edition. Academic Press Limited. London.
- Ozutsumi, Y., K. Tajima, A. Takenaka, and H. Itabashi. 2005. The Effect of protozoa on the composition of rumen bacteria in cattle using 16S rRNA gene clone libraries. *Biosci. Biotechnol. Biochem.* 69 (3): 499-506.
- Pathak, A.K. 2008. Various factors affecting microbial protein synthesis in the rumen. *Veterinary World.*1 (6): 186-189.
- Patra, A.K. & Yu, Z., 2014. Bioresource technology combinations of nitrate, saponin, and sulfate additively reduce methane production by rumen cultures in vitro while not adversely affecting feed digestion, fermentation or microbial communities. *Bioresource Technol.* 155: 129-135.

- Ranjhan S.K., dan G. Khrisna. 1980. Laboratory Manual for Nutrition Research. Vikas Publishing House PVT LTD. New Delhi.
- Reay, D., Smith, Pete, and André van Amstel. 2010. Metane and climate change. Earthscan. UK.
- Rosita. 2015. Pemanfaatan daun jambu biji (*Psidium guajava L.*) sebagai sumber tanin untuk menurunkan produksi metan. Tesis. Sekolah Pasca Sarjana. Fakultas Peternakan Universitas Gadjah Mada.
- Sakthivel, P.C., D.N. Kamra, N. Agarwal and L.C. Chaudhary. 2012. Effect of sodium nitrate and nitrate reducing bacteria on in vitro methane production and fermentation with buffalo rumen liquor. Asian-Aust. J. Anim. Sci. 25 (6): 812-817.
- Santoso, B., B. Mwenya, C. Sar dan J. Takahashi. 2007. Methane production and energy partition in sheep fed timothy silage-or hay-based diets. JITV. 12 (1): 27-33.
- Sar, C., B. Santoso, B. Mwenya, Y. Gamo, T. Kobayashi, R. Morikawa, K. Kimura, H. Mizukoshi and J. Takahashi. 2004. Manipulation of rumen methanogenesis by the combination of nitrate with β 1-4 galacto-oligosaccharides or nisin in sheep. Anim. Feed Sci. Technol. 115: 129-142.
- Sharp R., C.J. Zeimer, M.D. Stern. 1998. Taxon-specific association between protozoal and methanogen populations in the rumen and a model rumen system. FEMS Microbiol. Lett. 26: 71-78.
- Singh K. and G.P. Singh. 1997. Effect of concentrate levels in diet of cattle on rumen microorganisms. Indian J. Anim. Sci. 64: 349-350.
- Stern, M.D. and W.H. Hoover. 1979. Methods for determination and factors affecting rumen microbial synthesis: A Review. J. Anim. Sci. 49: 1590-1603.
- Sutardi, T. 1980. Landasan Nutrisi. Jilid I. Dep. Ilmu Makanan Ternak. Fakultas Peternakan. Institut Pertanian Bogor. Bogor.
- Sutherland, T.M. 1977. The control and manipulation of rumen fermentation. Recent Advances in Animal Nutrition in Australia. 1: 110-129.
- Takahashi, J. and B.A. Young. 1991. Prophylactic effect of L-cysteine on nitrate-induced alteration in respiratory exchange and metabolic rate in sheep. Anim. Feed Sci. Technol. 35: 105-113.
- Terry, R.A., J.M.A. Tilley, and G.E. Outen. 1969. Effect of pH on cellulose digestion under in vitro conditions. J. Sci. Food Agric. 20: 317-320.
- Ungerfeld, E.M. and Kohn, R.A. 2006. The role of thermodynamics in the control of ruminal fermentation. Pages 55-85 in K. Sejrsen, T. Hvelplund, and M. O.



Pengaruh Penambahan NaNO_3 pada Konsentrat Fermentasi Berbasis Ampas Tahu Terhadap Produksi Gas Metan Secara In Vitro

SHIFATUL LATIEFAH, Prof. Ir. Zaenal Bachruddin, M.Sc., Ph.D.; Prof. Dr. Ir. Lies Mira Yusiati, SU.

Universitas Gadjah Mada, 2015 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Nielsen, eds. Ruminant physiology: Digestion, metabolism and impact of nutrition on gene expression, immunology and stress. Wageningen Academic Publishers, Wageningen, the Netherlands.

Van Kessel J.S. and J.B. Russell. 1996. The effect of pH on ruminal methanogenesis. FEMS Microbiol. Ecol. 20: 205-210.

Wang, Y., Y. Zhang, J. Wang, and L. Meng. 2009. Effects of volatile fatty acid concentrations on methane yield and methanogenic bacteria. J. Biomass. Bioenergi. 33: 848 - 853.

Whitelaw F.G., J.M. Eadie, L.A. Bruce. 1984. Methane formation in faunated and ciliate free cattle and its relationship with rumen volatile fatty acid proportions. Br. J. Nutr. 52: 261-275.

Wright, A.D.G. and C. Pimm. 2003. Improved strategy for presumptive identification of methanogens using 16S riboprinting. J. Microbiol. Methods. 55: 337-349.