

DAFTAR PUSTAKA

- Abdel-Fattah, S.A., M.H. El-Sanhoury., N.M. El-Mednay., and F. Abdel Azeem. 2008. Thyroid activity, some blood constituents, organs morphology and performance of broiler chicks fed supplemental organic acids. *Int. J. Poult. Sci.* **7**(3): 215-222.
- Ahmad, Irshad. 2006. Effect of probiotics on broilers performance. *Int. J. Poult. Sci.* **5**(6): 593-597.
- Ahmad, J. M, C. S. Mamde., V. S. Patil and M. Khandare. 2012. Gross anatomical study of small intestine in Japanese quail (*Coturnix coturnix japonica*). *Ind. J. Vet.* **24**(2): 82-83.
- Awad, W. A., J. Bohm., E. Razzazi-Fazeli., K. Ghareeb and J. Zentek. 2005. Effect of addition of probiotic microorganism to broiler diets contaminated with deoxynivalenol on performance and histological alterations of intestinal vili of broiler chickens. *Poult. Sci.* **85**: 974-975.
- Awad, W. A., K. Ghareeb., S. Abdeel-Raheem and J. Bohm. 2009. Effects of dietary inclusion of probiotic and synbiotic on growth performance, organ weights, and intestinal histomorphology of broiler chickens. *Poult. Sci.* **88**:49–55.
- Blum, S., D. Haller, A. Pfeifer, and E.J. Schiffrin. 2002. Probiotics and immune response. *Clin. Rev. Allergy Immunol.*, **22**: 287-309.
- Bonos, E.M., E.V. Cristaki., and P.C. Florou-Paneri. 2010. Performance and Carcass Characteristic of Japanese Quail as affected by sex or Mannan oligosaccharides and Calcium propionate. *South African J. Anim. Sci.*, **40**(3): 173-184.
- Cakir, S., M. Midilli., H. Erol., N. Simsek., M. Cinar., A. Altintas., H. ALP., L. Altintas., O. Cengiz., and A. Antalyazi Use of combined probiotic – prebiotic, organic acid and avilamycin in diets of Japanese quails. *Rev. Med. Vet.* **159**(11): 565 -569.
- Choudhari, A., S. Shinde, and B.N. Ramteke. 2008. Prebiotics and probiotics as health promoter. *Vet. World.*, **1**: 59-61.

- Capcarova, M., A. Kolesarova., P. Massanyi., and J. Kovacik. 2008. Selected blood biochemical and haematological parameters in turkey after experimental probiotic *Enterococcus faecium* M-74 strain administrator. *Int. J. Poult. Sci.*, **7**(12): 1194-1199.
- Denli, M., F. Okan and K. Celik. 2003. Effect of dietary probiotic, organic acid, and antibiotic supplementation to diets on broiler performance and carcass yield. *J. Nut.* **2**(2): 89-91
- Djouvinov, D., S. Boicheva., T. Simeonova and T. Vlaikova. Effect of feeding lactina probiotic on performance, some blood paramaeters and caecal microflora of mule ducklings. *J. Sci.* **3**(2): 22 – 28.
- Fallah, Rozbeh., M. Saghafi., H. Rezaei and R. Parvar. 2013. Effect of bioplus 2b® and protoxin probiotics supplementation on growth performance, small intestinal morphology and carcass characteristics of broiler chickens. *J. Poult. Sci.* **2** (2): 11-15
- Ghosh, H. K., G. Halder., G. Saanta., S. K. Paul., and S. K. Payne. 2007. Effect of dietary supplementation of organic acid and mannan oligosaccharide on the performance and gut health of Japanese quail. *J. Poult. Sci.* **1**(1): 1 – 7.
- Gunal, M., G. Yayli., O. Kaya., N. Karahan., and O. Sulak. 2006. The effect of antibiotic growth promoter, probiotic or organic acid supplementation on performance, intestinal microflora and tissue of broilers. *J. Poult. Sci.* **5**(2):149 – 155.
- Harimurti, Sri. 2011. Probiotik bakteri asam laktat indogeneus: pengaruhnya terhadap ekspresi biologis pada ayam broiler. Disertasi: Fakultas Peternakan Universitas Gadjah Mada.
- Harimurti, Sri., E.S. Rahayu., M. Huda., dan A.D. Kristiani. 2013. Indigenous Lactic Acid Bacteria Probiotics : Its Influence On Reduced The Abdominal Fat Percentage And Improved On Immune Response In Broiler Chickens. The 7th Asian Conference on Lactic Acid Bacteria (7th ACLAB), New Delhi, India
- Harimurti, Sri and Widodo. 2014. *Effect of indogeneus probiotics lactic acid bacteria on performance, intestinal length dan weight of internal organs of broiler chicken.* Faculty of Animal Science Gadjah Mada University: 179-180.

- Hena, S. A., M. L. Sonfada., A. Danmaigoro., A. Bello and A. A. Umar. 2012. Some cooperative gross dand morphometrical studies on gastrointestinal tract in pigeon (*Columbia livia*) and Japanese quail (*Coturnix coturnix japonica*). *Sci. J. Vet.* **1**(2): 57-64.
- Hesna, E. and M. Yardimici. 2009. Effect of kefir as a probiotic on growth performance and carcass characteristic in gesse. *J. Anim. Vet.* **8**(3): 562 – 567.
- Jin, L. Z., Y. W. Ho., N. Abdullah., and S. Jalaludin. 2000. Digestive and bacterial enzyme activities in broilers fed diets supplemented with *lactobacillus* cultures. *Poult. Sci.* **79**:886–891.
- Li, W. F., I. R. Rajput., X. Xu, Y. L. Li, J. Lei, Q. Huang, and M. Q. Wang. 2011. Effects of probiotic (*Bacillus subtilis*) on laying performance blood biochemical properties and intestinal microflora of shaoxing duck. *J. Poult. Sci.* **10** (8): 583-589
- Mahdavi, A.H., H. R. Rahmani and J. Pourreza. 2005. Effect of probiotic supplements on egg quality and laying hen's performance. *J. Poult. Sci.* **4** (7): 488-492.
- Meimandipour, A., M. Shuhaimi, M. Hair-Bejo, K. Azhar, B.M. Kabeir, B. Rasti and A.M. Yazid. 2009. In vitro fermentation of broiler cecal content: the role of lactobacilli and pH value on the composition of microbiota and end products fermentation. *J. App. Micro.*, **49** (2009): 415-420.
- Moreira, J.L.S., R.M. Mota, M.F. Horta, S.M.R. Teixeira, E. Neumann, J.R. Nicoli, and A.C. Nunes. 2005. Identification the species level of Lactobacillus isolated in probiotic prospecting studies of human, animal or food origin by 16S-23S rRNA restriction profiling. *B.M.C. Microbiology* **5**(15) : 1-9.
- Muhammad, N., S. Altine., A. Abubakar., U. M. Chafe., and M. M. Mikailu. 2014. Carcas characteristic of Japanese Quail fed varying protein levels in a semi-arid environment. *J. Anim. Gen.* **2**(2): 5-9.
- Nikpiran, H., T. Vahdatpour., D. Babazadeh., S. M. Tabatabaei., and S. Vahdatpour. 2014. Effects of functional feed additives on growth influenced hormones and performance of Japanese quails (*coturnix japonica*). *J. Bio. Sci.* **4**(2): 39 – 44.

- Omonona, A.O., S. G. Olukole, O. O. Fayemi. 2014. Assessment of the developmental anatomy of the japanese quail (*coturnix japonica*) using the gizzard as a growth indicator. *J. Agri. Tech.* **10**(2): 12 – 21.
- Onwurah, F. B and J. C. Okejim. 2014. Effect of graded levels of baker's yeast (*saccharomyces cerevisiae*) in water on carcass and organ characteristics of broiler chickens. *Aca. Re. Int.* **5**(5): 128-133
- Patterson, J. and K. Burkholder. 2003. Applications of prebiotics and probiotics in poultry production. *J. Poult. Sci.*, **82**: 627-631.
- Peyman, F., E. Yahya., A. S. Habib., M. S. Naser., and A. Alireza. Effects of organic acids supplement on performance and gut parameters in male japanese quail (*coturnix coturnix*).*Int. J. Bio.* **6**(2): 127-134.
- Piray, A. H., H. Kermanshahi., A.M. Tahmasbi., and J. Bahrapour. 2007. Effects of cecal cultures and aspergillus meal prebiotic (fermacto) on growth performance and organ weights of broiler chickens. *J. Poult. Sci.*, **6** (5): 340-344.
- Rezaei, M., K. Torshizi., and Shariatmadari. 2014. Inclusion of processed rice hulls as insoluble fiber in the diet on performance and digestive traits of Japanese quails. *J. Anim. Sci. Adv.* **4**(7): 962 – 972.
- Sandikici, M., U. Eren., A. G. Onol., and S. Kum. 2004. The effect of heat stress and the use of *Saccharomyces cerevisiae* or (and) bacitracin zinc against heat stress on the intestinal mucosa in quails. *Revue. Med. Vet.* **155**(11): 552 – 556.
- Salmanzadeh, M. 2013. Evaluation of dietary butyric acid supplementation on small intestinal morphology, performance and carcass traits of Japanese quails. *Revue. Med. Vet.* **164**(10): 481 – 485.
- Salmanzadeh, M., H. A. Shahryar and A. lotfi. 2014. Effect of *in ovo* feeding of butyric acid on hatchability, performance and small intestinal morphology of turkey poults. *Revue. Med. Vet.* **21** (1): 19-25.
- Shareef, A. M. and A. S. A. Al-Dabbagh. 2009. Probiotic (*Saccharomyces cerevisiae*) on performance of broiler chicks. *J. Vet. Sci.*, **23**: 23-29.

- Svihus, B., M. Choct., And H.L. Classen. 2013. Function and nutritional roles of the avian caeca: a review. *World's poultry science journal*, Vol. 69
- Seifi, S., R. Sayrafi., R. Khosbakht., and A. Gilani. Effect of dietary acetic acid on intestinal microbiota, serum components, internal organ and performance of broilers. *J. Anim. Sci.* 3(2): 536 – 543.
- Strompfova, V., M. Marcinakova., G. Gancarcikova., Z. Janecova., L. Scirancova., P. Guba., J. Koscova., K. Boldizarova and A. Laukova. 2005. New probiotic strain *Lactobacillus fermentum* AD1 and its effect in Japanese quail. *J. Vet. Med. Czech.*, **50** (9): 415–420.
- Tarhyel, R., S. A. Hena, and B. K. Tanimono. 2012. Effects of age on organ weight and carcass characteristics of Japanese quail (*Coturnix Japonica*). *Sci. J. Agri.*, (2012) **1**(1) 21-26.
- Vali, Nasrollah. 2009. Probiotic in quail nutrition. *Int. J. Poult. Sci.*, **8**(12): 1218-1222.
- Vahdatpour, T., H. Nikpiran., D. Babazadeh., S. Vahdatpour., dan M.A. Jafargholipour. 2011. Effects of Protexin®, Fermacto® and combination of them on blood enzymes and performance of Japanese quails (*Coturnix Japonica*). *Iran. Annals of Biological Research* **2**(3): 283-291.
- Yasar, S., and M. Sacid. 2014. Fattening performance of Japanese quails fed on diets with high levels of dry fermented wheat, barley and oats grains in whey with citrus pomace. *Anim. Sci. Bio.* **71**(1): 51 – 62.
- Yuwanta, Tri. 2000. Dasar ternak unggas. Fakultas Peternakan Universitas Gadjah Mada: Yogyakarta.