

## DAFTAR PUSTAKA

- Alwood, A.J. and L. Leblanc. 1997. Losses caused by fruit flies (Diptera: Tephritidae) in seven Pacific Islands countries. 208-211 *dalam* A.J. Allwood & R.A.I. Drew (eds.), Management of fruit flies in the Pacific. ACIAR Proceedings No. 76
- Anitha, M., S. R. Swathy, and P. Venkateswari. 2014. Prevalence of disease causing microorganisms in decaying fruit with analysis of fungal and bacterial species. International Journal of Research in Health Sciences. 2: 547-554
- Babadoost, M. 2012. Report on Plant Disease: The Fruit Rots of Pumpkin. Department of Crop Sciences. University of Illinois at Urbana-Champaign. RDP No. 950
- Behar, A., B. Yuval, and E. Jurkevitch. Enterobacteria-mediated nitrogen fixation in natural populations of the fruit fly *Ceratitidis capitata*. Molecular Ecology 14: 2637-2643
- Behar, A. B. Yuval, and E. Jurkevitch. 2008a. Community structure of the Mediterranean fruit fly microbiota: Seasonal and spatial sources of variation. Israel Journal of Ecology and Evolution 53: 181-191
- Behar, A. B. Yuval, and E. Jurkevitch. 2008b. Gut bacterial communities in the Mediterranean fruit fly (*Ceratitidis capitata*) and their impact on host longevity. Journal of Insect Physiology 54: 1337-1383
- Behar, A. E Jurkevitch, and B. Yuval. 2008c. Bringing back the fruit into fruit fly-bacteria interactions. Molecular Ecology 17: 1375-1368
- Behar, A., M. Ben-Yosef, C.R. Lauzon, B. Yuval, and E. Jurkevich. 2009. Structure and function of the bacterial community associated with the Mediterranean fruit fly. In: Koustas Bourtzis & Thomas A Miller (ed.). Insect Symbiosis Volume 3. CRC Press. 251-271 p.
- Blackwood, B. Christopher, T. Marsh, S. Kim, and E. A. Paul. 2003. Terminal restriction fragment length polymorphism data analysis for quantitative comparison of microbial communities. Applied and Environmental Microbiology No. 2 Vol. 69: 926
- Bourtiz, K. 2008. Wolbachia-Based Technologies for InsectPest Population Control. *dalam* Serap Aksoy (ed.), Transgenesis and the Management of Vector-Borne Disease. Landes Bioscience and Springer Science. Bussiness Media. 106-113 p
- Boush, G. M., and F. Matsumura. 1967. Insecticidal degradation by *Pseudomonas melophtora*, the bacterial symbiote of apple maggot. Journal of Economical Entomology. 60: 918-920
- Buchner, D. 1965. Endosymbiosis of Animals with Plant Microorganisms. Interscience, New York

- Caffaro-Filho, R.A., F. Fantinatti-Garboggini, and L.R. Durrant. 2007. Quantitative analysis of terminal restriction fragment length polymorphism (T-RFLP) microbial community profiles: peak height data showed to be more reproducible than peak area. *Brazilian Journals of Microbiology* 38:736-738
- Capuzzo, C. G. Firrao, L. Mazon, A. Squartini, and V. Girolami. 2005. 'Candidatus *Erwinia dacicola*'. a coevolved symbiotic bacterium of the olive fly *Bactrocera oleae* (Gmelin). *International Journal of Systematic and Evolutionary Microbiology* 55: 1641-1647
- Chua, T.H. 2010. Fruit flies (Diptera: Tephritidae) from Malaysia and Brunei Darussalam: New species and records. *Florida Entomologist* No. 3 Vol. 93: 483-488
- Clark, E. L., A. J. Karley, and S. F. Hubbard. 2010. Review Article: Insect endosymbionts: manipulators of insect herbivore trophic interactions?. *Protoplasma*. 244: 25-51
- Danjuma, S., Singtoe Boonrotpong, Narit Thaochan, Surakrai Permkam, and Chutamas Satasook. 2013. Biodiversity of the genus *Bactrocera* (Diptera: Tephritidae) in guava *Psidium guajava* L. orchards in different agro-forested location of southern Thailand. *International Journal of Chemical, Environmental, & Biological Sciences* Vol. 1 Issue 3: 538-544
- Delobel, B. and A. M. Grenier. 1993. Effect of non-cereal food on cereal weevils and tamarind pod weevil (Coleoptera: Curculionidae). *Journal of Stord Product Research* 29: 7-14
- Dhillon, M.K., R. Singh, J.S. Naresh, and H.C. Sharma. 2005. The melon fruit fly, *Bactrocera cucurbitae*: a review of its biology and management. *Journal of Insect Science* No. 5 Vol. 40: 1-16
- Drew, R.A.I. 2004. Biogeography and speciation in the Dacini (Diptera: Tephritidae: Dacinae). *Bishop Museum Bulletin in Entomology* 12: 165-178
- Drew, R.A.I. and A.C. Lloyd. 1987. Relationship of fruit flies (Diptera: Tephritidae) and their bacteria to host plants. *Annals of the Entomological Society of America* 80: 629-636
- Drew, R.A.I., A.C. Coutroce, and D.S Teakle. 1983. Bacterial as a natural source of food for adult fruit flies (Diptera: Tephritidae). *Oecologia* 60: 279-284
- Drew, R.A.I., K. Tsuruta, and I.M. White. 2005. A new species of pest fruit fly (Diptera: Tephritidae) from Sri Lanka and Afrika. *African Entomology* No. 1 Vol. 13: 149-154

- Edwards, U., T. Rogall, H. Blocker, M. Emde, and E.C. Bottger. 1989. Isolation and direct complete nucleotide determination of entire genes. Characterization of a gene coding for 16S ribosomal RNA. *Nucleic Acids Research* No19. Vol. 17: 1989
- Engbreton, J.J. and Moyer, C.L. 2003. Fidelity of select restriction endonucleases in determining microbial diversity by terminal restriction fragment length polymorphism. *Applied and Environmental Microbiology* 4823-4829
- Estes, A.M., D.J. Hearn, J.L. Bronstein, and E.A. Pierson. 2009. The olive fly endosymbiont, “*Candidatus Erwinia dacicola*”, switches from an intercellular existence to an extracellular existence during host insect development. *Applied and Environmental Microbiology* No. 22 Vol. 75: 7097-7106
- Fitt, P. Gary and R.W. O’Brien. 1985. Bacteria associated with four species of *Dacus* (Diptera: Tephritidae) and their role in the nutrition of the larvae. *Oecologia* No.3 Vol. 67: 447-454
- Gilliam, M. 1978. Bacteria belonging to the genus *Bacillus* isolated from selected organs of queen bees, *Aphis mellifera*. *Journal of Invertebrates Pathology*. 31: 389-391
- Giraffa, G. and Neviani. 2001. DNA-based, culture-independent strategies for evaluating microbial communities in food-associated ecosystem. *Journal of Food Microbiology* 67:19-34
- Grimont, P.A.D. and F. Grimont. 1978. The genus *Serratia*. *Annual Review of Microbiology* 32: 221-248
- Howard, D.J., G.L. Bush., and J.A. Breznak. 1985. The evolutionary significance of bacteria associated with *Rhagoletis*. *Evolution* No. 2 Vol. 39: 405-417
- Kent, A.D., Smith, D.J., Benson, B.J., Triplett, E.W. 2003. Web-based phylogenetic assignment tool for analysis of terminal restriction fragment length polymorphism profiles of microbial communities. *Applied and Environmental Microbiology* 69: 68-76
- Khan, M., A.A. Mahin, M.K. Pramanik, and H. Akter. 2014. Identification of gut bacterial community and their effect on the fecundity of pumpkin fly, *Bactrocera tau* (Walker). *Journal of Entomology* 11: 68-77
- Korneyev, V.A. 1991. Phylogenetic relationships among higher group of Tephritidae: 73-113. In: M. Aluja and A.L. Norrholm (ed.), *Fruit Flies (Tephritidae): Phylogeny and Evolution Behavior*. CRC Press

- Kounatidis, I., E. Crotti, P. Sapountzis, L. Sacchi, A. Rizzi, B. Chouaia, C. Bandi, A. Alma, D. Daffonchio, P. Mavragani-Tsipidou, and K. Bourtzis. 2009. *Acetobacter tropicalis* is a major symbiont of the olive fruit fly (*Bactrocera oleae*). Applied and Environmental Microbiology No. 10 Vol. 75: 3281-3288
- Kumalasari, Y.I. 2014. Pengaruh Perubahan Metode Pengumpulan Sampah Buah pada Produksi Gas Metan terhadap Struktur Komunitas Bakteri. Tesis. Yogyakarta: Universitas Gadjah Mada
- Kuzina, L.V., J.J. Peloquin, D. C. Vacek, and T.A. Miller. 2001. Isolation and identification of Bacteria associated with adult laboratory Mexican fruit flies, *Anastrepha ludens* (Diptera: Tephritidae). Current Microbiology 42: 290-294
- Lauzon, C.R., Teresa G. Bussert, Robert E. Sjogren, and Ronald J. Prokopy. 2003. *Serratia marcescens* as a bacterial pathogen of *Rhagoletis pomonella* flies (Diptera: Tephritidae). European Journal of Entomology 100: 87-92
- Leblanc, L., E. Tora Vueti, and A.J. Allwood. 2013. Host plant records for fruit flies (Diptera: Tephritidae: Dacini) in the Pacific Islands: 2. infestation statistics on economic hosts. Proceedings of The Hawaiian Entomological Society 45: 83-117
- Leblanc, L., E. T. Vueti, R.A.I. Drew, and A.J. Allwood. 2012. Host plant records of fruit flies (Diptera: Tephritidae: Dacini) in the Pacific Islands. Proceedings of The Hawaiian Entomological Society 44: 11-53
- Liu, W.-T., T. Marsh, H. Cheng, and L.J. Forney. 1997. Applied and Environmental Microbiology No. 11 Vol. 63: 4516-4522
- Lloyd, A.C., R.A.I. Drew, D.S. Teakle, and A.C. Hayward. 1986. Bacteria associated with some dacus species (Diptera: Tephritidae) and their host fruit in Queensland. Australian Journal of Biological Sciences 39: 361-368
- Lukow, T., P.F. Dunfield, and W. Liesack. 2000. Use of the T-RFLP technique to assess spatial and temporal changes in the bacterial community structure within an agricultural soil planted with transgenic and non-transgenic potato plants. FEMS Microbiology Ecology 32: 241-247
- Lux, A., J.C. Vilardi, P. Liedo, K. Gaggli, G.E. Calcagno, F.N. Munyiri, M.T. Vera, and F. Manso. 2002. Effects of irradiation on the courtship behavior of Medfly (Diptera, Tephritidae) mass reared for sterile insect technique. Florida Entomologist No. 1 Vol. 85: 102-112
- Margalef, R. 1958. Information theory in ecology. Journal of General Systems 3:36-71

- Martinez, A.J., D.C. Robacker, J.A Gracia, and K.L. Esau. 1994. Laboratory and field olfactory attraction of the Mexican fruit fly (Diptera: Tephritidae) to metabolites of bacterial species. *Florida Entomologist* No. 1 Vo. 77: 117-126
- Martinez, H., J. Toledo, P. Liedo, and M. Mateos. 2012. Survey of heritable endosymbionts in Southern Mexico populations of the fruit fly species *Anastrepha striata* and *A. ludens*. *Current Microbiology* 65: 711-718
- Miyazaki, S., G. M. Boush, and R. J. Baerwald. 1968. Amino acid synthesis by *Pseudomonas melophthora*, bacterial symbiote of *Rhagoletis pomonella* (Diptera). *Journal of Insects Physiology*. 14: 513-518
- Mroske, C., J. Muci, J. Wang, K. Li, W. Song, J. Yan, J. Feng, Q. Liu, and S. S. Sommer. 2007. Toward a fluorescent single-strand conformation polymorphism technique that detects all mutations: F-DOVAM-S. *Analytical Biochemistry* 368: 250-257
- Murphy K.M., I.C. Mac Rae, and D.S. Teakle. 1988. Nitrogenase activity in the Queensland fruit fly, *Dacus tryoni*. *Australian Journal of Biological Science* 41: 447-451
- Muyzer, G., E.C. De Waal, and A.G. Uitterlinden. 1993. Profiling of complex microbial populations by denaturing gradient gel electrophoresis analysis of polymerase chain reaction-amplified genes coding for 16S rRNA. *Applied and Environmental Microbiology* No. 3 Vol. 59: 695-700
- Muyzer, H. 1999. Genetic fingerprint of microbial communities-present status and future perspectives. *Proceedings of the 8<sup>th</sup> International Symposium on Microbial Ecology*
- Nishida, T. 1980. Food system of tephritid flies in Hawaii. *Proceedings of Hawaiian Entomological Society* 23: 245-254
- Nishijima, K. A., H. M. Couey, and A. M. Alvarez. 1987. Internal yellowing, a bacterial disease of papaya fruits caused by *Enterobacter cloacae*. *Plant Diseases*. 71: 1029-1034
- Orita, M. H., Iwahana, H. Kanazawa, K. Hayashi, and T. Sekiya. 1988. Detection of polymorphism of human DNA by gel electrophoresis as single-strand conformation polymorphisms. *Proceedings of The National Academy of Sciences* 86: 2766-2770
- Pasqualotto, A., P. Browyer, and Jenny Bartholomew. 2009. Microsatellite typing for *Aspergillus fumigatus*. SOP version 1.0
- Pranowo, D., E. Martono, A.T. Arminudin, dan Suputa. 2009. Laporan baru: Spesies lalat buah terpikat 4-(4-hidroksi-fenil)-2-butanon. *Jurnal Perlindungan Tanaman Indonesia* No. 1 Vol. 15: 13-17

- Reddy, K., K. Sharma, and S. Singh. 2014. Attractancy potential of culturable bacteria from the gut of peach fruit fly, *Bactrocera zonata* (Saunders). *Phytoparasitica* 42: 691-698
- Rejesus, R.S., C. R. Baltazar, and E. C. Manoto. 1991. Fruit flies in the Phillipines: current status and future prospects. In: *Proceedings First International Symposium on Fruit Flies in The Tropics* (eds. Vijayasegaran & A.G, Ibrahim: 108-124. Kuala Lumpur, 1988. Malaysian Agricultural Research and Development Institute, Kuala Lumpur.
- Robacker, David C. 2007. Chemical ecology of bacterial relationships with fruit flies. *Integrated Protection of Olive Crops* No. 9 Vol. 30: 9-22
- Robacker, D.C. and D.S. Moreno. 1995. Protein feeding attenuates attraction of Mexican fruit flies (Diptera: Tephritidae) to volatile bacterial metabolites. *Florida Entomologist* No. 1 Vol. 78: 62-69
- Rossiter, M.C., D.J. Howard, and G.L. Bush. 1983. Symbiotic bacteria of *Rhagoletis pomonella*. In *Fruit Flies of Economic Importance* (R. Cavalloro, Ed.). Balkema, Rotterdam. 77-84 p.
- Sachetti, P., A. Granchietti, S. Landini, C. Viti, L. Giovanetti, and A. Belcari. Relationships between the olive fly and bacteria. *Journal of Applied Entomology* 132: 682-689
- Schwieger, F. and C.T. Tebbe. 1998. A new approach to utilize PCR-single-strand-conformation polymorphism for 16S rRNA gene-based microbiology community analysis. *Applied and Environmental Microbiology* No. 12 Vol. 64: 4870-4876
- Shanon, C.E. and Weaver, W. 1963. *The Mathematical Theory of Communication*. University of Illinois Press: 29-125 *cit.* Thaochan, N. A. Chinajariyawong, & R.A.I. Drew. 2010a. Classical and molecular study of gut bacterial community structure in alimentary tract of *Bactrocera cucurbitae* (Coquillett). *Proceedings 8th International Symposium on Fruit Flies of Economic Importance*. 57-79
- Shyu, C., T. Soule, S. J. Bent, J. A. Foster, and L. J. Forney. 2007. MiCA: A web-based tool for the analysis of microbial communities based on terminal-restriction fragment length polymorphisms of 16S and 18S rRNA genes. *Journal of Microbial Ecology* 53: 562-570.
- Siwi, S.S., P. Hidayat, dan Suputa. 2006. Taksonomi dan Bioteknologi Lalat buah Penting di Indonesia (Diptera: Tephritidae). Balai Besar Penelitian dan Pengembangan Bioteknologi dan Sumberdaya Genetik Pertanian kerjasama dengan Departement of Agriculture, Fisheries, and Forestry Australia



- Sood, P. and C.S. Phrabakar. 2009. Molecular diversity and antibiotic sensitivity of gut bacterial symbionts of fruit fly, *Bactrocera tau* Walker. *Journal of Biological Control* No. 3 Vol. 23: 213-220
- Suputa, Y. A. Trisyono, E. Martono, and S.S. Siwi. 2010. Update on the host range of different species of fruit flies in Indonesia. *Jurnal Perlindungan Tanaman Indonesia* No. 2 Vol. 16: 62-75
- Thaochan, N. and Chinajariyawong, A. 2011. Attraction of *Bactrocera cucurbitae* and *B. papayae* (Diptera: Tephritidae) to the odor of the bacterium *Enterobacter cloacae*. *The Phillippine Agricultural Scientist* 94: 1-6
- Thaochan, N. A. Chinajariyawong, and R.A.I. Drew. 2010a. Classical and molecular study of gut bacterial community structure in alimentary tract of *Bactrocera cucurbitae* (Coquillett). *Proceedings 8th International Symposium on Fruit Flies of Economic Importance*. 57-79 p.
- Thaochan, N., R.A.I. Drew, J.M. Hughes, S. Vijayasegaran, and A. Chinajariyawong. 2010b. Alimentary tract bacteria isolated and identified with API-20E and molecular cloning techniques from Australian tropical fruit flies, *Bactrocera cacuminiata* and *B. tryoni*. *Journal of Insect Science* 10: 1-16
- Thaochan, N., W. Sittichaya, W. Sausard, and A. Chinajariyawong. 2013. Incidence of Enterobacteriaceae in the larvae of the polyphagous insect *Bactrocera papayae* Drew & Hancock (Diptera: Tephritidae) infesting different host fruits. *The Phillipine Agricultural Scientist* No. 4 Vol. 96: 384-391
- Tiedje, J.M., S. Asuming-Brempong, K. Nusslein, T.L. Marsh, and S.J. Flynn. 1999. Opening the black box of soil microbial diversity. *Applied Soil Ecology* 13: 109-122
- Tsuruta, K. and I.M. White. 2001. Eleven new species of the genus *Bactrocera* Macquart (Diptera: Tephritidae) from Sri Lanka. *Entomological Science* No. 1 Vol. 4: 69-87
- Tsuruta, K., I.M. White, H.M.J. Bandara, H. Rajapakse, S.A.H. Sundaraperuma, S.B.M.U.C. Kahawatta, and G.B.J.P. Rajapakse. 1997. A preliminary notes on the host-plants of fruit flies of tribe Dacini (Diptera, Tephritidae) in Sri Lanka. *Esakia* 37: 149-160
- White, I.M. and M.M. Elson-Harris. 1992. *Fruit Flies of Economic Significance: Their Identification and Bionomics*. CABI in association with ACIAR.
- Yogiara. 2004. Analisis komunitas bakteri cairan kantung semar (*Nepenthes* spp.) menggunakan teknik *terminal restriction fragment length polymorphism* (T-RFLP) dan *amplified ribosomal DNA restriction analysis* (ARDRA). Tesis. Bogor: Institut Pertanian Bogor

Yong, H.S., Y.F. Ng. and P. E. Lim. 2010. Diversity and abundance of Dacinae fruit flies (Insecta: Diptera: Tephritidae) in Chini 2, Runchang, and Sungai Bebar, Pahang, Peninsular Malaysia. *Journal of Science and Technology in the Tropics* 6: 12-21

Zinder, D.E. and M. Dworkin. 2000. Morphological and physiological diversity. In *The Prokaryotes* (M. Dworkin *et. al.*, Eds.). Springer Verlag, New York