

DAFTAR PUSTAKA

- Anderson, S., 2009. Characterization of bacterial biofilms from waste water treatment. Stockholm: Royal Institute of Technology, School of Biotechnology.
- Aparna, M.S., Yadav, S., 2008. Biofilms: Microbes and disease. *Braz. J. Infect. Dis.* 12, 526-30.
- Artursson, V., dan J. K. Jansson, 2003. Use of bromodeoxyuridine immunocapture to identify active bacteria associated with arbuscular mycorrhizal hyphae. *Appl. Environ. Microbiol.* 69: 6208–6215.
- Cao. B., N. Karthiga, dan C. L. Kai. 2009. Biodegradation of aromatic compounds; current status and opportunities for bimolecular approaches. *Appl. Microbiol. Biotechnol.* 85: 207-228.
- Dardanelli M, Angelini J dan Fabra A .2003. A calcium-dependent bacterial surface protein is involved in the attachment of rhizobia to peanut roots. *Can J Microbiol* 49: 576–582.
- Davey, M. E. dan G. A. O’toole. 2000. Microbial biofilms: from ecology to molecular genetics. *Microbiol. Mol. Biol. Rev.* 64: 847–867.
- David, Kuykendall., Jhon M Yoang, Esperanza., Allen K. dan Hiroyuki, S. 1938. The Rhizobium family. Michigan State University.
- Dresler-Nurmi, A., Fewer, D.P., Räsänen, L.A., Lindström, K. 2009. The diversity dan evolution of rhizobia. *Microbiol. Monogr* , 8, 3–41.
- Edwards A, Frederix M, Wisniewski-Dye F, Jones J, Zorreguieta A ´dan Downie JA . 2009. The cin dan rai quorum-sensing regulatory systems in *Rhizobium leguminosarum* are coordinated by ExpR and CinS, a small regulatory protein coexpressed with CinI. *J Bacteriol* 191: 3059–3067.
- Fujishige, N.A., Kapadia, N.N., De Hoff, P.L., Hirsch, A.M. 2006. Investigations of *Rhizobium* biofilm formation. *FEMS Microbiol. Ecol* 195–206.
- Fujishige NA, Lum MR, De Hoff PL, Whitelegge JP, Faull KF dan Hirsch AM. 2008. Rhizobium common nod genes are required for biofilm formation. *Mol Microbiol* 67: 504–515.



- Fraysse, N., Couderc, F., Poinso, V. 2003. Surface polysaccharide involvement in establishing the rhizobium-legume symbiosis. *Eur. J. Biochem* :1365–1380.
- Heydorn, A., B. K. Ersboll, M. Hentzer, M. R. Parsek, M. Givskov, dan S. Molin. 2000. *Experimental reproducibility in flow-chamber biofilms*. *Microbiol.* 146: 2409–2415.
- Hogan, D. A dan R. Kolter. 2002. *Pseudomonas-Candida* interactions: an ecological role for virulence factors. *Science* 296: 2229–2232.
- Janczarek Monika. 2011. Environmental Signals and Regulatory Pathways That Influence Exopolysaccharide Production in Rhizobia. *Int. J. Mol. Sci.* : 7898-7933.
- Jayasinghearachchi HS dan Sereviratne G . 2004a Can mushrooms fix atmospheric nitrogen? *JBiosciences* 29: 293–296.
- Jayasinghearachchi HS dan Sereviratne G .2004b. A bradyrhizobial-*Penicillium* spp. biofilm with nitrogenase activity improves N₂ fixing symbiosis of soybean. *Biol Fert Soils* 40: 432–434.
- Jayasinghearachchi H.S. dan G. Seneviratne. 2005. Fungal Solubilization of Rock Phosphate is Enhanced by Forming Fungal-rhizobia Biofilms. *Journal of Soil Biology and Biochemistry* 38: 405–408.
- Jayasinghearachchi HS dan Sereviratne G . 2006. Fungal solubilization of rock phosphate is enhanced by forming fungal-rhizobial biofilms. *Soil Biol Biochem* 38: 405–408.
- Klapper, I., *Biofilm mechanics* (internet), <http://www.erc.montana.edu/CBEssentials-SW/bf-basic-99/bbasic-01.htm> (diakses pada tanggal 21 April 2012).
- Laus, M.C., Logman, T.J., Lamers, G.E., van Brussel, A.A., Carlson, R.W., Kijne, J.W. 2006. A novel polar surface polysaccharide from *Rhizobium leguminosarum* binds host plant lectin. *Mol. Microbiol* 1704–1713.
- Madigan, Michael T dan Martinko M. M. 2014. *Brock Biology of Microorganism*. Pearson Education Inc., San Fransisco.
- Mongiardini EJ, Ausmees N, Perez-Gimenez J, Althabegoiti MJ, Quelas JI, Lopez-García SL dan Lodeiro AR . 2008. The rhizobial adhesion protein RapA1 is involved in adsorption of rhizobia to plant roots but not in nodulation. *FEMS Microbiol Ecol* 65: 279–288.



- Mukherjee., S Gosh., s sadhu., P ghosh dan TK maiti. 2010. Extracellular polysaccharide production by a *Rhizobium* sp. Isolated from legume herb *Crotalaria saltaiana* Andr. Indian journal of biotechnology.340-345.
- Palmer, R. J, dan D. C. White. 1997. Developmental biology of biofilms implications for treatment and control. Trends in Microbiol. 5: 435-439.
- Pratt, L. A dan R. Kolter. 1998. Genetic analysis of *Escherichia coli* biofilm formation: roles of flagella, motility, chemotaxis and type I pili. Mol. Microbiol. 30: 285–293.
- Qureshi, N., Annous, B.A., Ezeji, T.C., Karcher, P., dan Maddox, I.S. 2005. Biofilm reactor for industrial bioconversion processes: Employing potential of enhanced reaction rates. Microbial Cell Factories. 4(24):1-21.
- Rinaudi L, Fujishige NA, Hirsch AM, Banchio E, Zorreguieta A dan Giordano W . 2006. Effects of nutritional and environmental conditions on *Sinorhizobium meliloti* biofilm formation. Res Microbiol 157: 867–875.
- Rinaudi LV dan Gonzalez JE . 2009. The low-molecular-weight fraction of the exopolysaccharide II from *Sinorhizobium meliloti* is a crucial determinant of biofilm formation. J Bacteriol 191: 7216–7224.
- Rinaudi, L.V., Giordano, W. 2010. An integrated view of biofilm formation in rhizobia. *FEMS Microbiol. Lett* 304, 1–11.
- Russo DM, Williams A, Edwards A, Posadas DM, Finnie C, Dankert M, Downie JA dan Zorreguieta A . 2006. Proteins exported via the PrsD–PrsE type I secretion system and the acidic exopolysaccharide are involved in biofilm formation by *Rhizobium leguminosarum*. J Bacteriol 188: 4474–4486.
- Seneviratne G. dan H. S jayasinghearachchi. 2003. Mycellial colonization by bradyrhizobia and azorhizobia. J. Biosci. 28. : 243-247.
- Seneviratne G dan Jayasinghearachchi HS . 2003. Mycellial colonization by bradyrhizobia and azorhizobia. J Biosciences 28: 243–247.
- Sereviratne G dan Jayasinghearachchi HS .2005. A rhizobial biofilm with nitrogenase activity alters nutrient availability in a soil. Soil Biol Biochem 37: 1975–1978.



- Seneviratne, G., K. Mihaly, dan I. K. Ivan. 2006. Biofilmed biofertilizer: Novel inoculants for efficient nutrient use in plants. *Aciar Australia*: 126-130.
- Seneviratne, G., Zavahir, J. S., Bandara, W. M. M. S dan Werasekara, M. I. M. A. W. 2007. Fungal-bacterial biofilm: their development for novel biotechnological applications. *World Journal of Microbiology and Biotechnology* 24(6): 7739-743.
- Singh R., D. Paul, dan R. K. Jain. 2006. Biofilms: implications in bioremediation. *Trends in Microbiol.* 14: 389-397.
- Skorupska, A., Janczarek, M., Marczak, M., Mazur, A Król, J. 2006. Rhizobial exopolysaccharides: Genetic control and symbiotic functions. *Microb. Cell Fact.*
- Stewart, P.S. dan J.W. Costerton. 2001. Antibiotic resistance of bacteria in biofilms. *Lancet* 358 : 135-138.
- Tereza CLC, Manoel VFL, EGML. 2014. Carbohydrate Polymers Evaluation of the biotechnological potential of *Rhizobium tropici* strains for exopolysaccharide production. *Carbohydrate Polymers* 111 :191–197
- Vilain S. dan V. S. Brözel. 2006. Multivariate Approach to Comparing Whole-Cell Proteomes of *Bacillus cereus* Indicates a Biofilm Specific Proteome. *Journal of Proteome Research* 5: 1924–1930.
- Verstraeten N, Braeken K, Debkumari B, Fauvart M, Fransaeer J, Vermant J dan Michiels J . 2008. Living on a surface: swarming and biofilm formation. *Trends Microbiol* 16: 496–506.
- Wang H, Zhong Z, Cai T, Li S dan Zhu J. 2004. Heterologous overexpression of quorum-sensing regulators to study cell density-dependent phenotypes in a symbiotic plant bacterium *Mesorhizobium huakuii*. *Arch Microbiol* 182: 520–525.
- Wang P, Zhong Z, Zhou J, Cai T dan Zhu J. 2008. Exopolysaccharide biosynthesis is important for *Mesorhizobium tianshanense*: plant host interaction. *Arch Microbiol* 189: 525–530.
- Wargo, M.J., dan Hogan D.A. 2006. Fungal-bacterial interaction: a mixed bag of mingling microbes. *Curr. Opin. Microbiol.*, 9:359-364.
- Watnick, P dan R. Kolter. 2000. Biofilms city of microbes. *Journal of Bacteriology* 182:2676
- Weinstein, R.A., 2001. Biofilm formation : A clinically relevant microbiological process. *Healthc. Epidemiol.* 33, 1387-92.



Weir, B. S. 2010. The Current Taxonomy of *Rhizobia*. New Zealand *Rhizobia* Website.
<<http://www.rhizobia.co.nz/taxonomy/rhizobia.html>.> Diakses tanggal 16 Maret 2013.

Wells DH, Chen EJ, Fisher RF dan Long SR. 2007. ExoR is genetically coupled to the ExoS-ChvI two-component system and located in the periplasm of *Sinorhizobium meliloti*. *Mol Microbiol* 64: 647–664.

Williams A, Wilkinson A, Krehenbrink M, Russo DM, Zorreguieta A dan Downie JA . 2008. Glucomannan-mediated attachment of *Rhizobium leguminosarum* to pea root hairs is required for competitive nodule infection. *J Bacteriol* 190: 4706–4715.