UNIVERSITAS
GADJAH MADA
Gliserol dan Poli(propilen itakonat) sebagai Plasticizer pada Film Ca-Alginat/Carboxymethyl Cellulose
OKTAVIA SETIANINGRUM, Dr. Adhitasari Suratman, M.Si. ; Dr. Agus Kuncaka, DEA
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Akmal, J., Andayani, S., dan Novianti, 2004, Evaluasi Perubahan Kandungan Ndf, Adf dan Hemiselulosa pada Jerami Padi Amoniasi yang Difermentasi dengan Menggunakan EM4, *J. Ilmiah Ilmu-Ilmu Peternakan*, 7(3), 168-173.

Ali, M.E., 2001, Alginate-Lifecasters' Gold, *Art Casting J.*, 5.

Allcock, H.R., and Lampe, F.W., 1981, *Contemporary Polymer Chemistry*, Prentice-Hall, Inc., Englewood Cliffs, New Jersey.

Biswal, D.R., and Singh, R.P., 2004, Characterisation of Carboxymethyl Cellulose and Polyacrylamide Graft Copolymer, *Carbohyd Polym*, 57, 379-387.

Bonnardeaux, J., 2006, *Glycerin Overview,* Department of Agriculture and Food, Australia.

Bordes, A., Bottou, L., and Gallinari, 2009, SGD-QN: Careful Quasi-Newton Stochastic Gradient, *J. Machine Learning Reseach*, 10, 1737-1754.

Bourtoom, T., 2008, Edible Films and Coating: Characteristics and Properties, *Int. J. Food Res.*, 15(3), 1-9.

Budiharjo, M.A., 2006, Studi Potensi Pengomposan Sampah Kota Sebagai Salah Satu Alternatif Pengelolaan Sampah di TPA dengan Menggunakan Aktivator EM4 (Effective Microorganism), *J. Presipitasi*, 1, 1, 25-30.

Cervera, M.F., Heinamaki, J., Krogars, K., and Jorgensen, A.C., 2004, Solid-Sate and Mechanical Properties of Aqueous Chitosan-Amylose Starch Films Plasticized with Polyols, *AAPS Pharm. Sci. Tech.*, 5, 15-20.

Cha, D.S., and Chinnan, M.S., 2004, Biopolymer-based Antimicrobial Packaging – A review, *Critical Reviews in Food Science and Nutrition*, 44(4), 223-237.

Charles, A.H., 1999, *Modern Plastick Handbook,* Mc-Graw Hill, Lutherville

Chattopadhyay, S., 200, Compatibility Studies on Solution of Polymer Blends by Viscometric and Phase Separation Technique, *J.App. Polym. Sci.*, 77, 880-889.

Cuq, B., Gontard, N., Cuq, J.L., and Guilber, S., 1996, Functional Properties of Myofibrillar Protein Based Biopackaging as Affected by Film Thickness, *J. Food Sci.*, 61(3), 580-584.

Donati, I., Draget, K.I., M. Borgogna, S. Paoletti, and Braek, G.S., 2004, *Tailor-Made Alginate Bearing Galactose Moieties on Mannuronic Residues,* Wiley-Vch Verlag Gmbh & Co. Kgaa, Weinheim.

UNIVERSITAS
GADJAH MADA
Gliserol dan Poli(propilen itakonat) sebagai Plasticizer pada Film Ca-Alginat/Carboxymethyl Cellulose
OKTAVIA SETIANINGRUM, Dr. Adhitasari Suratman, M.Si. ; Dr. Agus Kuncaka, DEA
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

Donhowe, G. and Fenemma, O., 1994, *Edible and Coating: Characteristic, Formation, Definitions and Testing Methods,* In Krochta, J.M., Baldwin, E.A., and Nisperos-Carriedi, M.O. (eds), *Edible Coating and Film to Improve Food Quality,* Technomic Publ. Co. Inc. Lancaster, Pennsylvania.

Draget, K.I.,Smidsrod, O., and Braek, G.S., 2005, *Polysaccharides and Polyamides in Food Industry, Properties, Production and Patent,* Wiley-Vch Verlag Gmbh & Co., Weinheim.

Efendi, H.M., 2001, Modifikasi dan Penggunaan Pemlastis Turunan Asam Oleat pada Matriks Polivinil Klorida, *Tesis*, Program Pasca Sarjana Universitas Sumatera Utara, Medan.

Firdaus, F., dan Anshory, H., 2014, Morfologi Edible Green Packaging Film dari Komposit Pati Singkong, Lidah Buaya, dan Buah Ciplukan untuk Produk Makanan Asal Tanaman, Ternak dan Ikan, *J. Inovasi dan Kewirausahaan,* 1(3), 35-48.

Firdaus, F., dan Anwar, C., 2004, Potensi Limbah Padat Cair Industri Tepung Tapioka Sebagai Bahan Baku Film Plastik Biodegradable, *Logika*, 2(1).

Gontard, N., Duchez, C., Cuq, J.L., and Gilbert, S., 1993, Edible Composite Films of Wheat and Lipids: Water Vapour Permeability and Other Physical Properties, *Int. J. Food Sci. Techn.,* 29, 39-50.

Harris, H., 1999, Kajian Teknik Formulasi Terhadap Karakteristik Edible Film dari Pati Ubi Kayu, Aren, dan Sagu Untuk Penegemasan Produk Sami Basah, *Tesis*, Program Studi Ilmu Pangan Program Pasca Sarjana IPB, Bogor.

Heddy, S., 2000, Pengaruh Dosis EM4 dan Pupuk Kandang Sapi Terhadap Pertumbuhan dan Hasil Tanaman Sawi (Brassica juneea L.), *J. Agritek*, 8(4), 505-510.

Heinze, T., and Pfeiffer, K., 1999, Studies on the Synthesis and Characterization of Carboxymethylcellulose, *Die Angewandte Makromolekulare Chemie*, 266, 37-45.

Hidayat, M.K., Latifah, dan Sedyawati, S.M.R., 2013, Penggunaan Carboxy Methyl Cellulose dan Gliserol pada Pembuatan Plastik Biodegradable Pati Gembili, *Indo. J. Chem. Sci.*, 2(3), 253-258.

Huda, T., dan Firdaus, F., 2007, Karakteristik Fisikokimiawi Film Plastik Biodegradable dari Komposit Pati Singkong-Ubi Jalar, *Logika*, 2(4), 3-10.

UNIVERSITAS
GADJAH MADA
Gliserol dan Poli(propilen itakonat) sebagai Plasticizer pada Film Ca-Alginat/Carboxymethyl Cellulose
OKTAVIA SETIANINGRUM, Dr. Adhitasari Suratman, M.Si. ; Dr. Agus Kuncaka, DEA
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

Inukai, M.Y., and Masaktsu, 1999, Effect of Charge Density on drug Permeability Through Alginate Gel Membranes, *Chem. Pharm. Bul.,* 47(8), 1059-1063.

Janjarasskul, T., dan Krochta, J.M., 2010, Edible Packaging Materials, *Annual Review of Food Sci. Tech.*, 1, 415-448.

Kamal, N., 2010, Pengaruh Bahan Aditif CMC (Carboxy Methyl Cellulose) Terhadap Beberapa Parameter pada Larutan Sukrosa, *J. Teknologi*, 17, 78-84.

Kester, J.J. and Fenema, O.R., 1986, Edible Film and Coatings: a Review, *J. Food Technol.*, 7, 51.

Krochta, J.M., and De Mulder-Johnston, C., 1997, Edible and Biodegradable Polymer Films: Challenges and Opportunities, *J. Food Technol.,* 51(2), 61-74.

Lalopua, V.M.N., 2003, Pembuatan Edible Film Kalsium Alginat dari Sargassum sp, *Jurnal Teknologi Hasil Perikanan,* 1(3), 35-40.

Latief, R., 2001, Teknologi Kemasan Biodegradable, *Makalah Falsafah Sains,* Program Pasca Sarjana/S3 IPB, Bogor.

Ma, X., Chang, P.R., and Yu, J., 2008, Properties of Biodegradable Thermoplastic Pea Starch/Carboxymethyl Cellulose and Pea Starch/Microcrystalline Cellulose Composites, *Carbohyd Polym,* 72, 369-375.

McHugh, D.J., 2003, *A Guide to Seawed Industry*, Food and Agric. Org. of the Un, Rome.

McHugh, T.H., and Krochta, J.M., 1994, Sorbitol vs Glycerol Plasticizer Whey Protein Edible Films: Integrated Oxygen Permeability and Tensile Property Evaluation, *J. Agric. Food Chem,* 42, 4, 841-845.

McNeely, W.H. and Pettitt, D.J., 1973, *Algin*. In A.M. Stephen, *Industrial Gum Polysaccharides and Their Derivatives,* Marcel Dekker Inc.. New York.

Mustofa, M.H., 2011, Uji Coba bahan Kantong Bioplastik Pati dan Onggok Tapioka dengan Gliserol sebagai Plasticizer, *Skripsi*, Jurusan Keteknikan Pertanian Fakultas Teknologi Pertanian Universitas Brawijaya, Malang.

Nie, H., Liu, M., Zhan, F., and Guo, M., Factors on the Preparation of Carboxymethylcellulose Hydrogel and Its Degradation Behaviour in Soil, *Carbohyd Polym,* 58, 185-189.

Nisperos-Carriedo, M.O., 1994, *Edible Penyaluts and Films Based on Polysaccharides*. In J.M. Krocta, E.A. Baldwin, and M.O. Nisperos-Carriedo, *Edible Penyaluts and Films to Improve Food Quality*, Technomic Publishing Co, Switzerland.

UNIVERSITAS
GADJAH MADA
Gliserol dan Poli(propilen itakonat) sebagai Plasticizer pada Film Ca-Alginat/Carboxymethyl Cellulose
OKTAVIA SETIANINGRUM, Dr. Adhitasari Suratman, M.Si. ; Dr. Agus Kuncaka, DEA
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

Nemet, N.T., Soso, V.M., and Lazic, V.L., 2010, Effect of Glycerol Content and pH Value of Film-forming Solution on the Functional Properties of Protein-based Edible Films, *APTEFF*, 41, 1-203.

Noureddini, H., and Medikonduru, 1997, Glycerolisis of Soybean Oil, *J.Am. Oil. Chem. Soc*, 75, 1359.

Olaru, N., Olaru, L., Stoleriu, A., and Timpu, D., 1998, Carboxymethylcellulose Synthesis in Organic Media Containing Ethanol and/or Acetone, *J. Appl. Polym. Sci.* , 67, 481-486.

Peressini, D., Bravin, B., Lapassin, R., Rizzoti, C., and Sensidoni, A., 2003, Starch-Methylcellulose Based Edible Films: Rheological Properties of Film-Forming Dispersions, *J. Food Eng.*, 59(1), 25-32.

Poomsaad, S., 1980, Isolation of Cellulose from Some Plants and Synthesis of Its Derivatives, *Thesis*, Chiang Mai University, Chiang Mai.

Pradipta, I.M.D., dan Mawarni, L.J., 2012, Pembuatan dan Karaterisasi Polimer Ramah Lingkungan Berbahan Dasar Glukomanan Umbi Porang, *Prosiding Pertemuan Ilmiah Ilmu Pengetahuan dan Teknologi Bahan*, 4 Juli 2012, Serpong.

Rahim, A.N., Alam, Haryadi, dan Santoso, 2010, Pengaruh Konsentrasi Pati Aren dan Minyak Sawit Terhadap Sifat Fisik dan Mekanik Edible Film, *J. Agroland*, 17(1), 38-36.

Rachtanapun, P., Kumthai, S., Yagi, N., and Uthaiyod, N., 2007, Production of Carboxymethyl Cellulose (CMC) Films from Papaya Peek and Their Mechanical Properties, *Proceeding of 45th Kasetsart University Annual Conference*, 30 January – 2 February, 2007 4, 790-799.

Rindlav-Westling, A., Stading, M., Hermansson, A.M., and Gatenholm, P., 1998, Structure Mechanical and Barrier Properties of Amylose and Amylopectin Films, *Carbohyd Polym*, 36, 217-224.

Robertson, G.L., 1993, *Food Packaging Principles and Practice*, Marcel Dekker Inc, New York.

Rodriguez, M., Oses, J., Ziani, K., and Mate, J.I., 2006, Combined Effect of Plasticizer and Surfactants on the Physical Properties of Starch Based Edible Films, *Food Res. Int.*, 39, 840-846.

Rousseau, I., Cerf, D.L., Picton, L., Argilier, J.F., and Muller, G., 2004, Entrapment and Release of Sodium Polystirene Sulfonate (SPS) from Calcium Alginate Gel Beads, *J. European Polymer*, 2709-2715.

UNIVERSITAS
GADJAH MADA
Gliserol dan Poli(propilen itakonat) sebagai Plasticizer pada Film Ca-Alginat/Carboxymethyl Cellulose
OKTAVIA SETIANINGRUM, Dr. Adhitasari Suratman, M.Si. ; Dr. Agus Kuncaka, DEA
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

Silva, A.V., 2014, Modifikasi Poli(Propilen Itakonat) dengan Penambahan Agen Ikat Silang N,N-Metilenbisakrilamida, *Skripsi*, Jurusan Kimia FMIPA UNS, Surakarta.

Surdia, N.M., 200, Degradasi Polimer, *Majalah Polimer Indonesia*, 1, 20-21.

Wafiroh, S., Tokok, A., dan Elok, T.A., 2010, Pembuatan dan Karakterisasi Edible Film dari Komposit Kitosan-Pati Garut (Maranta Arundinaceae L.) dengan Pemlastis Asam Laurat, *J. MIPA*, 13(1), Universitas Airlangga, Surabaya.

Wandrey, C., 2005, *Polielectrolytes and Biopolymers*, Polytechnique Federale De Lausanne Materials Science and Engineering, Switzerland.

Yasar, F., Togrul, H., and Arslan, N., 2007, Flow Properties of Cellulose and Carboxymethyl Cellulose from Orange Peel, *J. Food Eng.*, 81, 187-199.