



DAFTAR PUSTAKA

- Ahmad, A., Rasid, H.M., and Kassim, K., 2013, Physicochemical Properties of CuO₂ Supported on Functionalized MCM41 Containing Thiourea Ligand, *IJCEA*, 1(4), 6-10.
- Anwander, R., Nagl, I., and Widenmeyer, M., 2000, Surface Characterization and Functionalization of MCM-41 Silicas via Silazane Silylation, *J. Phys. Chem. B*, 104, 3532-3544.
- Atkins, P.W., 1990, *Physical Chemistry*, Oxford University Press, London.
- Bandyopadhyay, M. and Gies, H., 2005, Synthesis of MCM-48 by Microwave-Hydrothermal Process, *C. R. Chimie*., 8, 621-626.
- Beck, J.S., Vartuli, J.C., Roth, W.J., Leonowicz, M.E., Kresge, C.T., Schmitt, K.D., Chu, C.T-w., Olson, D.H., Sheppard, E.W., McCullen, S.B., Hioggins, J.B., and Schlenker, J.L. 1992, A New Family of Mesoporous Molecular Sieves Prepared with Liquid Crystal Templates, *J. Am. Chem. Soc.*, 114, 10834-10843.
- Benjelloun, M., Van Der Voort, P., Cool, P., Collart, O., and Vansant, E.F., 2001, Reproducible Synthesis of High Quality MCM-48 by Extraction and Recuperation of Gemini Surfactant, *J. Phys. Chem.*, 3, 127-131.
- Boote, B., Subramanian, H., Ranjit, K.T., and Rapidand, 2007, Facile Synthesis of Siliceous MCM-48 Mesoporous Materials, *Chem. Commun.*, 43, 4543-4545.
- Brinker, C.J. and Scherer, G.W., 2007, *Sol-Gel Science: the Physics and Chemistry of Sol- Gel Processing*, 15th Edition, Academic Press, Boston.
- Broekhoff, J.C.P., 1979, Mesopore determination from nitrogen sorption isotherms: Fundamentals, scope, limitations. *Stud. Surf. Sci. Catal.*, 3, 663-684.
- Cassiers, K., Linssen, T., Mathieu, M., Benjelloun, M., Schrijnemakers, K., Van Der Voort, P., Cool, P., and Vansant, E.F., 2002, A Detailed Study of Thermal, Hydrothermal, and Mechanical Stabilities of a Wide Range of Surfactant Assembled Mesoporous Silicas, *Chem. Mater.*, 14, 2317-2324.
- Chiarakorn, S., Areerob, T., and Grisdanurak, N., 2007, Influence of Functional Silanes on Hydrophobicity of MCM-41 synthesized from Rice Husk, *Sci. Tech. Adv. Mater.*, 8, 110-115.
- Fidalgo, A.M. and Ilharco, L.M., 2012, Tailoring The Structure and Hydrophobic Properties of Amorphous Silica by Silylation, *Micropor. Mesopor. Mater.*, 158, 39-46.
- Gallis, K. W. and Landry, C.C., 1997, Synthesis of MCM-48 by a Phase Transformation Process, *Chem. Mater.*, 9, 2035-2038.



- Gao, C., 2009, Formation Mechanism of Anionic-Surfactant-Templated Mesoporous Silica (AMS), *Dissertation*, Stockholm University, Sweden.
- Giunta, P.R., 2005, Fabrication and Characterization of Novel Nanocomposite Materials, *Dissertation*, College of Arts and Sciences, The Florida State University.
- Guan, L.C., 2005, Mesoporous MCM-48 Synthesized from Rice Husk Ash Silica: Physicochemical Properties and Its Catalytic Activity in Acylation Reaction, *Thesis*, Faculty of Science Universiti Teknologi Malaysia.
- Hara, K., Akahane, S., Jerzy, W., Wiench, Breina, R., Burgin, Ishito, N., Victor, S.Y., Lin, Fukuoka, A., Pruski, M., 2012, Selective and Efficient Silylation of Mesoporous Silica: A Quantitative Assessment of Synthetic Strategies by Solid-State NMR, *J. Phys. Chem. C*, 116, 7083–7090.
- He, J., Shen, Y., Yang, J., Evans, D.G., and Duan, X., 2003, Nanocomposite Structure Based on Silylated MCM-48 and Poly(vinyl acetate), *Chem. Mater.* 2003, 15, 3894-3902.
- Hench, L.L. and West, J.K., 1990, The Sol-Gel Process. *Chem. Rev.*, 90, 33–72.
- Hessel, L., Castricum, Marjo, C., Mittelmeijer-Hazeleger, Sah, A., Johan, E., and Elshof, T., 2006, Increasing The Hydrothermal Stability of Mesoporous SiO₂ With Methylchlorosilanes - A Structural Study, *Micropor. Mesopor. Mater.*, 88, 63–71
- Hoffmann, F., Cornelius, M., Morell, J., and Froba, M., 2006, Silica-Based Mesoporous Organic Inorganic Hybrid Materials, *Angew. Chem. Int. Ed. Engl.*, 45, 3216–3251.
- Hudson, S.P., Padera, R.F., Langer, R., and Kohane, D.S., 2008, The biocompatibility of mesoporous silicates, *Biomaterials* , 29, 4045–4055.
- Huo, K., Shen, L., Li, F., Bian, Z., and Huang, C., 2006, Hemicyanine Dye as A Surfactant For The Synthesis Of Bicontinuous Cubic Mesostructured Silica, *J. Phys. Chem. B*, 110, 9452–9460.
- Kim, H.J., Jang, K.S., Galebach, P., Gilbert, C., Tompsett, G., Conner, W.C., Jones, C.W., and Nair, S., 2012, Seeded Growth, Silylation, and Organic/Water Separation Properties of MCM-48 Membranes, *J. Membr. Sci.*, 427, 293–302.
- Kim, J. M. and Ryoo, R., 1996, Disintegration of Mesoporous Structures of MCM-41 and MCM-48 in Water. *Bull. Korean Chem. Soc.*, 17, 66.
- Kim, T.W., Chung, P.W., and Lin, V.S.Y., 2010, Facile Synthesis of Monodisperse Spherical MCM-48 Mesoporous Silica Nanoparticles With Controlled Particle Size, *Chem. Mater.*, 22, 5093–5104.
- Kim, Y.H., Wasan, D.T., and Breen, P.J., 1995, A Study of Dynamic Interfacial Mechanisms for Demulsification of Water-In-Oil Emulsions. *Colloids Surf. A, Physicochem. Eng. Asp.*, 98, 235–241.



- Kresge, C.T., Leonowicz, M.E., Roth, W.J., Vartuli, J.C., and Beck, J.S., 1992, Ordered Mesoporous Molecular Sieve Synthesized by a Liquid Crystal Template Mechanism, *Nature*, 359, 710-712.
- Kruk, M., Jaroniec, M., and Sayari, A., 1997, Application of Large Pore MCM-41 Molecular Sieves to Improve Pore Size Analysis Using Nitrogen Adsorption Measurements, *Langmuir*, 13, 6267-6273.
- Li, S., Zhang, J., Shen, Y., Ni, B., and Zhang, J., 2006, Synthesis and Properties of Magnetic Nanoparticle, *J. Mater. Sci. Technol.*, 22(5), 659-663.
- McCusker, L.B., 2001, Product Characterization by X-ray Diffraction, dalam Robson, H. ed. *Verified Syntheses of Zeolite Materials*, John Wiley and Sons Inc., New York, 47-49.
- Meléndez-Ortizn, H.I., Perera-Mercado, Y.A., García-Cerda, L.A., Mercado-Silva, J.A., and Castruita, G., 2014, Influence of The Reaction Conditions on The Thermal Stability of Mesoporous MCM-48 Silica Obtained At Room Temperature, *Ceram. Int.*, 40, 4155-4161.
- Moller, K. and Bain, T., 1998, Inclusion Chemistry In Periodic Mesoporous Hosts, *Chem. Mater.*, 10, 2950-2963.
- Nafikah, F., Tjahjanto, R.T., dan Purwonugroho, D., 2013, Pengaruh Temperatur Penggantian Pelarut terhadap Hidrofobisitas Aerogel Silika, *Kim. Student J.*, 1(1), 112-118.
- Naumov, S., 2009, Hysteresis Phenomena in Mesoporous Materials, *Dissertation*, Universität Leipzig.
- Park, D.H., Nishiyama, N., Egashira, Y., and Ueyama, K., 2001, Enhancement of Hydrothermal Stability and Hydrophobicity of a Silica MCM-48 Membrane by Silylation, *Ind. Eng. Chem. Res.*, 40, 6105-6110.
- Popat, A., Hartono, S.B., Stahr, F., Liu, J., Qiao, S.Z., and Lu, G. Q., 2011, Mesoporous Silica Nanoparticles for Bioadsorption, Enzyme Immobilisation, and Delivery Carriers. *Nanoscale*, 3 , 2801 -2818.
- Schumacher, K., Grün, M. and Unger, K.K., 1999, Novel Synthesis of Spherical MCM-48. *Micropor. Mesopor. Mater.*, 27, 201-206.
- Shan, Y., Liew K., and Li J., 2009, Effect of Silylation of SBA-15 on Its Supported Cobalt Catalysts for Fischer-Tropsch Synthesis, *Chin J Catal.*, 30(11), 1091-1095.
- Sing, K.S.W.; Everett, D.H.; Haul, R.A.W.; Moscou, L.; Pierotti, R.A.; Rouquerol, J.; and Siemieniewska, T., 1985, Reporting Physisorption Data for Gas/Solid Systems with Special Reference to The Determination of Surface Area and Porosity. *Pure Appl. Chem.*, 57, 603-619.
- Soler-Illia, G.J., Sanchez, C., Lebeau, B., and Patarin, J., 2002, Chemical Strategies to Design Textured Materials: From Microporous and



- Mesoporous Oxides to Nanonetworks and Hierarchical Structures. *Chem. Rev.*, 102, 4093–4138.
- Srivastava, D.N., Perkas, N., Zaban, A., and Gedanken, A., 2002, Sonochemistry As A Tool for Preparation of Porous Metal Oxides, *Pure Appl. Chem.*, 9(74), 1509–1517.
- Suyanta, 2012, Sintesis Nanopartikel Oksida Besi Terdispersi dalam Pori MCM-41-Tersililasi-Eksternal, *Disertasi*, Departemen Kimia, Universitas Gadjah Mada, Yogyakarta.
- Taba, P., 2008, Adsorben of Water and Benzene Vapour in Mesoporous Materials, *Makara Sains*, 12 (2), 120-125.
- Taib, N.I., Endud, S., and Katun, M.N., 2011, Functionalization of Mesoporous Si-MCM-41 by Grafting with Trimethylchlorosilane, *Int. J. Chem.*, 3(3), 2-10.
- Vansant, E.F., Voort, P., and Vrancken, K.C., 1995, *Characterization and Chemical Modification of the Silica Surface*, Elsevier Science B.V., Amsterdam.
- Wang, J., Lu, J., Yang, J., Xiao, W., and Wang, J., 2012, Synthesis Of Ordered MCM-48 By Introducing Economical Anionic Surfactant As Co-Template, *Mater. Lett.*, 78, 199–201.
- Wang, L., Zhang, J, and Chen, F., 2009, Synthesis of Hydrothermally Stable MCM-48 Mesoporous Molecular Sieve At Low Cost of CTAB Surfactant, *Micropor. Mesopor. Mater.*, 122, 229–233.
- Williams, R., 1996, *Spectroscopy and The Fourier Transform: An Interactive Tutorial*, VHC Publishers Inc.
- Wold, A. and Dwight, K., 1993, *Solid State Chemistry, Synthesis Structure, and Properties of Selected Oxides and Sulfides*, Chapman and Hall Inc., New York.
- Wu, S., Wang, J. Liu, G., Yang, Y., and Lu, J., 2012, Separation of Ethyl Acetate (EA)/Water By Tubular Silylated MCM-48 Membranes Grafted With Different Alkyl Chains, *J. Membr. Sci.*, 390–391, 175–181.
- Yanagisawa, T., Schimizu, T., Kuroda, K., and Kato, C., 1990, The Preparation of Alkyltrimethylammoniumkanemite Complexes and Their Conversion to Mesoporous Materials, *Bull. Chem. Soc. Jpn.*, 63, 988-992.
- Ying, J.Y., Mehnert, C.P., and Wong, M.S., 1999, Synthesis and applications of supramolecular-templated mesoporous materials, *Angew. Chem. Int. Ed.*, 38, 56–77.
- Yoon, S.B., Kim, J.Y., and Yu, J., 2001, Synthesis of Highly Ordered Nanoporous Carbon Molecular Sieves from Silylated MCM-48 Using Divinylbenzene as Precursor, *Chem. Commun.*, 559–560.



- Zhao, X.S., Lu, G.Q., Whittaker, A.J., Millar, G.J., and Zhu, H.Y., 1997, Comprehensive Study of Surface Chemistry of MCM-41 Using ^{29}Si CP/MAS NMR, FTIR, Pyridine-TPD and TGA, *J. Phys. Chem. B*, 101, 6525–6531.
- Zhao, X.S. and Lu, G.Q., 1998, Modification of MCM-41 by Surface Silylation with Trimethylchlorosilane and Adsorption Study, *J. Phys. Chem. B*, 102, 1556–1561.
- Zhao, H., Ma, Y., Tang, J., Hu, J., and Liu, H., 2011, Influence of the Solvent Properties on MCM-41 Surface Modification of Aminosilanes, *J Solution Chem.*, 40, 740–749.