

DAFTAR PUSTAKA

- Abdo, W. and Sultan, K. 2013. Histopathological finding of the kidney trematoda *Paratanaisia* spp. (Digenea : Eucotylidae) in cattle egret (*Bubulcus ibis*). *Rev, Bras. Parasitol. Vet., Jabotical*. 22 (2): 312-313
- Abed, A.A., Naji, H.A., and Rhyaf, A.G. 2014. Investigation study of some parasites infected domestic pigeon (*Columba livia domestica*) in Al-Dewaniya city. *IQSR Journal of Pharmacy and Biological Sciences*. 9: 13-20
- Alarcon, A.A., Morales, J.A., Veneziano, V., and Saantoro, M. 2015. Fatal *Paratanaisia bragai* (Digenea: Eucotylidae) infection in scarlet macaws (*Ara macao*) in Costa Rica. *Acta Parasitologica*. 60(3): 1-5
- Atkinson, C.T., Thomas, N.J., and Hunter, D.B. 2008. *Parasitic Diseases of Wild Birds*. Singapore : Blackwell Publishing
- Brandolini, S.V. and Amato, S.B. 2006. Desenvolvimento larval de *Paratanaisia bragai* (Santos) (Digenea, Eucotylidae) sob condicoes experimentais. *Rev. Brasileira de Zoologia*. 23 (4): 1097-1100
- Brandolini, S. V. and Amato, S.B. 2007. External morphology of the adults specimens of *Paratanaisia bragai* (Santos, 1934) (Digenea: Eucotylidae). *Rev. Bras. Parasitol. Vet.* 16 (3): 129-132
- Cable, R.M. 1963. *An illustrated laboratory manual of parasitology*. Burgess Publishing Company. 137-138
- Dewi, Dias Aprinta. 2013. *Identifikasi Cacing Paratanaisia sp, (Famili: Eucotylidae) Burung Merpati (Columba livia) Secara Molekuler Pada Region Internal Transcribed Spacer 1 (ITS1)*. Tesis. Universitas Gadjah Mada. 60
- D'avila, S., Paulo, P., Cristina, E., and Rodrigues, A. 2010. Gross anatomy of the musculature and a new description of the reproductive system of *Tanaisia bragai* and *Tanaisia inopina* (Trematoda: Eucotylidae) analysed by confocal laser scanning microscopy. *Acta Zoologica*. 91: 139-149
- Gibson, D., A. Jones., and R.A. Bray. 2002. *Keys to the Trematoda*. United Kingdom : CABI Publishing: 147-152
- Gomes, D.C., Menezes, R.C., Tortelly R., and Pinto, R.M. 2005. Pathology and first occurrence of the kidney trematode *Paratanaisia bragai* (Santos, 1934) Freitas, 1959 (Digenea: Eucotylidae) in *Phasianus colchicus* L., 1758, from Brazil. *Mem Ins Oswaldo Cruz*, Rio de Janeiro. 100(3): 285-288

- Harawan, I. 2014. *Pewarnaan Cacing Paratanaisia bragai Pada Ginjal Burung Merpati (Columba livia) Menggunakan Pewarna Semichon's carmine*. Tugas Akhir. Universitas Gadjah Mada. 17
- Harianja, M.P. 2014. *Morfologi Trematoda Pada Ginjal Burung Merpati (Columba livia)*. Skripsi. Universitas Gadjah Mada. 36
- Haryoto.1996. *Beternak Merpati Kipas*. Yogyakarta : Kanisius
- Luppi, M.M., Melo, A.L., Motta, O.C., Malta, C.C., Gardiner, C.H., and Santos, R.L.,. 2007. Granulomatous Nephritis in psittacines associated with parasitism by the trematode *Paratanaisia* spp. *Vet Parasitologi*. 146: 363-314
- Maldonado, J.F. 1945. The life cycle of Tamerlania bragai, Santos 1934, (Ecotylidae), a Kidney Fluke of Domestic Pigeons. *The Journal of Parasitology*. 31(5): 306-314
- Menezes, R.C., Mattos, D.G., Gomes, D.C., Totelly, R., Muniz-Pereira,C., and Pinto, R.M. 2001. Trematodes of free range rered guinea fowls (*Numida meleagris* Linnaeus, 1758) in the sate of Rio de Janeiro, Brazil: Morphology and pathology. *Avian Pathology*. 30: 209-214
- Prastowo, J., Sahara, A., Marganingsih, C., and Ariyadi, B. 2014. Identification of Renal Parasite and its Blood Urea-Creatinine Profile on the Indonesian Indigenous Pigeons. *International Journal of Poultry Science*. 13(7): 385-389
- Sahara, A., Prastowo, J., and Widodo, D.P. 2013. Identifikasi Cacing Trematoda dan Gambaran Patologi Ginjal Burung Merpati yang Terinfeksi. *Jurnal Veteriner*. 14(4): 402-407
- Suparman.2005. *Cara Beternak Merpati*. Surabaya : JP Books
- Stunkard, H.W. 1945. The Morphology of Tamerlania bragai Dos Santos, 1934. *The Journal of Parasitology*. 31(5): 301-305
- Tabbu, C.R. 2002. *Penyakit Ayam dan Penanggulangannya*. Yogyakarta : Kanisius
- Taroda, A., Barros, L.D., Zulpo, D.L., Leme, I.A., Paiva, M.C., Sammi,A.S., Santos, J.R., Yamamura, M.H., Vidotto, O., and Garcia, J.L. 2012. Occurrence of gastrointestinal and renal helminth in *Zenaida auriculara* (Des Murs, 1847) trap-captured from Brazil. *Rev. Bras. Parasitol. Vet., Jaboticabal*. 22(3): 415-419

- Tavela, A.O., Junior, M.C., Oliveira, A.R., Corneiro, F.T., Silva, V.H. D., Braga, F.R., Peixoto, J.V., Carvalho, G.D., Araujo, J.V., and Paula, T.A.R. 2014. Parasitism by *Paratanaisia bragai* (Digenea, Eucotylidae) in commom waxbill (*Estrilda astrild*). *Arq. Bras. Med. Vet. Zootec.* 66: 1276-1280
- Travassos, L., Freitas, T., and Kohn, A. 1969. Trematodeos do Brasil. *Mem. Inst. Oswaldo Cruz.* 67: 340-343
- Unwin, S., Chantrey, J., Chatterton J., Aldhoun, J.A., and Littlewood, D.T.,. 2013. Renal trematoda infection due to *Paratanaisia bragai* in zoo housed Columbiformes and a red bird-of-paradise (*Paradisaea rubra*). *International Journal for Parasitology.* 2: 32-41