

DAFTAR PUSTAKA

- Aisha, A.F.A., Abu-Salah, K.M., Mohammad J.S., Ismail, Z., dan Majid A.M.S.A. 2012. Quantification of -, -, and -mangostin in *Garcinia Mangostana* Fruit Rind Extract by a Reverse Phase High Performance Liquid Chromatography. *Journal of Medicinal Plants Research*. 29 (6): 4526-4534.
- Aisha, A.F.A., Abu-Salah, K.M., Ismail, Z., dan Majid A.M.S.A. 2013. Determination of Total Xanthones in *Garcinia mangostana* Fruit Rind Extracts by Ultraviolet (UV) Spectrophotometry. *Journal of Medicinal Plants Research*. 7(1): 29-35.
- Agustina, R., Andayani, R., dan Dachriyanus. 2014. Development dan Validation of Thin Layer Chromotography Method for Determination of -mangostin in Young Pericarp, Ripe Pericarp and Bark Extract of *Gracinia mangostana* L. using TLC-Densitometry. *International Journal Pharmacy Science*. 5(4): 294-298.
- Akiyama., Fujii, K., Yamasaki, O., Oono, T., dan Iwatsuki, K. Antibacterial Action of Several Tannins against *Staphylococcus aureus*. *Journal Antimicrobial Chemotherapy*. 48 (4): 487-91.
- Ashok, P.K., dan Upadhyaya, K. 2012. Tanins are Astringent. *Journal of Pharmacognosy and Phytochemistry*. 1 (3): 45.
- Badan Pusat Statistik. 2014. Produksi Buah-buahan di Indonesia tahun 2010-2014. <http://www.pertanian.go.id/EIS-ASEM-HORTI-2014/Prod-Buah-ASEM-HORTI2014.pdf>
- Ballesteros, L.F., José, A.T., dan Solange, I.M. 2013. Selection of The Solvent and Extraction Conditionsfor Maximum Recovery of Antioxidant Phenolic Compounds from Coffee Silverskin. *Food Bioprocess Technology*. 7: 1322–1332.
- Barry, T.N., Manley, T.R. dan Duncan, S.J. 1986. The Role of Condensed Tanins in The Nutritional Value of Lotus Pedunculatus for Sheep. 4. Sites of Carbohydrate and Protein Digestion as Influence by Dietary Reactive Tanin Concentration. *Brithish Journal Nutrition* 55: 123-137.

- Chen, W.H., Han, S.K., Sung, S., 2003. Sodium Inhibition of Thermophilic Methanogens. *Journal Environment Engineering*. 129 (6): 506–512.
- Cheok, C.Y., Chin, N.L., Yusof, Y.A., dan Law C.L. 2012. Extraction of Total Phenolic Content from *Garcinia mangostana* Linn. hull. I. Effects of Solvents and UV–Vis Spectrophotometer Absorbance Method. *Food Bioprocess Technology*. 5: 2928–2933.
- Cowan, M.M. 1999. Plant Products as Antimicrobial Agents. *Clinic Microbiology*. 12: 564-582.
- Damanhuri, 2010 dalam Yeni, Y.D.S., Mutia, S. 2012. Uji Pembentukan Biogas dari Substrat Sampah Sayur dan buah dengan Ko-Substrat Limbah Isi Rumen Sapi. *Jurnal Teknik Lingkungan UNAND*. 9(1): 26-36.
- Dennis. 2013. D-limonene Removal from Orange Peel Using Solid Liquid Extraction and Bubble Extraction to Enhance Production in Anarobic Digestion. *Skripsi*. Fakultas Teknologi Pertanian, UGM, Yogyakarta.
- Dublein, D dan Steinhauster, A. 2008. *Biogas from Waste and Renewable Resource*. Wiley-VCH GmbH & Co. KGaA, Weinheim.
- Ee, G., Daud, S., Taufiq-Yap, Y., Ismail, N., Rahmani, M. 2006. Xanthoness from *Garcinia mangostana* (Guttiferae). *Natural Product Research*. 12: 1067-1073.
- Fiori, G.M.L., Ana, L.F., Valéria S.C.C., Bianca, W.B., Silvana, G., Saulo, F.A., Suzelei, C.F., Ana, M.S.P. 2013. Antimicrobial Activity and Rates of Tannins in *Stryphnodendron adstringens* Mart. Accessions Collected in the Brazilian Cerrado. *American Journal of Plant Sciences*. 4: 2193-2198.
- Greben, H.A., Maree, J.P. dan Mnqanqeni, S. 2000. Comparison between Sucrose, Ethanol and Methanol as Carbon and Energy Sources for Biological Sulphate Reduction. *Water Science and Technology*. 41 (12): 247–253.
- Guo, Y.Q., Liu, J.X., Lu, Y., Zhu, W.Y., Denman, S.E., McSweeney, C.S. 2008. Effect of Tea Saponin on Methanogenesis, Microbial Community Structure and Expression of mcrAgene incultures of rumenmicro-organisms. *Lett.Appl.Microbiol*. 47,421–426.
- Haminiuk, C., Manuel, S., de Mantos, G., Ivanise, G. 2014. Extraction and Quantification of Phenolic Acid and Flavonol from *Eugenia pyriformis* using Different Solvents. *Journal Food Science Technology*. 51 (10): 2862-2866.

- Hansen, T., Schmidt, J.E., Angelidaki, I., Marca, E., Jansen, J.C., Mosbaek, H., Christensen, T. H. 2004. Methode for Determination of Methane Potential of Solid Organic Waste. *Waste Management*. 24: 393-400.
- Hildayati, R. 2013. Pengaruh *Pretreatment* Hidrolisis Asam terhadap Peningkatan Produksi Biogas dari Eceng Gondok (*Eichornia crassipes*) Menggunakan Starter Sludge Biodigester Aktif. *Tesis*. Fakultas Teknik. UGM. Yogyakarta.
- Khoddam, A., Wilkes, M.A., dan Roberts, T.H. 2013. Techniques for Analysis of Plant Phenolic Compounds. *Molecules*. 18: 2328-2375.
- Kyaw, B.M., Lim, C.S., dan Zhou, W. 2013. Tannic Acid as Phytochemical Potentiator for Antibiotic Resistance Adaptation. *PCBEE Procedia*. 7: 175 – 181.
- Jokic, S., Zekovic, Z., Vidovic, S., Sudar, R., Nemet, I., Bilic, M., dan Velic, D. 2010. Supercritical CO₂ Extraction of Soybean Oil: Process Optimisation and Triacylglycerol Composition. *International Journal of Food Science & Technology*. 9 (45): 1939–1946.
- Lin, Qin dan Guo-Xu, J. 2014. Effects of Extraction Solvents on Phytochemicals and Antibacterial Activities of *Garcinia mangostana* Pericarp. *Asian Journal of Agriculture and Food Science*. 2: 2321-1571.
- Makkar, 2013 dalam Wahyuni, I. M. D., Muktiani, A., dan Christianto, M. 2014. Penentuan Dosis Tanin dan Saponin untuk Defaunasi dan Peningkatan Fermentabilitas Pakan. *Jurnal Ilmu dan Teknologi Peternakan*. 3 (3).
- Mokhtapour, A. 2014. Extraction of Phenolic Compounds and Tanins from Pistachio By-products. *Annual Research and Review in Biology*. 8 (4): 1330-1338.
- Moosohin, K., Wetthaisong, T., Seeratchakot, L., Kokluecha, W. 2010. Tanin Extraction from Mangosteen Peel for Protein Precipitation in Wine. *KKU Research Journal*. 15: 5.
- Muetzel, S dan Becker, K. 2005. Extractability and Biological Activity of Tanins From Various Tree Leaves Determined by Chemical and Biological Assays as Affected by Drying Procedure. *Animal Feed Science and Technology*. 125: 139–149.
- Muhtadi, 1995 dalam Samad, M.Y. 2006. Pengaruh Penanganan Pascapanen terhadap Mutu Komoditas Hortikultura. *Jurnal Sains dan Teknologi Indonesia*. 1 (8): 31-36.

- Ngamseang, A., Wanapat, M., Khampa, S. 2006. Effect of Mangosteen Peel (*Garcinia mangostana*) Supplementation on Rumen Ecology, Microbial Protein Synthesis, Digestibility and Voluntary Feed Intake in Cattle. *Pakistan Journal of Nutrition*. 5: 445-452.
- Peres, V., Nagem, T., Oliveira, F. 2000. Tetraoxygenated Naturally Occurring Xanthenes. *Phytochemistry*. 55: 683-710.
- Sanjaya, A.P. 2011. The Presence of Inhibitor in Rotten tropical Fruits for Biogas Production. *Tesis*. Fakultas Teknologi Pertanian, UGM, Yogyakarta.
- Siriwongwilaichat, P., Angnanon, W., dan Rattanapanone, N. 2012. The Effect of Processing Variables on Antioxidative Capacity of Mangosteen Peel (*Garcinia mangostana* L.) Extract. *Journal of Agricultural Science and Technology*. 2: 529-536.
- Sluiter, A., Hames, B., Hyman, D., Payne, C., Ruiz, R., Scarlata, C., Sluiter, J., Templeton, D., dan Wolfe, J. 2008. Determination of *Total solids* in Biomass and Total Dissolved Solids in Liquid Process Samples. National Renewable Energy Laboratory. Midwest Research Institute, Battelle.
- Smallwood, I.M. 1996. *Handbook of Organic Solvent Properties*. Halsted Press. New York
- Sun, Y., dan Cheng, J. 2002. Hydrolysis of Lignocellulosic Materials for Ethanol Production: a Review. Elsevier, Bioresource Technology. 83: 1-11
- Tavendale, M.H., Meagher, L.P., Pacheco, D., Walker, N., Attwood, G.T., dan Sivakumaran, S. 2005. Methane Production from Invitro Rumen Incubation with *Lotus pedunculatus* and *Medicago sativa*, and Effects of Extractable Condensed Tannin Fractions on Methanogenesis. *Animal Feed Science and Technology*. 123-124: 403-419.
- Theppoonpol, M. 1995. Utilization in Mangosteen Peel to Improve Soil Fertility. *Soil and Fertilizer Journal*. 17: 3-5.
- Toledo, R.T. 2007. *Fundamentals of Food Process Engineering. Third Edition*. Georgia.
- Viriwutthikorn, W. 1996. The Importance of Tanin for Food industry. *Journal of Food*. 26 (3) 157-167.

- Walker, E. B. 2007. HPLC Analysis of Selected Xanthonenes in Mangosteen Fruit. *WILEY-VCH Verlag GmbH & Co. KGaA, Weinheim*, 30, 1229 – 1234
- Wanapat, M., Chanthakhoun, V., Phesatcha, K., Kang, S. 2014. Influence of Mangosteen Peel Powder as a Source of Plant Secondary Compounds on Rumen Microorganisms, Volatile Fatty Acids, Methane and Microbial Protein Synthesis in Swamp Buffaloes. *Journal Livestock Science*. 162: 126–133.
- Wikandari, R. 2014. Effect of Fruit Flavors on Anaerobic Digestion: Inhibitions and Solutions. *Doctoral Thesis*. University of Boras. Swedia.
- Woodward, S.L., Waghorn, G.C., dan Laboyrie, P.G. 2004. Condensed Tanins in Birdsfoot Trefoil (*Lotus Corniculatus*) Reduce Methane Emissions from Dairy Cows. *Proceedings of the New Zealand Society of Animal Production*. 64.
- Yenni, Dewilda, Y., Sari, S.M. 2012. Uji Pembentukan Biogas dari Substrat Sampah Sayur dan Buah dengan Ko-Substrat Limbah Isi Rumen Sapi. *Jurnal Teknik Lingkungan UNAND*. 9 (1): 26-36.
- Zadernowski, R., Czaplicki, S., Naczki, M. 2009. Phenolic Acid Profiles of Mangosteen Fruits (*Garcinia mangostana*). *Food Chemistry*. 112: 685–689
- Zarena, A.S., dan Sankar, K.U. 2011. Xanthonenes Enriched Extracts from Mangosteen Pericarp Obtained by Supercritical Carbon Dioxide Process. *Separation and Purification Technology*. 80: 172–178.
- Zhang Y, Song, Z., Hao, J., Qiu, S., Xu, Z. 2010. Two New Prenylated Xanthonenes and a New Prenylated Tetrahydroxanthone from The Pericarp of *Garcinia mangostana*. *Fitoterapia*. 81: 595-599.
- Zhang, Q., Baile, B., Plante, M., dan Acworth, I. 2014. Fast Analysis of Selected Xanthonenes in Mangosteen Pericarp Using Accelerated Pelarut Extraction and Ultra High Performance Liquid Chromatography. *Thermo Scientific Poster*. 2: 14.