

## REFERENCES

- Abraham, E., Deepa, B., Pothan, L. A., Jacob, M., Thomas, S., Cvelbar, U., et al. 2011. Extraction of nanocellulose fibrils from lignocellulosic fibres: a novel approach. *Carbohydrate Polymers*, 86, 1468e1475. *Anim. Feed Sci. Technol.* 12, 295-309.
- Alam N, Shim MJ, Lee MW, Shin PG, Yoo YB, Lee TS .2009. Phylogenetic relationship in different commercial strains of *Pleurotus nebrodensis* based on ITS sequence and RAPD. *Mycobiology*, 37: 183-188
- AOAC. 2006. Official Methods of Analysis of The Association of Official Analytical Chemistry. Int: Washington D.C.
- Asep WP. 2010. *Kulit buah manggis dapat menjadi minuman instan kaya antioksidan*. *Warta Penelitian dan Pengembangan Pertanian* 32 (2): 5-7.
- Badan Pusat Statistik. 2014. *Produksi Buah-buahan menurut Provinsi 2014*. <http://www.bps.go.id>. (accesed on September 21, 2015)
- Blackwell, Deidre L.; Herald, Thomas; Bean, Scott R.; and Gadgil, Prini, "Alkaline extraction of phenolic compounds from intact sorghum kernels".2012. Publications from USDA-ARS / UNL Faculty. Paper 1094.
- Bruice, P.Y. 2004. *Organic Chemistry*. Upper Saddle River, NJ, Prentice Hall.

Buranov A.U., Mazza G. Lignins in straw of herbaceous crops (Review). *Ind. Crops Prod.* 2008. 28, 237-259.

Carey, FA. 2000. *Organic Chemistry*. New York, NY, McGraw-Hill College.

Chen, Y., Huang, B., Huang, M., & Cai, B. 2011. On the preparation and characterization of activated carbon from mangosteen shell. *Journal of the Taiwan Institute of Chemical Engineers*, 42, 837-842.

Colom, X., Carillo, F., Nogués, F., Garriga, P. 2003. Structural analysis of photodegraded wood by means of FTIR spectroscopy. *Polym. Degrad. Stab.* 80, 543–549.

Cuissinat, C., Navard, P. 2006a. Swelling and dissolution of cellulose. Part 1: Free floating cotton and wood fibers in N-methylmorpholine-N-oxide-water mixtures. *Macromol. Symp.* 244: 1–18.

Cuissinat C, Navard P. 2006b. Swelling and Dissolution of Cellulose Part II: Free Floating Cotton and Wood Fibres in NaOH–Water–Additives Systems. *Macromol. Symp.* 244: 19–30

Durot, N., Gaudard, F., Kurek, B. 2003. The unmasking of lignin structures in wheat straw by alkali. *Phytochemistry* 63, 617–623.

Deublin, D. and Steinhauser, A. 2008. *Biogas from waste and renewable resources*. WILEY-VCH Verlag GmbH & Co. KGaA, Weinheim.

- Devi, A. S., Latif, P. A., and Hin, T. Y. Y. 2009/2010. Preparation and characterization of activated carbon derived from mangosteen peel in treating benzene vapour. "Proceedings of Postgraduate Qolloquium First Semester 306-312.
- Ehrman, T., 1994. Standard Method for Determination of Total Solids in Biomass. National Renewable Energy Laboratory, Midwest, pp. 7.
- Ehrman, T., 1996. Determination of Acid-Soluble Lignin in Biomass. National Renewable Energy Laboratory, Midwest, pp. 7.
- Fengel, D., Wegener, G., 1984. Wood: Chemistry, Ultrastructure, Reactions. De Gruyter, Berlin
- Gümüškaya, E., and Mustafa, U. 2006. "Dependence of chemical and crystalline structure of alkali sulfite pulp on cooking temperature and time," *Carbohydr. Polym.* 65(4), 461-468.
- Hansen, T. L., Schmidt, J. E., Angelidaki, I., Marca, E., Jansen, J. I. C., Mosbæk, H., and Christensen, T. H. 2004. "Method for determination of methane potentials of solid.
- He, Y., Pang, Y., Liu, Y., Li, X., Wang, K., 2008. Physicochemical characterization of rice straw pretreated with sodium hydroxide in the solid state for enhancing biogas production. *Energy Fuels* 22, 2775–2781.
- Hendriks A.T.W.M., Zeeman, G., 2009. A Review : Pretreatments to enhance the digestibility of lignocellulosic biomass. *Bioresource Technology* 100,10–

Laureano-Perez, L., Teymouri, F., Alizadeh, H., and Dale, B. E. 2005. "Understanding factors that limit enzymatic hydrolysis of biomass". *Appl. Biochem. Biotechnol.* 121, 1081-1099

Li, Qin and Jian-Guo Xu. 2014. Effects of Extraction Solvents on Phytochemicals and Antibacterial Activities of *Garcinia mangostana* Pericarp. *Asian Journal of Agriculture and Food Science* 2(4) 289-295.

Marseno, Djagal Wiseso and Retno Indrati. 2009. A Simple and Sensitive Method for Determination of Sugar Content in Fruits and Culture Media During Fermentation. *Journal of Agritech* 29(4) 183-187.

Mirahmadi, Kambiz., Maryam Mohseni Kabir, Azam Jeihanipour, Keikhosro Karimi, and Mohammad J. Taherzadeh. 2010. Alkaline Pretreatment of Spruce and Birch to Improve Bioethanol and Biogas Production. *BioResource* 5(2), 928-938.

Modenbach, Alicia, "Sodium hydroxide pretreatment of corn stover and subsequent enzymatic hydrolysis: An investigation of yields, kinetic modeling and glucose recovery". 2013. *Theses and Dissertations--Biosystems and Agricultural Engineering*. Paper 17.

Nieves, Danay Carrillo, Keikoshro Karimi, and Ilona Sárvári Horváth. 2011. Improvement of Biogas Production from Oil Palm Empty Fruit Bunches (OPEFB). *Journal of Industrial Crop and Products* 24, 1097-1101.

- P.F.H. Harmsen, W.J.J. Huijgen, L.M. Bermudez Lopez. 2010. Literature Review of Physical and Chemical Pretreatment Processes for Lignocellulosic Biomass. Food & Biobased Research Wageningen.
- Pilajun R, Wanapat M. Effect of coconut oil and mangosteen peel supplementation on ruminal fermentation, microbial population, and microbial protein synthesis in swamp buffaloes. *Livest Sci.* 2011;141:148–154.
- Rebey IB, Bourgou S, Debez IBS, Karoui IJ, Sellami IH, Msaada K, Limam F, Marzouk B. 2012. Effects of extraction solvents and provenances on phenolic contents and antioxidant activities of cumin (*Cuminum cyminum* L.) seeds. *Food and Bioprocess Technology* 5: 2827–2836.
- Samuagam, Loshnie., Hock Eng Khoo, Gabriel A. Akowuah, Patrick N. Okechukwu, and Hip Seng Yim. 2014. HPLC Analysis o Antioxidant Compounds In Some Selected Tropical Fruits' Peel. *Innovative Romanian Food Biotechnology.* 14, 61-68
- Sanjaya, Adhitya Pitara. 2013. The Presence of Inhibitors in Rotten Tropical Fruits for Biogas Production. Master Thesis of Study Program of Food Science and Technology, Department of Food and Agricultural Product Technology, Faculty of Agricultural Technology, Universitas Gadjah Mada.
- Suchitra, K. ; Wanapat, M., 2008. Study on ruminal degradability of local plants by using nylon bag technique. *Livest. Res. Rural Dev.*, 20 (Suppl.)

- Taherzadeh, M. J and Karimi, K. 2008. Pretreatment of Lignocellulosic Waste to Improve Ethanol and Biogas Production: A Review. *International Journal of Molecular Sciences* 9 page: 1621-1651.
- Tarkow, H., and Feist, W. (1969). "A mechanism for improving the digestibility of lignocellulosic materials with dilute alkali and liquid ammonia," *Adv. Chem. Ser.* 95, 197-218.
- Templeton, D., Ehrman, T., 1995. Determination of Acid-Insoluble Lignin in Biomass. National Renewable Energy Laboratory, Midwest, pp. 13.
- Wanapat, M., Sundstøl, F., and Garmo, T. H. 1985. "A comparison of alkali treatment methods to improve the nutritive value of straw. I. Digestibility and metabolizability," *organic waste*," *Waste Manage.* 24, 393-400.
- Wittenauer, J., Falk, S., Schweiggert-Weisz, U., & Carle, R. 2012. Characterisation and quantification of xanthones from the aril and pericarp of mangosteens (*Garcinia mangostana* L.) and a mangosteen containing functional beverage by HPLC-DAD- MSn. *Food Chemistry*, 134, 445e452.
- Zadernowski, Ryszard, Sylwester Czaplicki, and Marian Naczka. 2009. Phenolic acid profiles of mangosteen fruits (*Garcinia mangostana*). *Food Chemistry*, 112, 685-689.
- Zhao, Y., Wang, Y., Zhu, J., Ragauskas, A., and Deng, Y. 2008. "Enhanced enzymatic hydrolysis of spruce by alkaline pretreatment at low temperature," *Biotechnol. Bioeng.* 99(6), 1320-1328.