

## REFERENCES

Giuffre G, Lodato G, Dardanoni G. Prevalence and risk factors of diabetic retinopathy in adult and elderly subjects: The Casteldaccia Eye Study. *Graefes Arch Clin Exp Ophthalmol*. 2004 Jul;242(7):535-40.

Raman R, Rani PK, Reddi Racheppalle S, Gnanamoorthy P, Uthra S, Kumaramanickavel G, et al. Prevalence of diabetic retinopathy in India: Sankara Nethralaya Diabetic Retinopathy Epidemiology and Molecular Genetics Study report 2. *Ophthalmology*. 2009 Feb;116(2):311-8.

Chen M, Muckersie E, Forrester JV, Xu H. Immune activation in retinal aging: a gene expression study. *Invest Ophthalmol Vis Sci*. 2010 Nov;51(11):5888-96.

Cheung N, Wong TY. Obesity and eye diseases. *Surv Ophthalmol*. 2007 Mar-Apr;52(2):180-95.

Anindita GM. Hipertensi Sebagai Faktor Risiko Retinopati Diabetik Pada Pasien Diabetes Melitus. Fakultas Kedokteran Universitas Sebelas Maret Surakarta. 2010.

Browning DJ. Diabetic Retinopathy. Evidence-based management. 2010.

Klein R, Knudtson MD, Lee KE, Gangnon R, Klein BE. The Wisconsin Epidemiologic Study of Diabetic Retinopathy: XXII the



UNIVERSITAS  
GADJAH MADA

**CHANGES IN SYSTEMIC RISK FACTORS OF DIABETIC RETINOPATHY WITHIN 2009 - 2014 IN RSUP  
DR. SARDJITO  
YOGYAKARTA**  
NIKO SANTOSO, Prof. dr. Suhardjo. SU. Sp.M (K) ; dr. Muhammad Bayu S. M.Epi  
Universitas Gadjah Mada, 2015 | Diunduh dari <http://etd.repository.ugm.ac.id/>

twenty-five-year progression of retinopathy in persons with type 1 diabetes. *Ophthalmology*. 2008 Nov;115(11):1859-68.

Zhang X, Saaddine JB, Chou CF, Cotch MF, Cheng YJ, Geiss LS, et al. Prevalence of diabetic retinopathy in the United States, 2005-2008. *JAMA*. 2010 Aug 11;304(6):649-56.

Krishnaiah S, Das T, Nirmalan PK, Shamanna BR, Nutheti R, Rao GN, et al. Risk factors for diabetic retinopathy: Findings from The Andhra Pradesh Eye Disease Study. *Clin Ophthalmol*. 2007 Dec;1(4):475-82.

Kim JH, Kwon HS, Park YM, Lee JH, Kim MS, Yoon KH, et al. Prevalence and associated factors of diabetic retinopathy in rural Korea: the Chungju metabolic disease cohort study. *J Korean Med Sci*. 2011 Aug;26(8):1068-73.

Du ZD, Hu LT, Zhao GQ, Ma Y, Zhou ZY, Jiang T. Epidemiological characteristics and risk factors of diabetic retinopathy in type 2 diabetes mellitus in Shandong Peninsula of China. *Int J Ophthalmol*. 2011;4(2):202-6.

Rema M, Premkumar S, Anitha B, Deepa R, Pradeepa R, Mohan V. Prevalence of diabetic retinopathy in urban India: the Chennai Urban Rural Epidemiology Study (CURES) eye study, I. *Invest Ophthalmol Vis Sci*. 2005 Jul;46(7):2328-33.

Yau JW, Rogers SL, Kawasaki R, Lamoureux EL, Kowalski JW, Bek T, et al. Global prevalence and major risk factors of diabetic retinopathy. *Diabetes Care*. 2012 Mar;35(3):556-64.

Cheung N, Mitchell P, Wong TY. Diabetic retinopathy. Lancet. 2010 Jul 10;376(9735):124-36.

Williams R, Airey M, Baxter H, Forrester J, Kennedy-Martin T, Girach A. Epidemiology of diabetic retinopathy and macular oedema: a systematic review. Eye (Lond). 2004 Oct;18(10):963-83.

Hosseini SM, Maracy MR, Amini M, Baradaran HR. A risk score development for diabetic retinopathy screening in Isfahan-Iran. J Res Med Sci. 2009 Mar;14(2):105-10.

Kempen JH, O'Colmain BJ, Leske MC, Haffner SM, Klein R, Moss SE, et al. The prevalence of diabetic retinopathy among adults in the United States. Arch Ophthalmol. 2004 Apr;122(4):552-63.

Masduki I, Agni AN & Hartono. Diabetic retinopathy diagnostic with ophthalmoscope by trained doctor. Berkala Ilmu Kedokteran. 2008 March:26-31.

Fatmasari, IA. Prevalensi dan beberapa factor risiko retinopati diabetika pada penderita diabetes mellitus tipe 2 rawat inap di RSUP DR. Sardjito. 2010, thesis.

Tarr JM, Kaul K, Wolanska K, Kohner EM, Chibber R. Retinopathy in diabetes. Adv Exp Med Biol. 2012;771:88-106.

Tapp RJ, Shaw JE, Harper CA, de Courten MP, Balkau B, McCarty DJ, et al. The prevalence of and factors associated with diabetic



UNIVERSITAS  
GADJAH MADA

**CHANGES IN SYSTEMIC RISK FACTORS OF DIABETIC RETINOPATHY WITHIN 2009 - 2014 IN RSUP  
DR. SARDJITO  
YOGYAKARTA**

NIKO SANTOSO, Prof. dr. Suhardjo. SU. Sp.M (K) ; dr. Muhammad Bayu S. M.Epi  
Universitas Gadjah Mada, 2015 | Diunduh dari <http://etd.repository.ugm.ac.id/>

retinopathy in the Australian population. Diabetes Care. 2003 Jun;26(6):1731-7.

Wong TY, Cheung N, Tay WT, Wang JJ, Aung T, Saw SM, et al. Prevalence and risk factors for diabetic retinopathy: the Singapore Malay Eye Study.

Ophthalmology. 2008 Nov;115(11):1869-75.

Wang FH, Liang YB, Zhang F, Wang JJ, Wei WB, Tao QS, et al. Prevalence of diabetic retinopathy in rural China: the Handan Eye Study. Ophthalmology. 2009 Mar;116(3):461-7.

Mohamed Q, Gillies MC, Wong TY. Management of diabetic retinopathy: a systematic review. JAMA. 2007 Aug 22;298(8):902-16.

Javadi MA, Katibeh M, Rafati N, Dehghan MH, Zayeri F, Yaseri M, et al. Prevalence of diabetic retinopathy in Tehran province: a population-based study. BMC Ophthalmol. 2009;9:12.

Wilardjo. Beberapa Faktor Resiko untuk Kejadian Retinopati Diabetika pada Penderita Diabetes Mellitus Tipe 2 di RSUP Dr. Kariadi Semarang. Jurnal MMI. 2000;35:2-3.

Kay, M. R., Carty, C. A. M., Taylor, H. R. Diabetic Retinopathy in Victoria, Australia: The Visual Impairment Project. Br J Ophthalmol 2000;84:865-870.