

DAFTAR PUSTAKA

- Akhter, M.S., Biswas, A., and Saxena, R., 2009. Role of endothelial nitric oxide synthase gene in vascular diseases. *Eastern J of Med.* 14: 46-50.
- Barber, P.A., Dorbi, D.G., Desmond, P.M., Gerraty, R.P., Yang, Q., Li, T., 1999. Identification of major ischemic change. Diffusion-weighted imaging versus computed tomography. *Stroke.* 30:2059-2065.
- British stroke association, <http://www.stroke.org.uk>, accessed in August 4. 2013.
- Casas, J.P., Gianpiero, L., and Cavalleri, G.L., 2002. Endothelial nitric oxide synthase gene polymorphisms and cardiovascular disease, *Circ.* 106(3):388-91.
- Chiewvit, P., Danchaivijitr, N., Nilanont, T., and Pongvarin, N., 2009. Computed Tomographic Finding in Non-traumatic Hemorrhagic Stroke. *J Med Assoc Thai*; 92(1): 73-86.
- Cohen, W and Waiman, L., 1992. Computed tomography of intracranial hemorrhage. *Neuroimaging Clin. N Am*; 2: 75-87.
- Copen, W.A., Rezai, G.L., Barak, E.R., Schwamm, L.H., Wu, O., and Kamalian, S., 2009. Existence of diffusion-perfusion mismatch within 24 hour after onset of acute stroke dependence on proximal arterial occlusion. *Radiology.* 250:878-886.
- Elbaz, A., Poirier, O., Moulin, T., Chedru, F., Cambien, F and Amarenco, P., 2000. Association between the Glu298Asp Polymorphism in the Endothelial Constitutive Nitric Oxide Synthase Gene and Brain Infarction. *Stroke.* 31; 1634-1639.
- Faraci, F.M., and Brian, J.E., 1994. Nitric oxide and the cerebral circulation. *Stroke*; 25: 692-703.
- Fatin, C., Sofi, F., Gensini, F., Sticchi, E., Lari, B., Pratesi, G., Dorigo, W., Pratesi, C., Gensini, GF., and Abbate, R., 2004. Influence of eNOS Gene Polymorphisms on Carotid Atherosclerosis. *Euro. J.Vasc. Surg.* 27(5):540-44.
- Gouhua, X., Hua, Y., Bhasin, R., Ennis, S.R., Keep, R.S, and Hoff, J.T., 2001. Mechanisms of Edema Formation After Intracerebral Hemorrhage. Effects of Extravasated Red Blood Cell on Blood Flow and Blood-Brain Barrier Integrity. *Stroke*; 32: 2932-2938.

- Gupta, M., Verma, R., Parihal, H., Garg, R.K., Singh, M.K., and Malhotra, H.S., 2014. Perifokal edema as predictor of outcome in spontaneous intracerebral hemorrhage. *J Neurosci Rural Pract*; 5:48-58.
- Hassan, A., Gormley K., Sullivan, M., Knight, J., Sham, P., Psych., Vallanc., and Markus., 2004. Endothelial Nitric Oxide Gene Haplotypes and Risk of Cerebral Small-Vessel Disease. *Stroke*; 35: 654-659.
- Jichici, D., and Lutsep, H.L., Anterior Circulation Stroke. Emedicine. Medscape.com/article/1159900-overview, Accessed in November 16. 2015.
- Jung, S.W., Lee, C.H., and Yim, M.B., 2012. The Relationship between Subarachnoid Hemorrhage Volume and Development of Cerebral Vasospasm. *J Cerebro Endov Neurosurg*; 14(3):186-191.
- Josi, M.S., Mineo, C., and Shaul, P.W., 2007. Biochemical consequences of the NOS3 Glu298Asp variation in human endothelium: altered caveolar localization and impaired response to shear. *FASEB J.* 21; 2655-63.
- Kahle, K.T., Simart, J.M., Staley, K.J., Nahed, B.V., Jones, P.S., and Sun, D., 2009. Molecular mechanisms of ischemic Cerebral edema: Role of Electroneural ion transport. *Int. Union Physiol Sci.* 1546-9213.
- Kanekar, S.G., Zacharia, T., and Roller, R., 2012. Imaging of stroke: Part 2, Pathophysiology at the Molecular and Cellular Level and Corresponding Imaging Changes. *AJR*; 6375-6383.
- Kim, T.G., Kim, N.K., and Baek, M.J., 2011. The relationships between endothelial nitric oxide synthase polymorphisms and the formation of intracranial aneurisms in the Korea population. *Neurosurg Focus*; 30 (6): 1-6.
- Kemenkes, 2013. Riset Kesehatan Dasar (Riskesdas), Laporan Nasional Badan Penelitian dan Pengembangan Kesehatan Departemen Kesehatan Republik Indonesia.
- Khatibi, F.K., Yaghoubi, A.R., Rabbani, M., and Ghojzadeh, M., 2012. Association between T-786C polymorphism of endothelial nitric oxide synthase gene and level of the vessel dilation factor in patients with coronary artery disease. *Mol Biol Res Commun.* 1:1-7.
- Kochanowicz, J., Lyson, T., and Lewszuk, A., 2012. The incidence vasospasm after intracerebral hemorrhage. *Prog Health Sci* ; 2(2):70-4.

- Kollmar, R., Staykov, D., and Schellinger, P.D., Schwab, S., Dorfler, A., Bardutzky, Y., 2010. Hypothermia Reduces Perihemorrhagic Edema After Intracerebral Hemorrhage. *Stroke*. 41:1684-1689.
- Lale, A., and Guler, O., 2004. NO Level and Endothelial NO synthase Gene Polymorphism (Glu298Asp) in the Patients with Coronary Artery Disease from the Turkish Population. *Acta Biochem Biophys*; 36(10):661-666.
- Ladner, T.R., Zuckerman, S.L., and Mocco, J., 2013. Genetics of Cerebral Vasospasm. A review article. *Neurology Research International*. Hindawi Publishing Corporation.
- Latchaw, R.E., Alberts, M.D., Lev, M.H., Connors, J.J., Harbaugh, R.E., Higashida, R.T., Kidwell, C.S., Koroshetz, W.J., Mathews, V., Villablanca, P., Warach, S., Walters, B., 2009. Recommendations for Imaging of Acute Ischemic Stroke a scientific statement from the American Heart Association. *Stroke*. 40: 3646-3678.
- Li, J., Cun, W., Tang, W.R., Li, S.N., Ouyang, H.R., Wu, Y.R., Yu, H.J., and Xiao C.J., 2011. Association of eNOS gene Polymorphisms with essential hypertension in the Han population in southwestern China. *Genet. Mol. Res.* 10(3): 2202-2211.
- Li, N., Worthman, H., Deb, M., Chen, S., and Wessenborn, K., 2011. Nitric oxide (NO) and asymmetrical dimethylarginine (ADMA): their pathophysiological role and involvement in intracerebral hemorrhage. *Neuro res*; 33(5): 541-548.
- Linfante, I., Llinas, R.H., Caplan, L.R., and Warach, S., 1999. MRI Features of Intracerebral Hemorrhage Within 2 Hours From Symptom Onset. *Stroke*; 30: 2263-2267.
- Magistris, F., Bazak, S., and Martin, J., 2013. Intracerebral Hemorrhage: Pathophysiology, Diagnosis and Management. *MUMJ*, 15-23.
- Maurer, M.H., Haux, D., and Sakowitz, O.W., 2007. Identification of early marker for symptomatic vasospasm in human cerebral microdialysate after subarachnoid hemorrhage: Preliminary result of a proteome-wide screening. *Journal of Cerebral Blood Flow and Metab*, 27: 1675-1683.
- Min, W.K., Park, K.K., Kim, Y.S., Park, H.C., and Kim, J.Y., 2000. Atherothrombotic Middle Cerebral Artery Territory Infarction . Topographic Diversity With Common Occurrence of Concomitant Small Cortical and Subcortical Infarcts. *Stroke*; 31:2055-2061.

- Nakayama, M., Yasue, H., Yoshimura, M., Shimasaki, Y., Kugiyama, K., Ogawa, H., Motoyama, T., Saito, Y., Ogawa, Y., Miyamoto, Y., and Nakao, K., 1999. T→786C mutation in the 5'-flanking region of the endothelial nitric oxide synthase gene is associated with coronary spasm. *Circulation*. 99: 2864-2870.
- Nakayama, M., Yasue, H., Yoshimura, M., Shimasaki, Y., and Ogawa, H., 2000. T-786C mutation in the 5'-flanking region of the endothelial nitric oxide synthase gene is associated with myocardial infarction, especially without coronary organic stenosis. *Am. J. Cardiol*. 86(6):628-634.
- NCBI, GeneBank, <http://www.ncbi.nlm.nih.gov>, Accessed in June 5. 2014.
- Nerissa, U., Rajendran, P.; Kim, H; Rutkowski, M ; Pawlikowska, L and Kwok, P.Y. 2008. Endothelial Nitric Oxide Synthase Polymorphism (-786T→C) and Increased Risk of Angiographic Vasospasm After Aneurysmal Subarachnoid Hemorrhage. *Stroke*. 39:1103-1108.
- Patel, S.C., Levine, S.R., Tilley, B.C., Grotta, J.C., Lu, M., and Frankel, M., 2001. Lack of clinical significance of early ischemic change on computed tomography in acute stroke. *JAMA*. 286: 2830-2838.
- Qureshi, A.I., Tuhim, S., and Broderick, J.P., 2001. Spontaneous intracerebral hemorrhage. *N Engl J Med*; 344: 1451-59.
- Rasyid, P.A., Whitehurst, A., Lawon, N and Bath, P.M., 2003. Plasma nitric oxide (nitrite/nitrate) level in acute stroke and their relationship with severity and outcome. *J stroke Cerebrovasc Dis*. 82-87.
- Sastroasmoro, S and Ismail, S., 2014. Dasar-dasar metodologi penelitian klinis. Jakarta. Sagung Seto.
- Shankarisan, P., Borah, PK., Ahmed, G., and Mahanta, J. 2014. Endothelial Nitric Oxide Synthase Gene Polymorphisms and the Risk of Hypertension in Indian Population. *Biomed Res, Int*.
- SNP500, 2015. <http://www.Gps.nci.nih.gov/cqfseq/pages/sequenceSubmit.do>
- Song, M.K, Kim, M.K., and Kim, T.S., 2006. Endothelial Nitric Oxide Gene T-786C Polymorphism and Subarachnoid hemorrhage in Korean population. *J. Korean Med Sci*. 21:922-6.
- Sulastri, D., and Liputo, N.I., 2011. Konsumsi Antioksidan dan Ekspresi Gen eNOS3 Alel-786T>C pada Penderita Hipertensi Etnik Minangkabau. *MKB*; 43(1):1-9.
- Sutrisno, A., 2007. Stroke, you must know before you get it. *Gramedia*; p:21-22.

- Terpolilli, N.A., Kim, S.W., Thal, S.C., Kataoka, H., Zeisig, Nitzsche, S.B., Klaesner, B., Zhu, C., Schwarzmaier, S., Meissner, L., Mamrak, U., Engel, D.C., Drzezga, A., Patel, R., Blomgren, K., Barthel, H., Boltze, J., Kuebler, W.M. and, Nikolaus P., 2012. Inhalation of Nitric Oxide Prevents Ischemic Brain Damage in Experimental Stroke by Selective Dilatation of Collateral Arterioles. *Circulation Research*. 110: 727-738.
- Thuillez, G., and Richard, V., 2005. Targetting endothelial dysfunction in hypertensive subjects. *Jhh*; 19:521-525.
- Tong, E., Hou, Q., Fiebach, J.B., and Wintermark, M., 2014. The role of imaging in acute stroke. *Neurosurg Focus*, 36:1-17.
- WHO, 2004. The atlas of heart disease and stroke section 15: Global burden of stroke. http://www.who.int/cardiovascular_diseases/en/cvd_atlas_15_burden_stroke.pdf. Mackay, J and Mensach, (diakses 08/09/13).
- Volbers, B., Staykov, D., Wagner, I., Dörfler, A., Saake, M., Schwab, S., and Bardutzky, J., 2011 Semi-automatic volumetric assessment of perihemorrhagic edema with computed tomography. *Europ J Neurol*, 18:1325-1326.
- Von Kummer, R., Bourquain, H., Bastianello, S., Bozzao, L., Manelfe, C., Meier, D., 2001. Early detection of irreversible brain damage after ischemic stroke at CT. *Radiology*. 219:95-100.
- Wagner, I., Volbers, B., Hilz, M.J., Schwab, S., Doerfler, A and Staykov, D., 2011. Radioopacity of intracerebral hemorrhage correlates with perihemorrhagic edema. *Eur J Neurol*; 525-528.
- Wagner, K.R., Xi, G., and Hua, Y., 1996. Lobar intracerebral hemorrhage model in pigs: rapid edema development in perifokalal white matter. *Stroke*; 27:490-497.
- Zazulia, A.R., Diringier, M.N., Derdeyn, C.P., and Powers, W.J., 1999. Progression mass effect after intracerebral hemorrhage. *Stroke*; 30:1167-1173.