

DAFTAR PUSTAKA

- Anonimous. 2004. *Keputusan Menteri Negara Lingkungan Hidup, Nomor: 51 Tahun 2004*, Tanggal:8 April 2004. http://www.ppk-kp3k.kkp.go.id/ver2/media/download/RE_keputusan-menteri-negara-lingkungan-hidup-nomor-51-tahun-2004_20141008143942.pdf. Diakses pada 12 Pebruari 2015.
- Anonimous. 2014. Google Earth. Diakses pada 25 September 2015.
- Anonimous. 2005. *Standard methods. For the contamination water & wastewater. 21st edition*. Wasington, DC.
- Anonimous. 2005. *Appendix E Chlorophyll-a Standard Operating*. <http://www.www.twca.org>downloads>report>, Diakses pada 17 Juni 2015.
- Anonimous. 2006. *Ammonia Nitrogen.com*. w.hach.com/assetget.download.jsa?id=7639982686. Diakses tanggal 10 Agustus 2015
- Anonimous. 2013. *Otohime & Otohime Hirame*. Product Lineup. <http://www.mn-feed.com/english/business/otohime.pdf>. Diakses pada 5 Oktober 2015.
- Anonimous. 2014. *Filter Kolam Koi*. <http://centralkoi.com/kolam-koi/filter-kolam-koi.html>. Diakses tanggal 5 Oktober 2015.
- Anonimous. 2014. *Comparative study of tissue deposition of omega-3 fatty acids from polar-lipid rich oil of the microalgae Nannochloropsis oculata with krill oil in rats*. <http://www.pharmaseedltd.com/wp-content/uploads/fatty-acid-study-comparison.pdf>, Diakses pada 27 Januari 2015.
- Anonimous. ?. *Nannochloropsis oculata*, <http://chloroplast.ocean.washington.edu/organisms/nannochloropsis>, Diakses pada 27 Januari 2015.
- Allison S.M & J.I. Prosser. 1993. Ammonia oxidation at low ph by attached populations of nitrifying bacteria. *Soil Biol. Biochem.* 25 (7): 935-941.
- Anderson D.M., J. M. Burkholder., W.P. Cochlan., P. M. Glibert.,C. J. Gobler., C. A. Heil.,R. M. Kudela. M. L. Parsons., J. E. J. Rensel., D.W. Townsend.,V. L. Trainer & G. A. Vargo. 2008. Harmful algal blooms and eutrophication: Examining linkages from selected coastal regions of the United States. *Harmful Algae*. 8: 39–53.
- Anthoni J. F. 2006. *The chemical composition of seawater*. <http://www.seafriends.org.nz/oceano/seawater.htm#composition>. Diakses pada 9 oktober 2014.
- Azevedo P.A., C.L.Podemski., R.H.Hesselein., S.E.M. Kasian., D.L. Findlay & D.P. Bureau. 2011. Estimation of waste outputs by a rainbow trout cage farm using a nutritional approach and monitoring of lake water quality. *Aquaculture*. 311: 175-178.
- Banu J.R., Do K-U & Yeom I-T. 2008. Effect of ferrous sulphate on nitrification during simultaneous phosphorus removal from domestic wastewater using a laboratory scale anoxic/oxic reactor. *World Journal Microbiology Biotechnology* Vol 24: 2981–2986.

- Bauman A.G., J.A. Burt., D. A. Feary., E. Marquis., & P. Usseglio. 2010. Tropical harmful algal blooms: An emerging threat to coral reef communities. *Marine Pollution Bulletin*. 60: 2117–2122.
- Becker E.W. 1995. *Microalgae: Biotechnology and microbiology*.Cambridge University Press. ISBN: 0 521 35020 4 hardback.
- Beristain B. T., M. Verdegem, E. Kerepeczki, J. Verreth. 2006. Decomposition of high protein aquaculture feed under variable oxic conditions. *Water Research*.40: 1341 – 1350.
- Biao X., D. Zhuhong., & W. Xiaorong. 2004. Impact of the intensive shrimp farming on the water quality of the adjacent coastal creeks from Eastern China. *Marine Pollution Bulletin*. 48: 543–553.
- Bjornsson W.J., R. W. Nicol.,K.E. Dickinson., & P.J. McGinn. 2013. Anaerobic digestates are useful nutrient sources for microalgae cultivation: functional coupling of energy and biomass production. *J Appl Phycol* . 25: 1523–1528.
- Boopathy R., C. Bonvillain., Q. Fontenot., & M. Kilgen. 2007. Biological treatment of low-salinity shrimp aquaculture wastewater using sequencing batch reactor. *International Biodeterioration & Biodegradation*. 59: 16-19.
- Boyd C. E. 1979. *Water Quality in warm fish pond*. Craftmaster Printers.Inc. Alabama.
- Boyd C. E. 2003. Guidelines for aquaculture effluent management at the farm-level. *Aquaculture*. 226: 101– 112.
- Brown S., Eddi S & Plaud S. 2011. Utilization of waste from a marine recirculating fish culture system as a feed source for the polychaete worm, *Nereis virens*. *Aquaculture* 322-323: 177-183.
- Carmona R., G.P. Kraemer., & C. Yarish. 2006. Exploring Northeast American and Asian species of *Porphyra* for use in an integrated finfish–algal aquaculture system. *Aquaculture*. 252: 54–65.
- Chen M.,H. Tang., H. Ma., T.C. Holland., K.Y.S. Ng., & S.O. Salley. 2011. Effect of nutrients on growth and lipid accumulation in the green algae *Dunaliella tertiolecta*. *Bioresource Technology*. 102: 1649–1655.
- Crab R., Y. Avnimelech., T. Defoirdt., P. Bossier & W. Verstraete. 2007. Nitrogen removal techniques in aquaculture for a sustainable production. *Aquaculture*. 270: 1-14.
- Daniells S. 2015. *Texas Storms disruptQualitas algal Production: "It's a setback but we're still in a unique position, 'Says CEO*.<http://www.nutraingredients-usa.com>. Diakses tanggal 5 Oktober 2015
- Eriksson P.G. 2001. Interaction effects of flow velocity and oxygen metabolism on nitrification and denitrification in biofilms on submersed macrophytes. *Biogeochemistry* Vol 55: 29–44).
- Fulweiler R. W., & Emery H. E., Heiss E. M. & Berounsky V. M. 2011. Assessing the Role of pH in Determining Water Column Nitrification Rates in a Coastal System. *Estuaries and Coasts* Vol 34:1095–1102.)

- Giri N.A., K. Suwiryana., M. Marzuki & S.L.Sagala. 2006. Kebutuhan Asam Amino Arginin Untuk Pertumbuhan Benih Ikan Kerapu Bebek (*Cromileptes altivelis*). *Aquacultura Indonesiana*. 7 (2) : 93–100
- Gross. M. G., 1993. Oceanography, A View of Earth. Sixth Edition. Prentice Hall, Englewood Cliffs, New Jersey 07632. ISBN. 0 -13 - 6307160 -7.
- Hayashi L., N. S. Yokoya., S. Ostini., R.T.L. Pereira., E. S. Braga & E. C. Oliveira. 2008. Nutrients removed by *Kappaphycus alvarezii* (Rhodophyta, Solieriaceae) in integrated cultivation with fishes in re-circulating water. *Aquaculture*. 277: 185–191.
- Heisler J., P.M Glibert., J.M Burkholder., D.M Anderson., W. Cochlan., W.C. Dennison., Q . Dortch., C.J Gobler., C.A Heil., E. Humphries., A. Lewitus., R. Magnien., H.G Marshall., K. Sellner., D.A Stockwell., D.K Stoecker & M. Suddleson. 2008. Eutrophication and harmful algal blooms: *A scientific consensus*. *Harmful Alga*. 8: 3-13.
- Huang X., Z. Huang ., W. Wen & J. Yan. 2013. Effects of nitrogen supplementation of the culture medium on the growth, total lipid content and fatty acid profiles of three microalgae (*Tetraselmis subcordiformis*, *Nannochloropsis oculata* and *Pavlova viridis*). *J Appl Phycol*. 25:129–137.
- Islam S. Md. 2005. Nitrogen and phosphorus budget in coastal and marine cage aquaculture and impacts of effluent loading on ecosystem: review and analysis towards model development. *Marine Pollution Bulletin*. 50 : 48–61.
- Kim J. H., X. Guo & H.S. Park. 2008. Comparison study of the effects of temperature and free ammonia concentration on nitrification and nitrite accumulation. *Process Biochemistry*. 43:154–160.
- Krebs J. C., *The Ecological World View*. CSIRO. ISBN. 978-0-520-25479-4. <https://books.google.co.id/books?id=HFUDeyO3XB4C&printsec=frontcover#v=onepage&q&f=false>. Diakses tanggal 7 Agustus 2015.
- Kruger G. 2010. *Liebig's Law for optimum plant growth*. <http://www.agriculture.gov.sk.ca/oct2010-pg8>. Diakses tanggal 7 Agustus 2015.
- Lefebvre S., I. Proberta., C Lefranc & J. Hussenot. 2004. Outdoor phytoplankton continuous culture in a marine fish-phytoplankton-bivalve integrated system: combined effects of dilution rate and ambient conditions on growth rate, biomass and nutrient cycling. *Aquaculture*. 240 : 211 – 231.
- Lekang O. I. 2007. *Aquaculture Engineering*. Oxford. Blackwell Publishing Ltd.
- Lin Y-M., Tay T-J, Liu Y, & Hung Y-T. ?. *Handbook of Environmental Engineering, Volume 8: Biological Treatment Processes*. Totowa.)
- Liu F., & W. Han. 2004. Reuse strategy of wastewater in prawn nursery by microbial remediation. *Aquaculture*. 230:281–296.

- Loya Y., H. Lubinevsky., M. Rosenfeld., & E. K. Winter. 2004. Nutrient enrichment caused by in situ fish farms at Eilat, Red Sea is detrimental to coral reproduction. *Marine Pollution Bulletin*. 49: 344–353.
- Lupatsch.I & G.W. Kissil., 2005. Feed formulations based on energy and protein demands in white grouper (*Epinephelus aeneus*). *Aquaculture*. 248: 83–95.
- Marzuki. M & D.N. Anjusari. 2013. Kecernaan nutrisi pakan dengan kadar protein dan lemak berbeda pada juvenil ikan kerapu pasir (*Epinephelus corallicolus*). *Jurnal Ilmu dan Teknologi Kelautan Tropis*. 5 (2): 311-323.
- Melianawati R & Suwirya K. 2010. Optimasi Tingkat Pemberian Pakan Terhadap Benih Kerapu Sunu (*Plectropomus leopardus*). Prosiding Forum Inovasi dan Teknologi. 659-665.
- Min M., L. Wang., Y. Li., M.J. Mohr., B. Hu.,W. Zhou., P. Chen., & R. Ruan. 2011. Cultivating Chlorella sp. in a Pilot-Scale Photobioreactor Using Centrate Wastewater for Microalgae Biomass Production and Wastewater Nutrient Removal. *Applied Biochemistry Biotechnology*. 165:123–137.
- Mischke .C.C. 2010. *Aquaculture Pond Fertilization: Impacts of Nutrient Input on Production*. Aptara ® Inc. New Delhi.
- Nava M.A.F., J.P. Blancheton., G. Deviller., A. Charrier., & J.Y. Le-Gall. 2014. Effect of fish size and hydraulic regime on particulate organic matter dynamics in a recirculating aquaculture system: elemental carbon and nitrogen approach, *Aquaculture*. 239 : 179–198.
- New M. B. 1987. *Compound Feeds For Shrimp And Fish In Aquaculture : Manual*. FAO and UNEP. Roma.
- Nhan D. K., A. Milstein., M. C.J. Verdegem & J. A.V. Verreth. 2006. Food inputs, water quality and nutrient accumulation in integrated pond systems: A multivariate approach. *Aquaculture*. 261: 160-173.
- Osuna F. P., A. P. Gimete., M.J. O. Izaguirre., A.C. R. Fernández.,G. R..Reséndiz ., & R. A. Rodríguez., 2013, Dominance patterns in macroalgal and phytoplankton biomass under different nutrient loads in subtropical coastal lagoons of the SE Gulf of California. *Marine Pollution Bulletin*. 77: 274–281.
- Pen M.R., J. J Pauer & J. R. Mikheic. Biochemical Oxygen Demand. <http://www.eolss.net/Sample-Chapters/C06/E6-13-04-03.pdf>. Diakses tanggal 3 Pebruari 2015.
- Pillay T.V.R. 2004. *Aquaculture and the environment- 2nd ed*. Blackwell Publishing Ltd. Oxford.
- Pulatsu S., Akcora A. & Koksai F.T. 2003. Sediment and water phosphorus characteristics in a pond of spring origin, Sakaryabasi springs basin, Turkey. *Wetlands*, Vol. 23, No. 1: 200–204.

- Rakocy J. E., Masser M.P& Lasordo T.M. 2006. Recirculating aquaculture tank production systems: aquaponics—integrating fish and plant culture. *SRAC Publication*. No. 454.
- Ray A. J., G. Seaborn., J.W. Leffler., S. B. Wilde., A. Lawson & C.L. Browdy. 2010. Characterization of microbial communities in minimal-exchange, intensive aquaculture systems and the effects of suspended solids management. *Aquaculture*. 310: 130–138.
- Rysgaard S., Thastum P., Dalsgaard T., Christensen P. B & Sloth N.P. 1999. Effects of salinity on NH_4^+ adsorption capacity, nitrification, and denitrification in Danish estuarine sediment. *Estuaries*. Vol.22. No. 1. 21-30.
- Tallec G., Garnier J., Gousailles M. 2006. Nitrogen removal in a wastewater treatment plant through biofilters: nitrous oxide emissions during nitrification and denitrification. *Bioprocess Biosystem Engineering* Vol. 29:323 -333.
- van Rijn J., 2013, Waste treatment in recirculating aquaculture systems, *Aquacultural Engineering*. 53: 49-56.
- Tovar A., C. Moreno., M. P. Manuel-Vez, & M. G.Vargas. 2000. Environmental Implications of Intensive Marine Aquaculture in Earthen Ponds. *Marine Pollution Bulletin*. 40: 981-988.
- Sindermann C. J. 2006. *Coastal pollution: effects on living resources and humans*. Boca Raton. CRC Press.
- Vairappan C. S., & A. M. Yen. 2008. Palm oil mill effluent (POME) cultured marine microalgae as supplementary diet for rotifer culture. *J Appl Phycol*. 20:603–608.
- Williams K.C. 2009. A review of feeding practices and nutritional requirements of postlarval groupers. *Aquaculture*. 292:141-152.
- Wik T.E.I., B.T. Lindén., & P. I. Wramner. 2009. Integrated dynamic aquaculture and wastewater treatment modelling for recirculating aquaculture systems. *Aquaculture*. 287:361-367.
- Wulandari S.Y., B. Yulianto., G. W. Santosa & K Suwartimah. 2009. Kandungan Logam Berat Hg dan Cd dalam Air, Sedimen dan Kerang Darah (*Anadara granosa*) dengan Menggunakan Metode Analisis Pengaktifan Neutron (APN). *Ilmu Kelautan*. 14 (3): 170-175.
- Wurts W.A & Durborow R.M. 1992. Interactions of pH, Carbon Dioxide, Alkalinity and Hardness in Fish Ponds. *SRAC Publication* No. 464. Kentucky State University.
- Xu Z.,X. Lin., Q. Lin., Y.Yang & Y. Wang. 2007. Nitrogen, phosphorus, and energy waste outputs of four marine cage-cultured fish fed with trash fish. *Aquaculture*. 263: 130–141.
- Yeo S.T., F. P. Binkowski & J.E. Morris. 2004. Aquaculture effluent by products: Characteristics, potential recovery, and beneficial reuse. Ames. NCRAC Publication office.

Zhou W., B. Hu., Y. Li., M; N. Min.,M Mohr., Z Du., P. Chen & R. Ruan. 2012. Mass cultivation of microalgae on animal wastewater: a sequential two-stage cultivation process for energy crop and omega-3-rich animal feed production. *Applied Biochemistry Biotechnology*. . 168:348–363.