



LITERATURE CITED

- Abouheif, E., Zardoya, R. & A. Meyer. 1998. Limitations of Metazoan 18S rRNA Sequence Data: Implications for Reconstructing a Phylogeny of the Animal Kingdom and Inferring the Reality of the Cambrian Explosion. *Journal of Molecular Evolution*. 47: 394-405.
- Ambika, B. & Abraham, C.C. 1979. Bioecology of *Helopeltis antonii* Sign. (Miridae: Hemiptera) infesting cashew trees. *Entomon*, 4:335-342.
- Andersson, L. 1990. The driving force: species concepts and ecology. *Taxon*. 39: 375-382.
- Asokan, R., Rebijith, K. B., Srikumar, K. K., Bhat, P. S. & V. V. Ramamurthy. 2012. Molecular identification and diversity of *Helopeltis antonii* and *Helopeltis theivora* (Hemiptera: Miridae) in India. *Florida Entomologist*. 95: 350-358.
- Atkinson, E. T. 1890. Rhynchota. Notes on Indian Economic Entomology I: 175-190.
- Atmaja, W. R. 2003. Status *Helopeltis antonii* sebagai hama pada beberapa tanaman perkebunan dan pengendaliannya. *Jurnal Penelitian Pengembangan Pertanian*. 22: 57-63.
- Atmaja, W. R. 2012. Pengendalian *Helopeltis* secara terpadu pada tanaman perkebunan. Unit Penerbitan dan Publikasi Balai Penelitian Tanaman Rempah dan Obat. Bogor.
- Avise, J.C. & R.M. Ball Jr. 1990. Principles of genealogical concordance in species concepts and biological taxonomy. *In*: D. Futuyma & J. Antonovics. *Oxford Surveys in Evolutionary Biology*. Oxford University Press. Oxford. 45-67.
- Basnagala, S., Wijesekara, G. A. W. & H. N. P. Wijayagunasekara. 2002. Review of the subfamily Bryocorinae (Heteroptera: Miridae) of Sri Lanka. *Tropical Agricultural Research*. 14: 154-164.
- Baum, D.A. & K.L. Shaw. 1995. Genealogical perspectives on the species problem. *In*: P.C. Hoch, A.G. Stephenson (Eds.). *Experimental and Molecular Approaches to Plant Biosystematics*. Monographs in Systematic Botany from the Missouri Botanical Garden. 53: 289-303.
- Bergmann, T., Hadrys, H., Breves, G. & B. Schierwater. 2009. Character-based DNA barcoding: a superior tool for species classification. *Berliner und Münchener Tierärztliche Wochenschrift*. 122: 446-450.
- Bergroth, E. 1889. Notes on two Capsidae attacking cinchona plantation in Sikkim. *Entomologist's Monthly Magazine*. 25: 271-272.
- Bergsten, J., Bilton, D. T., Fujisawa, T., Elliott, M., Monaghan, M. T., Balke, M., Hendrich, L., Geijer, J., Herrmann, J., Foster, G. N., Ribera, I., Nilsson, A. N., Barraclough, T. G. & A. P. Vogler. 2012. The effect of geographical scale of sampling on DNA barcoding. *Systematic Biology*. 61: 1-19.
- Betrem, J. G. 1953. Het optreden van plaatselijke rassen bij *Helopeltis antonii* Sign. op Java. *Tijdschrift over Plantenziekten*. 59: 174-177.



- Bruns, T. D., White, T. J & J. W. Taylor. 1991. Fungal molecular systematics. Annual Review of Ecology & Systematics. 22: 525-564.
- Burns, J. M., Janzen, D. H., Hajibabaei, M., Hallwachs, W., & P. D. N. Hebert. 2008. DNA barcodes and cryptic species of skipper butterflies in the genus *Perichares* in Area de Conservacio´n Guanacaste, Costa Rica. PNAS. 155: 6350–6355.
- Campbell, B. C., Ross, G. F. & T. E. Woodward. 1995. Paraphyly of Homoptera and Auchenorrhyncha inferred from 18S rDNA nucleotide sequence. Systematic Entomology. 20: 175–194.
- Carvalho, J. C. M. 1952. On the major classification of the Miridae (Hemiptera). (With keys to subfamilies and a catalogue of the world genera). Anais da Academia Brasileira de Ciˆncias. 24: 31-110.
- Carvalho, J. C. M. 1957. Catalogue of the Miridae of the world. Part I. Subfamilies Cylapinae, Deraeocorinae and Bryocorinae. Arquivos do Museu Nacional, Rio de Janeiro. 44: 1.
- Carvalho, J. C. M. 1976. Mirideos neotropicais. CC: Revisao de genero *Horcias* Distant, com descricoes de especies novas (Hemiptera). Review of Brazilian Biology. 36: 429-572.
- Cox, A. J. & P. D. N. Hebert. 2001. Colonization, extinction and phylogeographic patterning in a freshwater crustacean. Molecular Ecology. 10: 371–386.
- Cracraft, J. 1983. Species concepts and speciation analysis. Vol. 1. Plenum Press. New York. 159-187.
- Cronquist, A. 1978. Once again, what is a species? *In*: L. V. Knutson (Ed.). BioSystematics in Agriculture. Allenheld Osmun. New Jersey. 3-20.
- Cullings, K. W. 1994. Molecular phylogeny of the monotropeidae (Ericaceae) with a note on the placement of Pyroloidae. Journal Evolutionary Biology. 7: 501-516.
- Cullings, K. W. & D. R. Vogler. 1998. A 5.8S nuclear ribosomal RNA gene sequence database: applications to ecology and evolution. Molecular Ecology. 7: 919-923.
- Damgaard, J., Andersen, N. M. & R. Meier. 2005. Combining molecular and morphological analyses of water strider phylogeny (Hemiptera-Heteroptera, Gerromorpha): effects of alignment and taxon sampling. Systematic Entomology. 30: 289–309.
- Damm, S., Schierwater, B. & H. Hadrys. 2010. An integrative approach to species discovery in odonates: from character-based DNA barcoding to ecology. Molecular Ecology. 19: 3881-3893.
- Dayrat, B. 2005. Towards integrative taxonomy. Biological Journal of the Linnean Society. 85: 407–415.
- Davis, J. I. & Nixon, K. C. 1992. Populations, genetic variation, and the delimitation of phylogenetic species. Systematic Biology. 41: 421–435.



- de Queiroz, K. 2005. A unified concept of species and its consequences for the future of taxonomy. *Proceedings of the California Academy of Sciences*. 56: 196–215.
- de Queiroz, K. 2007. Species concepts and species delimitation.
- DeSalle, R., Egan, M. G. & M. Siddall. 2005. The unholy trinity: taxonomy, species delimitation and DNA barcoding. *Philosophical Transactions of the Royal Society B*. 360: 1905–1916.
- DeSalle, R. 2006. What's in a character? *Journal Biomedical Information*. 39: 6–17.
- De Silva, M. D. 1957. A new species of *Helopeltis* (Hemiptera-Heteroptera, Miridae) found in Ceylon. *Bulletin of Entomological Research*. 48: 459-461.
- Devasahayam, S. & C.P.R. Nair. 1986. The tea mosquito bug *Helopeltis antonii* Signoret on cashew in India. *Journal of Plantation Crops*. 14:1-10.
- Distant, W.L. 1903. Report on Rhynchota. Part I. Heteroptera. *Fasciculi Malayenses. Zoology*. Part II. 1903. 219-274.
- Distant, W. L. 1904. The fauna of British India, including Ceylon and Burma. Rhynchota. Vol. II (Heteroptera). Taylor & Francis. London.
- Djamin, A. 1980. Strategi pengendalian hama coklat. *Kumpulan Makalah Konferensi Coklat Nasional, Medan*. 16-18 September 1980. 1:44-45.
- Dobzhansky, T. 1950. Mendelian populations and their evolution. *American Naturalist* 84: 401–418.
- Doolittle, W. F. 1996. At the core of the archaea. *Proceedings of the National Academy of Sciences of the United States of America*. 93: 8797-8799.
- Du Rietz, G.E. 1930. The fundamental units of biological taxonomy. *Svensk Botanisk Tidskrift*. 24: 333-428.
- FAO. 2007. Overview of forest pests Indonesia. *Forest Health & Biosecurity Working Papers*. Rome. Italy. 18p.
- Fitzhugh, K. 2013. Defining 'species,' 'biodiversity,' and 'conservation' by their transitive relation. *In: I.Y. Pavlinov (Ed.). The Species Problem- OnGoing Issue*. Intech. Janeza Trdine. Croatia. 93-130.
- Folmer, O., Black, M., Hoeh, W., Lutz, R. & R. Vrijenhoek. 1994. DNA primers for amplification of mitochondrial cytochrome c oxidase subunit I from diverse metazoan invertebrates. *Molecular Marine Biology and Biotechnology*. 3: 294-299.
- Fox, G. E., Stackebrandt, E., Hespell, R. B., Gibson, J., Maniloff, J., Dyer, T. A., Wolfe, R. S., Balch, W. E., Tanner, R. S., Magrum, L. J., Zablen, L. B., Blakemore, R., Gupta, R., Bonen, L., Lewis, B. J., Stahl, D. A., Luehrsen, K. R., Chen, K. N., C. R. Woese. 1980. The phylogeny of prokaryotes. *Science*. 209: 457–463.
- Frankham, R., Ballou, J.D., Dudash, M.R., Eldridge, M.D.B., Fenster, C.B., Lacy, R.C., Mendelson, J.R., Porton, I.J., Ralls, K. & O. A. Ryder. 2012. Implications of



- different species concepts for conserving biodiversity. *Biological Conservation*. 153: 25-31.
- Friedrich, F., Matsumura, Y., Pohl, H., Bai, M., Hörnschemeyer, T. & R. G. Beutel. 2014. Insect morphology in the age of phylogenomics: innovative techniques and its future role in systematics. *Entomological Science*. 17: 1–24.
- García-Ríos, C. I., N. M. Pérez-Pérez, J. Fernández-López & F. A. Fuentes. 2014. Calibrating the chitons (Mollusca: Polyplacophora) molecular clock with the mitochondrial DNA cytochrome C oxidase I gene. *Revista de Biología Marina y Oceanografía*. 49:193-207.
- Giesberger G. 1983. Biological control of the *Helopeltis* pest of cocoa in Java. *Archives of Cocoa Research*. 2:91-180.
- Gwiazdowski, R.A., Vea, I.M, Andersen, J.C. & B.B. Normark. 2011. Discovery of cryptic species among North American pine-feeding *Chionaspis* scale insects (Hemiptera: Diaspididae). *Biological Journal of the Linnean Society*. 104:47-62.
- Hadley, A. 2010. Combine ZP. Image Stacking Software. <<http://www.hadleyweb.pwp.blueyonder.co.uk/CZP/News.htm>> (accessed on: 2014.08.02.)
- Hall, B.G. 2011. *Phylogenetic trees made easy*. Fourth Ed. Sinauer. Massachusetts. 282p.
- Hajibabaei, M., Janzen, D. H., Burns J. M., Hallwachs W. & P. D. N. Hebert. 2006. DNA barcodes distinguish species of tropical Lepidoptera. *Proceeding National Academic Sciences USA*. 103: 968–971.
- Hebert, P. D. N., Cywinska, A., Ball, S. L., & J. R. deWaard. 2003a. Biological identifications through DNA barcodes. *Philosophical Transactions of the Royal Society B*. 270:313–321.
- Hebert, P. D. N., Ratnasingham, S. & J. R. deWaard, 2003b. Barcoding animal life: cytochrome oxidase subunit 1 divergences among closely related species. *Philosophical Transactions of the Royal Society B*. 270: S96-S99.
- Hebert, P. D. N., Penton, E. H., Burns, J. M., Janzen, D. H., & W. Hallwachs. 2004a. Ten species in one: DNA barcoding reveals cryptic species in the neotropical skipper butterfly *Astraptes fulgerator*. *Proceeding National Academic Sciences USA*. 101:14812–14817.
- Hebert P. D. N., Stoeckle, M. Y., Zemplak, T. S. & C. M. Francis. 2004b. Identification of birds through DNA barcodes. *PLoS Biology*. 2: e312.
- Hebert, P. D. N. & T. R. Gregory. 2005. The promise of DNA barcoding for taxonomy. *Systematic Biology*. 54: 852–859.
- Hebsgaard, M. B., Andersen, N. M. & J. Damgaard. 2004. Phylogeny of the true water bugs (Nepomorpha: Hemiptera-Heteroptera) based on 16S and 28S rDNA and morphology. *Systematic Entomology*. 29: 488–508.
- Hennig, W. 1966. *Phylogenetic Systematics*. University of Illinois Press, Urbana.



- Hillis, D. M. & M. T. Dixon. 1991. Ribosomal DNA: molecular evolution and phylogenetic inference. *Quarterly Review of Biology*. 66: 411–453.
- Hua, J., Li, M., Dong, P., Cui, Y. & Q. Xie. 2008. Comparative and phylogenomic studies on the mitochondrial genomes of Pentatomomorpha (Insecta: Hemiptera: Heteroptera). *BMC Genomics*. 9: 610.
- Hua, J., Li, M., Dong, P., Cui, Y., & Q. Xie. 2009. Phylogenetic analysis of the true water bugs (Insecta: Hemiptera: Heteroptera: Nepomorpha): evidence from mitochondrial genomes. *BMC Evolutionary Biology*. 9: 134.
- Hurvich, C. M. & C. L. Tsai. 1989. Regression and time series model selection in small samples. *Biometrika*. 76: 297–307.
- International Barcoding of Life. The barcode library- barcode of life data systems. <<http://www.ibol.org/resources/barcode-library>> (accessed on 2014. 10.).
- Jung, S., Duwal, R. K. & S. Lee. 2011. DNA barcoding: COI barcoding of true bugs (Insecta, Heteroptera). *Molecular Ecology Resources*. 11: 266–270.
- Kalshoven, L. G. E. 1981. Pests of crops in Indonesia. Revised and translated by P.A. van der Laan and G.H.L. Rothschild. P. T. Ichtar Baru Van Hoeve. Jakarta. 701p.
- Karmawati, E. 2010. Pengendalian hama *Helopeltis* spp. pada jambu mete berdasarkan ekologi: strategi dan implementasi. *Majalah Pengembangan Inovasi Pertanian*. 3: 102-119.
- Kelton, L. A. 1959. Male genitalia as taxonomic characters in the Miridae (Hemiptera). *Canadian Entomologist. Supplement*. 11. 72 pp.
- Kilin, D. & W. R. Atmadja. 2000. Perbanyak serangga *Helopeltis antonii* Sign. pada buah ketimun dan pucuk jambu mete. *Jurnal Penelitian Tanaman Industri*. 5:119-122.
- Kipling, W. W. & D. Rubinoff. 2004. Myth of the molecule: DNA barcodes for species cannot replace morphology for identification and classification. *Cladistics* 20: 47–55.
- Kipling, W. W., Mishler, B. D. & Q. D. Wheeler. 2005. The perils of DNA barcoding and the need for integrative taxonomy. *Systematic Biology*. 54: 844-851.
- Kirkaldy, G. W. 1902. Memoir upon the Rhynchotal family Capsidae Auctt. *The Transactions of the Entomological Society of London*. 2: 243-272.
- Kirkaldy, G. W. 1908. Memoir on a few heteropterous Hemiptera from eastern Australia. *Proceedings of the Linnean Society of New South Wales*. 32: 768-788.
- Knowlton, N. & L. A. Weigt. 1998. New dates and new rates for divergence across the Isthmus of Panama. *Philosophical Transactions of the Royal Society B*. 265: 2257–2263.
- Kullenberg, B. 1947. Über morphologie und function des kopulationsapparats der Capsiden und Nabiden. *Zoologiska Bidrag från Uppsala*. 24:217-418.



- Kumar, S. & L.K. Naik. 2002. Seasonal incidence of *H. antonii* on guava. Karnataka Journal of Agricultural Science. 15:530-533.
- Lanfear, R., Calcott, B., Ho, S. Y. W. & S. Guindon. 2012. PartitionFinder: combined selection of partitioning schemes and substitution models for phylogenetic analyses. Molecular Biology and Evolution. 29: 1695-1701.
- Latip, S. N. H., Muhamad, R., Manjeri, G. & S. G. Tan. 2010. Development of microsatellite markers for *Helopeltis theivora* Waterhouse (Hemiptera: Miridae). African Journal of Biotechnology. 9: 4478-4481.
- Leston, D. 1961. The number of testis follicles in Miridae. London. Nature. 191:93.
- Li, H., Deng, R., Wang, J., Chen, Z. & F. Jia. 2005. A preliminary phylogeny of the Pentatomomorpha (Hemiptera: Heteroptera) based on nuclear 18S rDNA and mitochondrial DNA sequences. Molecular Phylogenetic Evolution. 37: 313–326.
- Li, M., Tian, Y., Zhao, Y., & W. Bu. 2012. Higher level phylogeny and the first divergence time estimation of Heteroptera (Insecta: Hemiptera) based on multiple genes. PLoS ONE 7: e32152.
- Lin, Y., Kondo, T., Gullan, P. & L. G. Cook. 2013. Delimiting genera of scale insects: molecular and morphological evidence for synonymizing *Taiwansaissetia* Tao, Wong and Chang with *Coccus* Linnaeus (Hemiptera: Coccoidea: Coccidae). Systematic Entomology. 38: 249–264.
- Lumley, L. & F. H. Sperling. 2010. Integrating morphology and mitochondrial DNA for species delimitation within the spruce budworm (*Choristoneura fumiferana*) cryptic species complex (Lepidoptera: Tortricidae) Systematic Entomology. 35:416–428.
- Lynch, M. & P. E. Jarrell. 1993. A method for calibrating molecular clocks and its application to animal mitochondrial DNA. Genetics. 135: 1197–1208.
- Maddison, W. P. & D. R. Maddison. 2011. Mesquite: a modular system for evolutionary analysis V. 2.75. (Computer Program). <<http://mesquiteproject.org>> (accessed on January 10, 2014).
- Maidak, B. L., Olsen, G. J., Larsen, N., Overbeek, R., McCaughey, M. J & C. R. Woese. 1997. The RDP (Ribosomal database Project). Nucleic Acid Research. 25: 109-110.
- Mallet, J. 1995. A species definition for the modern synthesis. Trends in Ecology and Evolution. 10: 294–299.
- Mann, H. H. 1907. Individual and seasonal variations in *Helopeltis theivora*, Waterhouse, with description of a new species of *Helopeltis*. Memoirs of the Department of Agriculture in India (Entomological Series). 1: 275-337.
- Margulis, L. 2010. Symbiogenesis. A new principle of evolution rediscovery of Boris Mikhaylovich Kozo-Polyansky (1890–1957). Paleontological Journal. 44:1525 -1539.



- Mayden, R.L. 1997. A hierarchy of species concepts: the denouement in the saga of the species problem. *In*: M.F. Claridge, H.A. Dawah & M.R. Wilson (Eds.). *Species. The Units of Biodiversity*. Chapman and Hall, London, England, UK. 381-424.
- Mayr, E. 1942. *Systematics and the Origin of Species*. Columbia University Press, New York, New York, USA. 334 pp.
- Meier, R. & R. Willman, R. &. 2000. The Hennigian Species Concept. *In*: Q.D. Wheeler, R. Meier (Eds.). *Species concept and phylogenetic theory, a debate*. Columbia Press University. New York. 30-43.
- Meier, R., Zhang, G. & F. Ali. 2008. The use of mean instead of smallest interspecific distances exaggerates the size of the "Barcoding Gap" and leads to misidentification. *Systematic Biology*. 57: 809–813.
- Memon, N., Meier, R., Manan, A. & K. F. Y. Su. 2006. On the use of DNA sequences for determining the species limits of a polymorphic new species in the stink bug genus *Halys* (Heteroptera: Pentatomidae) from Pakistan. *Systematic Entomology*. 31: 703–710.
- Menard, K. L., Schuh, R. T. & J. B. Woolley. 2014. Total-evidence phylogenetic analysis and reclassification of the Phylinae (Insecta: Heteroptera: Miridae), with the recognition of new tribes and subtribes and a redefinition of Phylini. *Cladistics*. 30: 391–427.
- Meyer, C. P. & G. Paulay. 2005. DNA barcoding: error rates based on comprehensive sampling. *PLoS Biology*. 3: e422.
- Michener, C. D. 1970. Diverse approaches to systematics. *Evolutionary Biology*. 4: 1-38.
- Miller, N. C. E. 1939. A new Malayan species of *Helopeltis* (Rhynchota, Capsidae). *Bull. Entom. Research*. 30: 343-344.
- Miller, D.R. & A.Y. Rossman. 1995. Systematics, biodiversity, and agriculture. *BioScience*. 10:680-686.
- Miraldo, A., Krell, F. T., Smalen, M., Angus, R. B., & T. Roslin. 2014. Making the cryptic visible - resolving the species complex of *Aphodius fimetarius* (Linnaeus) and *Aphodius pedellus* (de Geer) (Coleoptera: Scarabaeidae) by three complementary methods. *Systematic Entomology*. 39: 531–547.
- Mishler, B. D. 1985. The morphological, developmental, and phylogenetic basis of species concepts in bryophytes. *Bryologist* 88: 207-214.
- Mora, C., Tittensor, D. P., Adl, S., Simpson, A. G. B. & B. Worm. 2011. How many species are there on earth and in the ocean? *PLoS Biology*. 9: e1001127.
- Moritz, C. & C. Cicero. 2004. DNA barcoding: promise and pitfalls. *PLoS Biology*. 2: e354.
- Mudjiono, G. 1987. Fluktuasi dan sebaran populasi musiman *Helopeltis antonii* Signoret (Hemiptera: Miridae) pada tanaman coklat di kebun Kalibakar (PT. Perkebunan XXIII) Dampit, Malang. Doctoral Dissertation IPB. Bogor. 139p.



- Muhamad, R., & C.G.G. Fee. 1993. The relationship between population fluctuations of *Helopeltis theivora* Waterhouse, availability of cocoa pods and rainfall pattern. *Pertanika. Journal Tropical Agricultural Science*. 16: 81-86.
- Nair, K. S. S. 2001. Pest outbreak in tropical forest plantations: is there a greater risk for exotic tree species? CIFOR. Jakarta. 74p.
- Namyatova, A. A. & G. Cassis. 2012. *Schuhirandella fulva*, new genus and new species from Western Australia (Hemiptera: Heteroptera: Miridae: Bryocorinae: Monaloniina). *Entomologica Americana*. 118: 99-106.
- Namyatova, A. A. & G. Cassis. 2013. Systematics, phylogeny and host associations of the Australian endemic monaloniine genus *Rayieria* Odhiambo (Insecta: Heteroptera: Miridae: Bryocorinae). *Invertebrate Systematics*. 27: 689–726.
- Neiman, M. & D.R. Taylor. 2009. The causes of mutation accumulation in mitochondrial genomes. *Proceeding of the Royal Society B*. 276:1201-1209.
- Nicolalde-Morejón, F., Vergara-Silva, F., Lez-Astorga, J. G., & D. W. Stevenson. 2010. Character-based, population-level DNA barcoding in Mexican species of *Zamia* L. (Zamiaceae: Cycadales). *Mitochondrial DNA*. 21: 51–59.
- Nixon, K.C. & Q.D. Wheeler. 1990. An amplification of the phylogenetic species concept. *Cladistics*. 6: 211–223.
- Odhiambo, T. R. 1962. Review of some genera of the subfamily Bryocorinae (Hemiptera: Miridae). *Bulletin of the British Museum (Natural History). Entomology*. 11: 245–331.
- Odhiambo, T. R. 1965. A new interpretation of Westwood's genus *Eucerochoris* (Hemiptera: Miridae). *Proceedings of the Royal Entomological Society of London*. 34: 20–22.
- Ouvrard, D. 2002. Phylogenetic systematics of Hemiptera Psylloidea: comparative morphology of the thorax and secondary structures of the 18S rRNA. *Bulletin de la Societe Zoologique de France*. 127:345-357.
- Packer, L., Gibbs, J., Sheffield, C. & Hanner, R. 2009. DNA barcoding and the mediocrity of morphology. *Molecular Ecology Resources*, 9: 42–50.
- Park, D. S., Footitt, R., Maw, E. & P. D. N. Hebert. 2011. Barcoding Bugs: DNA-Based Identification of the True Bugs (Insecta: Hemiptera: Heteroptera). *PLoS ONE*. 6: E18749.
- Pettengill, J. B. & M. C. Neil. 2010. An evaluation of candidate plant DNA barcodes and assignment methods in diagnosing 29 species in the Genus *Agalinis* (Orobanchaceae). *American Journal of Botany*. 97:1391–1406.
- Poppius, B. 1914. Zur kenntnis der miriden, anthocoriden und nabiden Javas und Sumatras. *Tijdschrift voor Entomologie (Supplement)*. 56:100-187.



- Poppius, B. 1915. H. Sauters Formosa-Ausbeute: nabidae, anthocoridae, termatophylidae, miridae, isometopidae und ceratocombidae (Hemiptera). *Archiv fur Naturgeschichte*. 80:1-80.
- Rach J., R. DeSalle, I. N. Sankar, B. Schierwater & S. Hadrys. 2008. Character-based DNA barcoding allows discrimination of genera, species and populations in Odonata. *Proceeding of the Royal Society B*. 275: 237-247.
- Rambaut, A. 2009. FigTree v1.2.3. <<http://tree.bio.ed.ac.uk/software/figtree>> (accessed on January 20, 2014).
- Rambaut, A, M. A. Suchard, D. Xie, & A. J. Drummond. 2014. Tracer v1.6. <<http://beast.bio.ed.ac.uk/Tracer>> (accessed on May 21, 2014).
- Ratnasingham, S. & P. D. N. Hebert. 2007. BOLD: the Barcode of Life Data system (www.barcodinglife.org). *Molecular Ecology Notes*. 7: 355–364.
- Rebijith, K. B., R. Asokan, N. K. Kumar, K.K. Srikumar, V.V. Ramamurthy, & P. S. Bhat. 2012. DNA barcoding and development of species-specific markers for the identification of tea mosquito bugs (Miridae: Heteroptera) in India. *Environmental Entomology*. 41: 1239-1245.
- Regan, C.T. 1926. Organic evolution. Report British Association for Advancement of
- Reid, B. N., M. Le, W. P. Mccord, J.B. Iverson, A. Georges, T. Bergmann, G. Amato, R. Desalle & E. Naro-Maciel. 2011. Comparing and combining distance-based and character-based approaches for barcoding turtles. *Molecular Ecology Resources*. 11: 956–967.
- Reuter, O. M. 1910. Neue Beitrage zur Phylogenie und Systematik der Miriden nebst einleitenden Bemerkungen uber die Phylogenie der Heteropteren-Familien. *Ada Societatis Scientiarum Fennicae*. 37: 1-167.
- Ridley, M. 1989. The cladistics solution to the species problem. *Biology and Philosophy*. 4: 1-16.
- Roepke, W. 1909. Verslag over twee dienstreizen in de Preanger ten einde nieuwe gegevens omtrent *Helopeltis* en hare verspreiding te verkrijgen. *Cultuurgids*. 11: 549-554.
- Roepke, W. 1916. Zwei neue Gambir-schadliche Capsiden aus Sumatera. *Tijdschrift voor Entomologie*. 59: 180-183.
- Ronquist, F., M. Teslenko, P. van der Mark, O. Ayres, A. Darling, S. Höhna, B. Larget, L. Liu, M.A. Suchard, & J. P. Huelsenbeck. 2012. MrBayes 3.2: Efficient Bayesian phylogenetic inference and model choice across a large model space. *Systematic Biology*. 61: 1-4.
- Rosen, D. E. 1979. Fishes from the uplands and intermontane basins of Guatemala: Revisionary studies and comparative geography. *Bulletin American Museum of Natural History*. 162: 267–376.
- Rubinoff, D., S. Cameron, & K. Will. 2006. A genomic perspective on the shortcomings of mitochondrial DNA for barcoding identification. *Journal Heredity*. 97: 581–594.



- Rustam, R., M.P. Sucahyono, & D. Salbiah. 2014. Biology of *Helopeltis theivora* (Hemiptera: Miridae) on *Acacia mangium* Willd. International Journal of Advance Science, Engineering Infomation and Technology. 4: 62-65.
- Saberi, H. 2010. Tea: a global history. Reaktion Books Ltd. London. 183p.
- Saha, D., A. Mukhopadhyay & M. Bahadur. 2012. Effect of host plants on fitness traits and detoxifying enzymes activity of *Helopeltis theivora*, a major sucking insect pest of tea. Phytoparasitica. 40:433–444.
- Sarkar, I. N., J.W. Thornton, P.J. Planet, D.H. Figurski, B. Schierwater & R. DeSalle. 2002a. An automated phylogenetic key for classifying homeoboxes. Molecular Phylogenetic Evolution. 24: 388–399.
- Sarkar, I. N., Planet, P. J., Bael, T. E., Stanley. S. E., Siddall, M., DeSalle, R. & D. H. Figurski. 2002b. Characteristic attributes in cancer microarrays. Journal Biomedical Information. 35: 111–122.
- Sarkar, I. N., Planet, P. J. & R. DeSalle. 2008. CAOS software for use in character-based DNA barcoding. Molecular Ecology Resources. 8: 1256–1259.
- Sarmah, M. & T. Bandyopadhyay. 2009. Color variation and genetic diversity in tea mosquito bug *Helopeltis theivora* (Hemiptera:Miridae) population from Badlabeta tea estate Upper Assam, India. Journal of Entomology. 6: 155-160.
- Schmitz, G. 1968. Monographie des especes africaines du genre *Helopeltis* Signoret (Heteroptera, Miridae) avec un expose des problemes relatifs aux structures genitales. Annales Musee Royal de l'Afrique Centrale, Serie In-8°, Sciences Zoologiques. 168: 1-247.
- Schmitz, G. 1988. Note sur les *Helopeltis* Signoret, 1850 de la Region de Tai (Cote d'Ivoire) (Heteroptera, Miridae). Revue Franqaise d'Entomologie (Nouvelle Serie). 10: 91-99.
- Schuh, R. T. 1976. Pretarsal structure in the Miridae (Hemiptera) with a cladistic analysis of relationships within the family. American Museum Novitates. 2601: 1-39.
- Schuh, R. T., Weirauch, C., & W. C. Wheeler. 2009. Phylogenetic relationships within the Cimicomorpha (Hemiptera: Heteroptera): a total-evidence analysis. Systematic Entomology. 34: 15–48.
- Schuh, R. T. 2003-2013. Online Systematic Catalog of Plant Bugs (Insecta: Heteroptera: Miridae). <http://research.amnh.org/pbi/catalog/>. (accessed during 2014 - 2015).
- Schwartz, M.D. 1987. Phylogenetic revision of the Stenodemini with a review of the Mirinae (Heteroptera: Miridae). PhD dissertation, City University, New York. 383 p.
- Scotland, R. W., Olmstead, R. G. & J. R. Bennett. 2003. Phylogeny reconstruction: The role of morphology. Systematic Biology. 52: 539–548.
- Shull, G.H. 1923. The species concept from the point of view from the geneticist. American Journal of Botany. 10: 221-8.



- Signoret, V. 1858. Descriptions de nouvelles especes d'Hemipteres. II. Note sur les Hemipteres Heteropteres de la famille des unicellules. Annales de la Societe Entomologique de France. 3: 499-502.
- Simpson, G. G. 1951. The species concept. Evolution. 5: 285-298.
- Singh-Pruthi, H. 1925. The morphology of male genitalia in Rhychota. Transactions of the Entomological Society London. 1925: 127-267.
- Siswanto, Muhammad, R., Omar, D. & E. Karmawati. 2008. Dispersion pattern of *Helopeltis antonii* Signoret (Hemiptera:Miridae) on Cashew Plantation. Jurnal Penelitian Tanaman Industri. 14: 149-154.
- Siswanto, Muhamad, R., Omar, D. & E. Karmawati. 2009. The effect of mating on the eggs fertility and fecundity of *Helopeltis antonii* (Heteroptera:Miridae). Tropical Life Sciences Research. 20: 89-97.
- Smith, E. S.C. 1979. Descriptions of the immature and adult stages of the cocoa mirid *Helopeltis clavifer* (Heteroptera: Miridae). Pacific Insects. 20: 354-361.
- Sneath, P.H.A. & R.R. Sokal. 1973. Numerical Taxonomy. The Principles and Practice of Numerical Classification. W.H. Freeman and Company, San Francisco, California, USA. 573 p.
- Sokal, R.R. & T.J. Crovello. 1970. The biological species concept: a critical evaluation. American Naturalist. 104: 127-153.
- Song, N. & A. P. Liang. 2013. A preliminary molecular phylogeny of planthoppers (Hemiptera: Fulgoroidea) based on nuclear and mitochondrial DNA Sequences. PLoS ONE 8: e58400.
- Srikumar, K. K. & P. S. Bhat. 2013. Biology of the tea mosquito bug (*Helopeltis theivora* Waterhouse) on *Chromolaena odorata* (L.) R.M. King & H. Rob. Chilean Journal of Agricultural Research. 73: 309-314.
- Srikumar, K. K. & P. S. Bhat. 2012. Field survey and comparative biology of tea mosquito bug (*Helopeltis* spp.) on cashew (*Anacardium occidentale* Linn.). Journal of Cell and Animal Biology. 6: 200-206.
- Srikumar, K. K., Bhat, P. S., Raviprasad, T. N., Vanitha, K., Kumar, N. K. K, Rebijith, K. B. & R. Asokan. 2013. Distribution of major sucking pest, *Helopeltis* spp. (Hemiptera: Miridae) of cashew in India. <<http://link.springer.com/article/10.1007%20Fs12595-013-0091-2>> (accessed on: 2014.20.01).
- Stonedahl, G. M. 1991. The oriental species of *Helopeltis* (Heteroptera:Miridae): a review of economic literature and guide to identification. Bulletin of Entomological Research. 81: 465-490.
- Stonedahl, G. M., Malipatil, M. B. & W. Houston. 1995. A new mirid (Heteroptera) pest of cashew in northern Australia. Bulletin of Entomological Research. 85: 275-278.
- Sudarmadji, D. 1989. Hubungan timbal balik antara *Helopeltis antonii* Sign. (Hemiptera: Miridae) dan buah kakao. Doctoral Dissertation. IPB. Bogor. 96p.



- Sugiura, N. 1978. Further analysis of the data by Akaike's information criterion and the finite corrections. *Communications in Statistics Theory and Methods*. A7:13–26.
- Tamura, K., Stecher, G., Peterson, D., Filipski, A. & Kumar, S. 2013. MEGA6: molecular evolutionary genetics analysis version 6.0. *Molecular Biology and Evolution*. 30: 2725-2729.
- Tan, D.S.H., Ang, Y., Lim, G.S., Ismail, M.R. & R. Meier. 2010. From 'cryptic species' to integrative taxonomy: an iterative process involving DNA sequences, morphology, and behaviour leads to the resurrection of *Sepsis pyrrhosoma* (Sepsidae: Diptera). *Zoologica Scripta*. 39: 51–61.
- Tautz, D., Arctander, P., Minelli, A., Thomas, R. H. & A. P. Vogler. 2003. A plea for DNA taxonomy. *Trends in Ecology and Evolution*. 18: 70–74.
- Templeton, A. R. 1989. The meaning of species and speciation: A genetic perspective. *In*: D. Otte, J. A. Endler (Eds.). *Speciation and its consequences*. Sinauer Associates. Massachusetts. 3–27.
- Templeton, A. R. 1998. Species and speciation: geography, population structure, ecology, and gene trees. *In*: D. J. Howard, S. H. Berlocher (Eds.). *Endless forms: Species and speciation* Oxford University Press, New York. 32–43.
- Tian, Y., Zhu, W., Li, M., Xie, Q. & W. Bu. 2008. Influence of data conflict and molecular phylogeny of major clades in cimicomorphan true bugs (Insecta: Hemiptera: Heteroptera). *Molecular, Phylogenetics and Evolution*. 47: 581–97.
- Tian, X., Xie, Q., Li, M., Gao, C. & Y. Cui. 2011. Phylogeny of pentatomomorphan bugs (Hemiptera-Heteroptera: Pentatomomorpha) based on six Hox gene fragments. *Zootaxa*. 2888: 57–68.
- Van De Peer, Y., J. M. Neefs, P. De Rijk, R. De Baere, A. Goris, L. Hendriks and R. De Wachter. 1992. Ribosomal RNA as a tool for studying evolution. *Belgian Journal of Botany*. 125: 174-190.
- van Hall, C.J.J. 1914. *Cocoa*. MacMillan & Co. Ltd. London.
- Van Valen, L. 1976. Ecological species, multispecies, and oaks. *Taxon*, 25,233-9.
- Walker, F. 1871. Catalogue of the specimens of Hemiptera Heteroptera in the collection of the British Museum. London. Part IV: 211 pp.
- Walker, F. 1873. Catalogue of the specimens of Hemiptera Heteroptera in the collection of the British Museum. London. Part VI. 210 pp.
- Waterhouse, C. O. 1886. Some observations on the tea-bugs (*Helopeltis*) of India and Java. *Transactions of the Royal Entomological Society of London*. 34: 457-460.
- Waterhouse, C. O. 1888. Additional observations on the tea-bugs (*Helopeltis*) of Java. *Transactions of the Royal Entomological Society of London*. 2: 207.
- Westwood, I. O. 1874. *The Gardener's Chronicle* April 11, 1874. p. 475.



- Weirauch, C. & R.T. Schuh. 2011. Systematic evolution of Heteroptera: 25 years of progress. *Annual Review of Entomology*. 56:487-510.
- Wiley, E. O. 1978. The evolutionary species concept reconsidered. *Systematic Zoology*. 27: 17–26.
- Wiley, E.O. & R.L. Mayden. 2000. The evolutionary species concept. In: Q.D. Wheeler, R. Meier (Eds.). *Species Concepts and Phylogenetic Theory: A Debate*. Columbia University Press, New York. 56-70.
- Wheeler, A. G. 2000. *Biology of the plant bugs*. Ithaca. Cornell University Press. 507p.
- Wheeler, Q.D. & N.R. Platnick. 2000. The phylogenetic species concept (*sensu* Wheeler and Platnick). In: Q.D. Wheeler, R. Meier (Eds.). *Species Concepts and Phylogenetic Theory: A Debate*. Columbia University Press, New York. 45-54.
- Wheeler, Q. D. 2008. Undisciplined thinking: morphology and Hennig's unfinished revolution. *Systematic Entomology*. 33: 2–7.
- Wiens, J. J. 2004. The role of morphological data in phylogeny reconstruction. *Systematic Biology*. 53: 653–661.
- Woese, C. R. 1987. Bacterial evolution. *Microbiological Reviews*. 221-271.
- Xie, Q., Tian, Y., Zheng, L. & W. Bu. 2008. 18S rRNA hyper-elongation and the phylogeny of Euhemiptera (Insecta: Hemiptera). *Molecular Phylogenetics and Evolution*. 47: 463–471.
- Yang, Z., Landry, J. F., Handfield, L., Zhang, Y., Solis, M. A., Hamdfield, D., Scholtens, B. G., Mutanen M., Nuss, M. & P. D. N. Hebert. 2012. DNA barcoding and morphology reveal three cryptic species of *Anania* (Lepidoptera: Crambidae: Pyraustinae) in North America, all distinct from their European counterpart. *Systematic Entomology*. 37: 686–705.
- Yassin, A., Markow, T.A., Narechania, A., O'Grady, P. M., & R. DeSalle. 2010. The genus *Drosophila* as a model for testing tree- and character-based methods of species identification using DNA barcoding. *Molecular Phylogenetics and Evolution*. 57: 509–517.
- Zehntner, L. 1901. Over eenige insectenplagen bij de cacaocultuur op Java. *Nieuwe Gids*. 3: 567-584.
- Zhang, D. X. & G. M. Hewitt. 1997. Insect mitochondrial control region: a review of its structure, evolution and usefulness in evolutionary studies. *Biochemical Systematics and Ecology*. 25: 99-120.
- Zou, S., Li, Q., Kong, L., Yu, H., & X. Zheng. 2011. Comparing the usefulness of distance, monophyly and character based DNA barcoding methods in species identification: a case study of Neogastropoda. *PlosOne*. 6: 1-8.