

## TABLE OF CONTENT

COVER PAGE .....	i
RATIFICATION PAGE .....	ii
AUTHENTICITY STATEMENT .....	iii
ACKNOWLEDGEMENT .....	iv
TABLE OF CONTENT .....	vi
LIST OF TABLE .....	ix
LIST OF FIGURE .....	x
ATTACHMENT .....	xi
LIST OF SYMBOL AND ABBREVIATION .....	xii
ABSTRACT .....	xiii
INTRODUCTION .....	1
A. BACKGROUND .....	1
B. FORMULATION OF PROBLEM .....	5
C. RESEARCH AUTHENTICITY .....	6
D. BENEFIT OF RESEARCH .....	8
E. AIM OF RESEARCH .....	9
LITERATURE REVIEW .....	10
A. <i>Culex quinquefasciatus</i> .....	10
1. Taxonomy and morphology of <i>Cx. Quinquefasciatus</i> 10	
2. Life cycle of <i>Cx. quinquefasciatus</i> .....	13
B. Neem ( <i>Azadirachta indica</i> ) .....	16
1. The Taxonomy and Morphology of <i>Azadirachta</i> <i>indica</i> .....	16

2. Bark .....	17
3. Leaves .....	18
4. Inflorescence .....	19
5. Fruit .....	20
C. Essential Oil .....	22
D. Electric Liquid vaporizer .....	23
E. CONCEPTUAL FRAMEWORK .....	24
F. HYPOTHESIS .....	25
METHOD OF RESEARCH .....	26
A. Research Design, Time, and Place .....	26
B. Subject .....	27
C. Instruments and Materials .....	29
D. Research Steps .....	30
1. Procedure of Breeding of <i>Cx. quinquefasciatus</i> ..	30
2. Neem ( <i>Azadirachta indica</i> ) oil preparation .....	30
3. Procedure of the Research .....	31
E. Variable and Operational Definition .....	32
1. Variables .....	32
2. Operational Definition .....	33
F. Result Analysis .....	34
RESULT AND DISCUSSION .....	35
A. Result .....	35
B. Discussion .....	42
C. Limitation .....	50

CONCLUSION AND RECOMMENDATION .....	51
A. Conclusion .....	51
B. Recommendation .....	51
REFERENCES	
ATTACHMENT	

## LIST OF TABLE

Table 1. Efficacy test result for each treatment group towards <i>Cx. Quinquefasciatus</i> . . . . .	35
Table 2. 24-hours mortality result for each treatment group towards <i>Culex quinquefasciatus</i> . . . . .	36
Table 3. Number of knocked down mosquito in 60 minutes exposure of transflutrin 12,38 g/l. . . . .	38
Table 4. Percentage of knocked down mosquito in 60 minutes exposure of transflutrin 12.38 g/l. . . . .	39
Table 5. Result of Probit Analysis transfluthrin 12.38 g/l to the mortality of adult <i>Cx. Quinquefasciatus</i> . . . . .	40
Table 6. Some bioactive compound from Neem <i>Azadirachta indica</i> . . . . .	45

## LIST OF FIGURE

Figure 1. Adult female <i>Culex quinquefasciatus</i> .....	11
Figure 2. Life cycle of <i>Culex quinquefasciatus</i> .....	15
Figure 3. Bark of <i>Azadirachta indica</i> .....	18
Figure 4. The flowers of <i>Azadirachta indica</i> .....	19
Figure 5. The Fruits of <i>Azadirachta indica</i> .....	20
Figure 6. Probit Refression line of the knockdown mosquitoes after exposed by Transfluthrin 12.38 g/l for 60 minutes. ....	41

## **ATTACHMENT**

Attachment 1. Result of Probit Analysis

Attachment 2. Documentary

Attachment 3. Ethics Committee Approval

Attachment 4. Research Permission

### LIST OF SYMBOL AND ABBREVIATION

1. KT = Knockdown Time
2.  $KT_1$  = Knockdown time 1% of sample size
3.  $KT_{50}$  = Knockdown time 50% of sample size
4.  $KT_{90}$  = Knockdown time 90% of sample size
5.  $KT_{100}$  = Knockdown time 100% of sample size
6. % = percent
7. g/l = gram per liter