

Daftar Pustaka

- Abbasi, M., Darvishsefat, A. A., & Schaepman, M. E. (2010). Spectral Reflectance of Rice Canopy and Red Edge Position (REP) as Indicator of High-Yielding Variety. *ISPRS TC VII Symposium, XXXVIII*, 1-5.
- Anderson, J., Hardy, E., Roach, J., & Wittmer, R. (1976). *A Land Use And Land Cover Classification System For Use With Remote Sensor Data*. . Washington: United States Government Printing Office.
- Arifin, B. (2009). Tantangan baru ekonomi pangan. *Economic Review*, 1-9.
- Badan Penelitian dan Pengembangan Pertanian. (2013). Konversi GKP ke GKG Tahun 2012. <http://pangan.litbang.pertanian.go.id/berita-163-konversi-gkp-ke-gkg-tahun-2012.html>
- Balai Besar Penelitian dan Pengembangan Sumberdaya Lahan Pertanian. (2007). Inderaja untuk Pertanian. *Warta Penelitian dan Pengembangan Pertanian*, 29(6).
- Balitbang Pertanian. (2012). *Kalender Tanam Terpadu : Kab. Magelang*. Kementerian Pertanian Retrieved from http://katam.litbang.pertanian.go.id/katam_terpadu/2014/mh/3/33/3308/3308.pdf.
- Benedeti, R., Bee, M., Espa, G., & Piersimoni, F. (2010). *Agricultural Survey Methods*. New York: John Wiley and Sons.
- Bharti, A. (2004). *A Decision Tree Approach to Extract Knowledge for Improving Satellite Image Classification*. ITC Enschede, Netherlands, Netherlands.
- Bicknell, W. E., Digenis, C. J., Forman, S. E., & Lencioni, D. E. (1999). *EO-1 Advanced Land Imagery*. Paper presented at the Earth Observing Systems IV.
- Bou-Kheir, R., Abdallah, C., Runnstorm, M., & Martensson, U. (2008). Designing eroded landscapes in Lebanon for regional land use planning using remote sensing, GIS and decision-tree modeling. *Landscape and Urban Planning*, 88, 54-63.
- BPS Kab. Magelang. (2004). *Kabupaten Magelang dalam Angka 2004*. Kabupaten Magelang: Badan Pusat Statistik Kabupaten Magelang.
- BPS Kab. Magelang. (2010). *Kabupaten Magelang dalam Angka 2010*. Kabupaten Magelang: Badan Pusat Statistik Kabupaten Magelang.
- BPS Kab. Magelang. (2013). *Kabupaten Magelang dalam Angka 2013*. Kab. Magelang: Badan Pusat Statistik Kabupaten Magelang Retrieved from <http://www.magelangkab.go.id/images/dokumen/pertanian.pdf>.
- BPS Prov. Jawa Tengah. (2004). *Jawa Tengah dalam Angka 2004*. Jawa Tengah: Badan Pusat Statistik Provinsi Jawa Tengah Retrieved from <http://jateng.bps.go.id/Publikasi%20Terbit/2004/jawa%20tengah%20dalam%20angka%202004//index.html>.
- Brantley, S. T., Zinnert, J. C., & Young, D. R. (2011). Application of hyperspectral vegetation indices to detect variations in high leaf area index temperate shrub thicket canopies. *Remote Sensing of Environment*, 115, 514-523. doi: 10.1016/j.rse.2010.09.020
- Bryant, R., Susan Moran, M., McElroy, S. A., Holifield, C., Thome, K. J., Miura, T., & Biggar, S. F. (2003). Data Continuity of Earth Observing 1 (EO-1) Advanced Land Imager (ALI) and Landsat TM and ETM+. *IEEE TRANSACTIONS ON GEOSCIENCE AND REMOTE SENSING*, 41(6).



- Castro, K. L., & Sanchez-azofeifa, G. A. (2008). Changes in Spectral Properties, Chlorophyll Content and Internal Mesophyll Structure of Senescing *Populus balsamifera* and *Populus tremuloides* Leaves. 51-69.
- Chang, T.-t., & Bardenas, E. A. (1965). *The Morphology and Varietal Characteristics of The Rice Plant*. Los Banos, Laguna, Phillippines: The International Rice Research Institute.
- Congalton, R. G., & Green, K. (2009). *Assessing the Accuracy of Remotely Sensed Data : Principles and Practices* (2nd ed.). Boca Rotan: CRC Press.
- Danoedoro, P. (1996). *Pengolahan Citra Digital*. Yogyakarta: Fakultas Geografi, UGM
- Danoedoro, P. (2003). Multisource Classification For Land-use Mapping Based On Spectral , Textural , And Terrain Information Using Landsat Thematic Mapper Imagery : A Case Study of Semarang-Ungaran Area , Central Java. *Indonesian Journal of Geography*, XXXV, 1-23.
- Danoedoro, P. (2009). *Spatial , Temporal And Ecological Consideration In Satellite Image-based Mapping Of Crop Rotational Aspect* Paper presented at the 10th South East Asian Survey Congress, Nusa Dua, Bali, Indonesia.
- Danoedoro, P., Phinn, S., & Mcdonald, G. (2004). *Developing A Versatile Land-Use Information System Based on Satellite Imagery for Local Planning in Indonesia Phase I : Establishment of Classification Scheme*. Paper presented at the GISDECO 2004: 7th Seventh International on GIS in Developing Countries, Universiti Teknologi Malaysia, Skudai, Johor, Malaysia.
- Dariah, A., & Agus, F. (2004). Pengelolaan Sifat Fisik Tanah Sawah Buakan Baru *Lahan Sawah Buakan Baru* (pp. 107-130).
- Devillers, R., & Jeansoulin, R. (2005). *Fundamentals of Spatial Data Quality*. UK: ISTE ltd.
- Dorigo, W., Richter, R., Baret, F., Bamler, R., & Wagner, W. (2009). Enhanced Automated Canopy Characterization from Hyperspectral Data by a Novel Two Step Radiative Transfer Model Inversion Approach. *Remote Sensing*, 1, 1139-1170. doi: 10.3390/rs1041139
- Eitel, J. U. H., Keefe, R. F., Long, D. S., Davis, A. S., & Vierling, L. a. (2010). Active ground optical remote sensing for improved monitoring of seedling stress in nurseries. *Sensors (Basel, Switzerland)*, 10, 2843-2850. doi: 10.3390/s100402843
- Evri, M., Sadly, M., & Kawamura, K. (2010). *Diagnosing Ground-based Hyperspectral Red Edge Position Over Rice Canopy to Estimate Biophysical and Biochemical Parameters*. Paper presented at the Pertemuan Ilmiah Tahunan MAPIN, Bogor.
- FAO. (1981). *A Framework for Land Evaluation*. Rome: FAO Corporate Document Repository.
- FAO. (2011). Crops statistics Concepts, definitions and classifications. <http://www.fao.org/economic/the-statistics-division-ess/methodology/methodology-systems/crops-statistics-concepts-definitions-and-classifications/ru/>
- Firmansyah, T. (2010). Jika dihitung, Indonesia Surplus Beras 4 Juta Ton, Tapi Kemana?, *Republika*. Retrieved from <http://www.republika.co.id/berita/breaking-news/nasional/11/01/13/158052-bps-jika-dihitung-indonesia-surplus-beras-4-juta-ton-tapi-kemana->. 10 Desember 2011



- Friedl, M., & Brodley, C. (1997). Decision Tree Classification of Land Cover From Remotely Sensed Data. *Remote Sensing of Environment*.
- Green, T. R., Salas, J. D., Martinez, A., & Erskine, R. H. (2007). Relating crop yield to topographic attributes using Spatial Analysis Neural Networks and regression. *Geoderma*, 139, 23-37.
- Guandin-garcia, N. (2010). *Estimating Maize Grain Yield From Crop Biophysical Parameters Using Remote Sensing*. University of Nebraska.
- Hardjowigeno, S., & Widatmaka. (2007). *Evaluasi Kesesuaian Lahan dan Perencanaan Tataguna Lahan*. Yogyakarta: Gadjah Mada University Press.
- Hatfield, J. L., & Prueger, J. H. (2010). Value of Using Different Vegetative Indices to Quantify Agricultural Crop Characteristics at Different Growth Stages under Varying Management Practices. *Remote Sensing*, 2, 562-578. doi: 10.3390/rs2020562
- Idaikkadar, N. M. (1979). *Agricultural Statistics : A Handbook for Developing Countries*: Pergamon Press.
- Jensen, J. R. (2005). *Introductory Digital Image Processing* (3rd ed.). Englewood Hills, NJ: Prentice Hall.
- Keersebilck, N. C., & Soeprapto, S. (1985). Physical measurements in lowland soils: techniques and standardizations *Soil Physics and Rice*. Los Banos, Laguna, Phillipines: International Rice Research Institute.
- Khosla, R. (2010). *Precision agriculture : challenges and opportunities in a flat world*. Paper presented at the 19th World Congress of Soil Science, Brisbane.
- Lal, R. (1985). Tillage in lowland rice-based cropping systems *Soil Physics and Rice*. Los Banos, Laguna, Phillipines: International Rice Research Institute.
- Lillesand, T., Kiefer, R. W., & Chipman, J. (2007). *Remote Sensing and Image Interpretation* (6th ed.). New York: John Wiley and Sons.
- Lobell, D. B., & Asner, G. P. (2003). Comparison of Earth Observing-1 ALI and Landsat ETM+ for Crop Identification and Yield Prediction in Mexico. *IEEE TRANSACTIONS ON GEOSCIENCE AND REMOTE SENSING*, 41(6).
- Longley, P. A., Goodchild, M. F., Maguire, D. J., & Rhind, D. W. (2004). *Geographic Information Systems and Science* (2nd ed.). Toronto: John Wiley and Sons.
- Makarim, K. A., & Suhartatik, E. (2009). *Morfologi dan Fisiologi Tanaman Padi*. Sukamandi, Subang: Balai Besar Penelitian Tanaman Padi.
- Mandal, D., & Ghosh, S. K. (2000). Precision farming – The emerging concept of agriculture for today and tomorrow. *Current Science*, 79.
- Mangunsukardjo, K. (1999). *Lecture note code 29: Remote Sensing and Geographical Information System for Land Evaluation*. Yogyakarta: PUSPICS, Universitas Gadjah Mada.
- Mejia, D. J. (2004, 2003). *An overview of rice post-harvest technology: use of small metallic silos for minimizing losses*. Paper presented at the 20th Session of the International Rice Commission, Bangkok.
- Meroni, M., Rossini, M., Picchi, V., Panigada, C., Cogliati, S., Nali, C., & Colombo, R. (2008). Assessing Steady-state Fluorescence and PRI from Hyperspectral Proximal Sensing as Early Indicators of Plant Stress: The Case of Ozone Exposure. *Sensors*, 8, 1740-1754.



- Ministry of Statistics and Programme Implementation. (2008). *Manual on Area and Crop Production Statistics*. India.
- Octaviano, T. (2011). Nilai Ekonomi Beras Capai Rp. 262 Triliun, *Investor*. Retrieved from <http://www.investor.co.id/home/nilai-ekonomi-beras-capai-rp262-triliun/21657>
- Pal, M., & Mather, P. M. (2003). An assessment of the effectiveness of decision tree methods for land cover classification. *Remote Sensing of Environment*, 86(4), 554-565. doi: 10.1016/S0034-4257(03)00132-9
- Park, S. J., Hwang, C. S., & Vlek, P. L. G. (2005). Comparison of adaptive techniques to predict crop yield response under varying soil and land management conditions. *Agricultural Systems*, 85, 59-81. doi: 10.1016/j.agry.2004.06.021
- Patiwiri, A. (2006). *Teknologi Penggilingan Padi*. Jakarta: PT Gramedia Pustaka Utama.
- Prabowo, E. H., & Supriyadi, M. (2011). Data Produksi Beras Bisa Dikoreksi, *Kompas*. Retrieved from <http://bisniskeuangan.kompas.com/read/2011/09/16/13055364/Data.Produksi.Beras.Bisa.Dikoreksi>
- Pu, R., Yu, Q., Gong, P., & Biging, G. S. (2005). EO-1 Hyperion, ALI and Landsat 7 ETM+ data comparison for estimating forest crown closure and leaf area index. *International Journal of Remote Sensing*, 26(3), 457-474.
- Qinghan, D., Herman, E., & Zhongxin, C. (2008). Crop Area Assesment using Remote Sensing on the North China Plain. *The International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences*, XXXVII, 957-962.
- Rocha, J. V. (2001). Precision Farming and Geographic Systems. *Advanced Geographic Information Systems*, 1.
- Sartohadi, J. (2006). *Penginderaan Jauh untuk Tanah : Lecture Note*. Yogyakarta: Universitas Gadjah Mada.
- Shibusawa, S. (2002). Precision Farming Approaches to Small-Farm Agriculture. http://www.ffc.agnet.org/htmlarea_file/library/20110726164350/tb160.pdf
- Sofyan, A., Nurjaya, & Kasno, A. (1994). Status Hara Tanah Sawah untuk Rekomendasi Pemupukan Lahan Sawah dan Teknologi Pengelolaannya (pp. 20-40).
- Susanto, U., Daradjat, A. A., & Suprihatno, B. (2003). Perkembangan Pemuliaan Padi Sawah di Indonesia. *Jurnal Litbang Pertanian*, 22.
- Sutanto. (1986). *Diktat Kuliah Kode 7a : Penginderaan Jauh untuk Penggunaan Lahan*. Yogyakarta: Fakultas Geografi, Universitas Gadjah Mada.
- Sys, C. (1985). Evaluation of the physical environment for rice cultivation *Soil Pyshics and Rice*. Los Banos, Laguna, Phillipines: International Rice Research Institute.
- Thenkabail, P. S. (2003). Biophysical and yield information for precision farming from near-real-time and historical Landsat TM images. *International Journal of Remote Sensing*, 24, 2879-2904. doi: 10.1080/01431160710155974
- Thenkabail, P. S., Smith, R. B., & Pauw, E. D. (2002). Evaluation of Narrowband and Broadband Vegetation Indices for Determining Optimal Hyperspectral Wavebands for Agricultural Crop Characterization. *Photogrammetric Engineering and Remote Sensing*, 68(6), 607-621.
- Townshend, J. (1981). *Terrain Analysis and Remote Sensing*. London, Boston, Sydney: George Alley and Unwin.



- Wandahwa, P., & Rans, E. (1996). Qualitative land suitability assessment for pyrethrum cultivation in west Kenya based upon computer-captured expert knowledge and GIS. *Agriculture, Ecosystem and Environment*, 56, 187-202.
- Wieczorek, W. F., & Delmerico, A. M. (2009). Geographic information systems. *Wiley Interdisciplinary Reviews: Computational Statistics*, 1(2), 167-186. doi: 10.1002/wics.21
- Xiaoping, W., & Ni, G. (2008). Hyperspectral Reflectance And Their Relationships With Spring Wheat Growth Status Characteristics In Rained Agriculture Areas Of Loess Plateau. *The International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences*, XXXVII.
- Yang, C.-M., & Chen, R.-K. (2004). Modeling Rice Growth with Hyperspectral Reflectance Data. *Crop Science*, 44, 1283. doi: 10.2135/cropsci2004.1283
- Ye, X., Sakai, K., Garciano, L. O., Asada, S.-I., & Sasao, A. (2006). Estimation of citrus yield from airborne hyperspectral images using a neural network model. *Ecological Modelling*, 198, 426-432. doi: 10.1016/j.ecolmodel.2006.06.001
- Ye, X., Sakai, K., Sasao, A., & Asada, S.-i. (2008). Potential of airborne hyperspectral imagery to estimate fruit yield in citrus. *Chemometrics and Intelligent Laboratory Systems*, 90, 132-144. doi: 10.1016/j.chemolab.2007.09.002

Lampiran

Lampiran 1. Deskripsi tabel satuan medan

Kode	Kelas Bentuklahan	Solum	Drainase	Air Permukaan	Morfologi
D11	Perbukitan denudasional terkikis kuat	Dalam	Sangat Baik	Sangat Buruk	Perbukitan/terjal
D11	Perbukitan denudasional terkikis kuat	Sedang	Baik	Sedang	Perbukitan/terjal
D12	Perbukitan denudasional terkikis sedang	Dalam	Sangat Baik	Sangat Buruk	Perbukitan/terjal
D12	Perbukitan denudasional terkikis sedang	Dalam	Baik	Sedang	Berbukit bergelombang/miring
D12	Perbukitan denudasional terkikis sedang	Dalam	Sangat Baik	Buruk	Perbukitan/terjal
D12	Perbukitan denudasional terkikis sedang	Dalam	Sangat Baik	Sangat Buruk	Perbukitan/terjal
F11	Dataran aluvial, terkikis sedang	Sedang	Sedang	Sedang	Bergelombang/miring landai
F11	Dataran aluvial, terkikis sedang	Dalam	Sedang	Sangat Baik	Bergelombang/miring landau
F12	Dataran aluvial, terkikis lemah	Dalam	Buruk	Sangat Baik	Datar/hampir datar
S1	Perbukitan Struktural terkikis kuat	Dalam	Sangat Baik	Sangat Buruk	Perbukitan/terjal
S1	Perbukitan Struktural terkikis kuat	Tipis	Sangat Baik	Sangat Buruk	Perbukitan/terjal
V1	Kerucut Vulkan dan Lereng Atas	Tipis	Sangat Baik	Sangat Buruk	Pegunungan/Sangat Curam
V1	Kerucut Vulkan dan Lereng Atas	Tipis	Sangat Baik	Sangat Buruk	Pegunungan/Sangat Curam



ESTIMASI PRODUKSI PADI DITINJAU DARI ASPEK KESESUAIAN LAHAN MENGGUNAKAN ANALISIS DECISION TREE

DENGAN CITRA ALI DI SEBAGIAN KAB. MAGELANG, JAWA TENGAH

SANJIWANA ARJASAKUSUMA, Drs.Projo Danoedoro M.Sc., PhD, Dr. Sigit Herumurti B.S, S.Si., M.Si

Universitas Gadjah Mada, 2015 | Diunduh dari <http://etd.repository.ugm.ac.id/>

UNIVERSITAS
GADJAH MADA

V1	Kerucut Vulkan dan Lereng Atas	Tipis	Baik	Buruk	Pegunungan/Sangat Curam
V2	Lereng atas vulkan, terkikis kuat	Sedang	Baik	Sangat Buruk	Berbukit bergelombang/miring
V31	Lereng tengah vulkan, terkikis kuat	Tipis	Sangat Baik	Sangat Buruk	Perbukitan/terjal
V32	Lereng tengah vulkan, terkikis sedang	Sedang	Baik	Buruk	Bergelombang/miring
V33	Lereng tengah dan bawah vulkan, terkikis lemah	Sedang	Sedang	Sangat Baik	Bergelombang/miring landai
V41	Lereng bawah vulkan, terkikis kuat	Tipis	Baik	Buruk	Perbukitan/terjal
V42	Lereng bawah, terkikis lemah	Sedang	Baik	Baik	Bergelombang/miring landai
V42	Lereng bawah vulkan, terkikis lemah	Sedang	Sedang	Baik	Bergelombang/miring landai
V42	Lereng bawah vulkan, terkikis sedang	Sedang	Baik	Sedang	Bergelombang/miring
V43	Lereng bawah vulkan, terkikis lemah	Sedang	Sedang	Sangat Baik	Bergelombang/miring landai
V51	Bukit vulkanik, terkikis kuat	Dalam	Sangat Baik	Sangat Buruk	Berbukit bergelombang/miring
V51	Bukit vulkanik, terkikis kuat	Sedang	Baik	Sedang	Bergelombang/miring
V52	Bukit vulkanik, terkikis lemah	Dalam	Baik	Buruk	Berbukit bergelombang/miring
V52	Bukit vulkan, terkikis lemah	Dalam	Sangat Baik	Sangat Buruk	Berbukit bergelombang/miring
V52	Bukit vulkanik, terkikis lemah	Dalam	Sedang	Sedang	Berbukit bergelombang/miring



UNIVERSITAS
GADJAH MADA

**ESTIMASI PRODUKSI PADI DITINJAU DARI ASPEK KESESUAIAN LAHAN MENGGUNAKAN
ANALISIS DECISION TREE**

DENGAN CITRA ALI DI SEBAGIAN KAB. MAGELANG, JAWA TENGAH

SANJIWANA ARJASAKUSUMA, Drs.Projo Danoedoro M.Sc., PhD, Dr. Sigit Herumurti B.S, S.Si., M.Si

Universitas Gadjah Mada, 2015 | Diunduh dari <http://etd.repository.ugm.ac.id/>

V53	Perbukitan vulkan terkikis kuat	Tipis	Sangat Baik	Sangat Buruk	Pegunungan/Sangat Curam
V61	Plateau, terkikis kuat	Dalam	Baik	Buruk	Berbukit bergelombang/miring
V61	Plateau, terkikis kuat	Sedang	Baik	Buruk	Berbukit bergelombang/miring
V62	Plateau, terkikis sedang	Tipis	Baik	Buruk	Berbukit bergelombang/miring
V63	Plateau, terkikis lemah	Sedang	Buruk	Sangat Baik	Datar/hampir datar