

DAFTAR PUSTAKA

- Badan Pusat Statistik, 2014. *Kota Medan dalam Angka*, Medan: Badan Pusat Statistik.
- Barth, J.B., FitzGibbon, S.I. & Wilson, S.R., 2015. New urban developments that retain more remnant trees have greater bird diversity. *Landscape and Urban Planning*, 136, pp.122–129. Available at: <http://dx.doi.org/10.1016/j.landurbplan.2014.11.003>.
- Barton, P. S., Ikin, K., Smith, A. L., MacGregor, C., & Lindenmayer, D. B., 2014. Vegetation structure moderates the effect of fire on bird assemblages in a heterogeneous landscape. *Landscape Ecology*, 29(4), 703–714. <http://doi.org/10.1007/s10980-014-0017-z>.
- Bibby, C., Jones, M. & Marsden, S., 1998. *Expedition Field Techniques BIRD SURVEYS*, London: Geography Outdoors.
- Braun-Blanquet, J., 1932. *Plant Sociology : The Study of Plant Communities*, New York, NY, US: McGraw-Hill.
- Brower, J.E. & Zar, J.H., 1977. *Field and Laboratory Methods for General Ecology*, Iowa: Brown Co Publisher.
- Brown, R.D. & Gillespie, T.J., 1995. *Microclimate Landscape Design-Creating Thermal Comfort and Energy*, New York, NY, US: John Wiley & Sons.
- Carrara, E., Arroyo-Rodríguez, V., Vega-Rivera, J. H., Schondube, J. E., de Freitas, S. M., & Fahrig, L., 2015. Impact of landscape composition and configuration on forest specialist and generalist bird species in the fragmented Lacandona rainforest, Mexico. *Biological Conservation*, 184, pp.117–126. Available at: <http://linkinghub.elsevier.com/retrieve/pii/S000632071500035X>.
- Chianucci, F. & Cutini, A., 2012. Digital hemispherical photography for estimating forest canopy properties: current controversies and opportunities. , pp.290–295.
- Dahlan, E.N., 2004. *Membangun Kota Kebun (Garden City) Bernuansa Hutan Kota*, Bogor: Institut Pertanian Bogor Press.
- Departemen Dalam Negeri, 2007. *Peraturan Menteri Dalam Negeri Nomor 1 Tahun 2007 tentang Penataan Ruang Terbuka Hijau Kawasan Perkotaan*, Jakarta: Departemen Dalam Negeri.

- Departemen Kehutanan, 2012. *Pengembangan Hutan Kota dan Lanskap Perkotaan*, Jakarta: Badan Penelitian dan Pengembangan Kehutanan Pusat Penelitian Sosial, Ekonomi dan Kebijakan.
- Departemen Pekerjaan Umum, 2008. *Pengembangan Sistem Ruang Terbuka Hijau di Perkotaan*, Bogor: Laboratorium Perencanaan Lanskap Departemen Arsitektur Lanskap Fakultas Pertanian Institut Pertanian Bogor.
- Didham, B.R.K. & Ewers, R.M., 2014. Edge effects disrupt vertical stratification of microclimate in a temperate forest canopy., 68(4).
- Dinas Tata Ruang dan Pemukiman Sumatera Utara, 2014. *Peraturan Daerah Kota Medan Tentang Rencana Tata Ruang Wilayah (RTRW) Kota Medan Tahun 2011-2031*, Medan: Dinas Tata Ruang dan Pemukiman Sumatera Utara.
- Driscoll, D. a., Banks, S. C., Barton, P. S., Lindenmayer, D. B., & Smith, A. L., 2013. Conceptual domain of the matrix in fragmented landscapes. *Trends in Ecology and Evolution*, 28(10), pp.605–613. Available at: <http://dx.doi.org/10.1016/j.tree.2013.06.010>.
- Fandeli, C., Kaharuddin & Mukhlison, 2004. *Perhutanan Kota*, Yogyakarta: Fakultas Kehutanan Universitas Gadjah Mada.
- Feng, Y. & Liu, Y., 2015. Fractal dimension as an indicator for quantifying the effects of changing spatial scales on landscape metrics. *Ecological Indicators*, 53, pp.18–27. Available at: <http://dx.doi.org/10.1016/j.ecolind.2015.01.020>.
- Forman, R.T.T., 1995. *Land Mosaics : The Ecology of Landscapes and Regions*, Cambridge: Cambridge University Press.
- Forman, R.T.T. & Godron, M., 1986. *landscape Ecology*, New York, NY, US: John Wiley & Sons.
- Grey, G.W. & Deneke, F.J., 1986. *Urban Forestry* Second Edi., New York, NY, US: John Wiley & Sons.
- Gunawan, H. & Prasetyo, L.B., 2013. *Fragmentasi Hutan : Teori yang Mendasari Penataan Ruang Hutan Menuju Pembangunan Berkelanjutan*, Bogor: Pusat Penelitian dan Pengembangan Konservasi dan Rehabilitasi.
- Goulart, F.F., Salles, P. & Machado, R.B., 2013. How may agricultural matrix intensification affect understory birds in an Atlantic Forest landscape? A qualitative model on stochasticity and immigration. *Ecological Informatics*, 18, pp.93–106. Available at: <http://dx.doi.org/10.1016/j.ecoinf.2013.06.010>.

- Hair, J.F., 1998. *Multivariate Data Analysis*, New Jersey, US: Prentice-Hall Inc.
- Hernowo, J.B. & Lilik, B.P., 1989. *Konsepsi Ruang Terbuka Hijau di Kota Sebagai Pendukung Pelestarian Burung*, Bogor: Media Konservasi Sumberdaya Hutan Fakultas Kehutanan Institut Pertanian Bogor.
- Hong, B., Liu, S. & Li, S.H., 2011. Ecological landscape planning and design of an urban landscape fringe area: A case study of Yang' an District of Jiande City. *Procedia Engineering*, 21, pp.414–420. Available at: <http://dx.doi.org/10.1016/j.proeng.2011.11.2033>.
- Hu, L., Yan, B., Wu, X., & Li, J., 2011. Calculation method for sunshine duration in canopy gaps and its application in analyzing gap light regimes. *Forest Ecology and Management*, 259(3), 350–359. doi:10.1016/j.foreco.2009.10.029.
- Huynh, M.L., 2011. Assessment of various methods of canopy cover estimation that yield accurate results with field repeatability. , pp.1–23.
- Idilfitri, S., Sulaiman, S. & Salleh, N.S., 2014. Role of Ornamental Plants for Bird Community' Habitats in Urban Parks. *Procedia - Social and Behavioral Sciences*, 153, pp.666–677. Available at: <http://linkinghub.elsevier.com/retrieve/pii/S1877042814055402>.
- Jennings, S.B., Brown, N.D. & Sheil, D., 1999. Assessing Forest Canopies and Understorey Illumination: Canopy Closure, Canopy Cover and other Measures. *Forester*, 72(1), pp.59–73.
- Kadoya, T. & Washitani, I., 2012. Use of multiple habitat types with asymmetric dispersal affects patch occupancy of the damselfly *Indolestes peregrinus* in a fragmented landscape. *Basic and Applied Ecology*, 13(2), pp.178–187.
- Kartasapoetra, G., 1968. *Klimatologi: Pengaruh Terhadap Iklim Tanah dan Tanaman*, Jakarta: Bumi Aksara.
- Khotdee, M., Singhirunnusorn, W. & Sahachaisaeree, N., 2012. Effects of Green Open Space on Social Health and Behaviour of Urban Residents: A Case Study of Communities in Bangkok. *Procedia - Social and Behavioral Sciences*, 36(June 2011), pp.449–455. Available at: <http://dx.doi.org/10.1016/j.sbspro.2012.03.049>.
- Kim, W.-Y., Sin, M., Song, H., Kim, Y., & Sung, H.-C., 2012. Bird Diversity of Gokdudo · Daehangdo · Mokdo Islands in Dadohaehaesang National Park of Korea. *Journal of Korean Nature*, 5(4), 293–297. doi:10.7229/jkn.2012.5.4.293.

- King, K.L. & Locke, D.H., 2013. A Comparison of Three Methods for Measuring Local Urban Tree Canopy Cover. , 39(2), pp.62–67.
- Kosicki, J.Z. & Chylarecki, P., 2012. Effect of climate, topography and habitat on species-richness of breeding birds in Poland. *Basic and Applied Ecology*, 13(5), pp.475–483. Available at: <http://dx.doi.org/10.1016/j.baae.2012.07.007>.
- Kuttler, W., 1993. *Urban Ecology* H. Sukopp & R. Wittg, eds., Stuttgart, Germany: Fischer Verlag.
- Lee, P.S., Mackey, B.G. & Berry, S.L., 2013. Modelling vegetation structure-based bird habitat resources in Australian temperate woodlands, using multi-sensors. *European Journal of Remote Sensing*, 46(1), pp.641–674.
- Lehmann, I., Mathey, J., Rößler, S., Bräuer, A., & Goldberg, V., 2014. Urban vegetation structure types as a methodological approach for identifying ecosystem services - Application to the analysis of micro-climatic effects. *Ecological Indicators*, 42, 58–72. doi:10.1016/j.ecolind.2014.02.036.
- Litteral, J. & Wu, J., 2012. Urban landscape matrix affects avian diversity in remnant vegetation fragments: Evidence from the Phoenix metropolitan region, USA. *Urban Ecosystems*, 15(4), pp.939–959.
- Lee, M.B. & Carroll, J.P., 2014. Relative importance of local and landscape variables on site occupancy by avian species in a pine forest, urban, and agriculture matrix. *Forest Ecology and Management*, 320, pp.161–170. Available at: <http://dx.doi.org/10.1016/j.foreco.2014.03.017>.
- Ma, M., Hietala, R., Kuussaari, M., & Helenius, J., 2013. Impacts of edge density of field patches on plant species richness and community turnover among margin habitats in agricultural landscapes. *Ecological Indicators*, 31, 25–34. doi:10.1016/j.ecolind.2012.07.012.
- MacGregor-Fors, I. & Ortega-Álvarez, R., 2011. Fading from the forest: Bird community shifts related to urban park site-specific and landscape traits. *Urban Forestry and Urban Greening*, 10(3), pp.239–246. Available at: <http://dx.doi.org/10.1016/j.ufug.2011.03.004>.
- Margalef, R., 1968. *Perspectives in Ecological Theory*, Chicago, US: University of Chicago Press.
- Marja, R., Uuemaa, E., Mander, Ü., Elts, J., & Truu, J., 2013. Landscape pattern and census area as determinants of the diversity of farmland avifauna in Estonia. *Regional Environmental Change*, 13(5), 1013–1020. doi:10.1007/s10113-013-0409-7.

- McGarigal, K. & Marks, B.J., 1995. *FRAGSTATS: Spatial Pattern Analysis Program for Quantifying Landscape Structure*, General Technical Report, PNW-GTR-351, Portland, Oregon, US. Available at: <http://www.fs.fed.us/pnw/publications/gtrs-prior-1997.shtml>.
- Morisson, M. L., 2002. *Wildlife Restoration: Techniques for Habitat Analysis and Animal Monitoring*, Washington, US: Island Press.
- Nieuwolt, S., 1975. *Tropical Climatology: An Introduction to the Climate of the Low Latitudes*, New York, NY, US: John Wiley & Sons.
- Nachrowi, D.N., 2008. *Penggunaan Teknik Ekonometrika*, Jakarta: Raja Grafindo Persada.
- Nobis, M., 2005. SideLook 1.1 – Imaging Software for the Analysis of Vegetation Structure with True-Colour Photographs. In p. 6 p. Available at: <http://www.appleco.ch>.
- Norton, B. a., Coutts, A. M., Livesley, S. J., Harris, R. J., Hunter, A. M., & Williams, N. S. G., 2015. Planning for cooler cities: A framework to prioritise green infrastructure to mitigate high temperatures in urban landscapes. *Landscape and Urban Planning*, 134, 127–138. doi:10.1016/j.landurbplan.2014.10.018
- Pergola, B. B. S., Dewi, R. A., Surya, & Suprianto, 2013. Keanekaragaman Spesies Burung di Lahan Basah Rawa Bujung Raman Desa Bujung Dewa Kecamatan Pagar Dewa Kabupaten Tulang Bawang Barat. In Lampung: Seminar Nasional Sains Lembaga Penelitian Universitas Lampung, pp. 607–615.
- Pielou, E. C., 1966. Shannon's Formula as A Measure of Specific Diversity: It's Use and Missue. In *Nature*, p. 100: 463–465.
- Pudjiharta, A.G., 1980. *Peranan Vegetasi dalam Menjaga Kualitas Lingkungan*, Bogor: Lembaga Penelitian Hutan.
- Qiu, G. Y., Li, H. Y., Zhang, Q. T., Chen, W., Liang, X. J., & Li, X. Z., 2013. Effects of Evapotranspiration on Mitigation of Urban Temperature by Vegetation and Urban Agriculture. *Journal of Integrative Agriculture*, 12(8), 1307–1315. doi:10.1016/S2095-3119(13)60543-2
- Rempel, R., 2008. *Patch Analyst for ArcGIS: Version 4*, Ontario, Canada. Available at: <http://flash.lakeheadu.ca/~rrempel/patch/>.

- Rodewald, A.D., Kearns, L.J. & Shustack, D.P., 2013. Consequences of urbanizing landscapes to reproductive performance of birds in remnant forests. *Biological Conservation*, 160, pp.32–39. Available at: <http://dx.doi.org/10.1016/j.biocon.2012.12.034>.
- Rosenberg, N.J., 1974. *Microclimate : The Biological Environment*, Canada: University of Nebraska.
- SAS, 1988. *SAS User's Guide*, New York: SAS Inst. Inc.
- Schindler, S., Von Wehrden, H., Poirazidis, K., Wrba, T., & Kati, V., 2013. Multiscale performance of landscape metrics as indicators of species richness of plants, insects and vertebrates. *Ecological Indicators*, 31, 41–48. doi:10.1016/j.ecolind.2012.04.012
- Stagoll, K., Manning, A. D., Knight, E., Fischer, J., & Lindenmayer, D. B., 2013. Using bird-habitat relationships to inform urban planning. *Landscape and Urban Planning*, 98(1), 13–25. doi:10.1016/j.landurbplan.2010.07.006
- Tian, Y., Jim, C.Y. & Wang, H., 2014. Assessing the landscape and ecological quality of urban green spaces in a compact city. *Landscape and Urban Planning*, 121, pp.97–108. Available at: <http://dx.doi.org/10.1016/j.landurbplan.2013.10.001>.
- Uuemaa, E., Roosaare, J., Oja, T., & Mander, Ü., 2011. Analysing the spatial structure of the Estonian landscapes: which landscape metrics are the most suitable for comparing different landscapes? *Estonian Journal of Ecology*, 60(1), 70. doi:10.3176/eco.2011.1.06.
- Walz, U., 2011. Landscape Structure, Landscape Metrics and Biodiversity Imprint / Terms of Use. *Landscape*, 5(3), p.5. Available at: <http://www.livingreviews.org/lrlr-2011-3>.
- Weiss, M. & Baret, F., 2014. Can-EYE V6.313 User Manual: INRA.
- Woodgate, W., Jones, S. D., Suarez, L., Hill, M. J., Armston, J. D., Wilkes, P., ... Mellor, A., 2015. Understanding the variability in ground-based methods for retrieving canopy openness, gap fraction, and leaf area index in diverse forest systems. *Agricultural and Forest Meteorology*, 205, 83–95. doi:10.1016/j.agrformet.2015.02.012.
- Wu, J., 2014. Author's personal copy Landscape and Urban Planning Urban ecology and sustainability: The state-of-the-science and future directions Author's personal copy. , 125, pp.209–221.



- Yang, G., Xu, J., Wang, Y., Wang, X., Pei, E., Yuan, X., Wang, Z., 2015. Evaluation of microhabitats for wild birds in a Shanghai urban area park. *Urban Forestry & Urban Greening*, 14(2), 246–254. doi:10.1016/j.ufug.2015.02.005.
- Zapponi, L., Luiselli, L., Cento, M., Catorci, A., & Bologna, M. A., 2014. Disentangling patch and landscape constraints of nested assemblages. *Basic and Applied Ecology*, 15(8), 712–719. doi:10.1016/j.baae.2014.09.006.
- Zhang, Y., Huang, M. & Lian, J., 2015. Spatial distributions of optimal plant coverage for the dominant tree and shrub species along a precipitation gradient on the central Loess Plateau. *Agricultural and Forest Meteorology*, 206, pp.69–84. Available at: <http://linkinghub.elsevier.com/retrieve/pii/S0168192315000714>.