

## DAFTAR PUSTAKA

- ADPC. (2003). *CASITA Module 2 - Hazard*. Diperoleh ari URL. | Retrieved Number|.
- APFM. (2006). Environmental aspects of integrated flood management, APFM Technical Document No.3 *Flood Management Policy Series*: World Meteorological Organization.
- Ashley, R., Garvin, S., Pasche, E., Vassilopoulos, A., & Zevenbergen, C. (2007). *Advances in Urban Flood Management*: Taylor & Francis.
- Barkhordari, J. (2003). *Assessing the Effects of Land Use Change on the Hydrologic Regime by RS and GIS - A case study in the Minab catchment, Hormozgan Province, Iran*. (Master), International Institute for Geo-information Science and Earth Observation, Enschede, The Netherlands.
- Beven, K. (2004). Robert E. Horton's perceptual model of infiltration processes. *Hydrological processes*, 18(17), 3447-3460.
- BNPB (Cartographer). (2009). Peta Bencana Banjir di Wilayah Kota Semarang. Diperoleh ari URL, Access Date.
- BNPB. (2013). *Frekuensi Bencana tahun 1815-2013*. Diperoleh dari <http://dibi.bnpb.go.id/DesInventar/dashboard.jsp?countrycode=id&continue=y&lang=ID>
- BNPB, P. (Cartographer). (2014). Peta Sebaran Kejadian Bencana Banjir Tahun 2014. Diperoleh ari URL, Access Date.
- Carlson, T. N., & Ripley, D. A. (1997). On the relation between NDVI, fractional vegetation cover, and leaf area index. *Remote Sensing of Environment*, 62(3), 241-252. doi: [http://dx.doi.org/10.1016/S0034-4257\(97\)00104-1](http://dx.doi.org/10.1016/S0034-4257(97)00104-1)
- Chen, L., & Young, M. H. (2006). Green-Ampt infiltration model for sloping surfaces. *Water Resource Research*, 42(7), 1-9. doi: doi:10.1029/2005WR004468
- Cohen, J. (1960). A Coefficient of Agreement for Nominal Scales. *Educational and Psychological Measurement*, 20, 10.
- Compagnucci, R., Da Cunha, L., Hanaki, K., Howe, C., Mailu, G., Shiklomanov, I., . . . Döll, P. (2001). Hydrology and water resources. *Climate change*, 191-233.
- Congalton, R. G., Oderwald, R. G., & Mead, R. A. (1983). Assessing Landsat classification accuracy using discrete multivariate analysis statistical techniques. *Photogrammetric Engineering and Remote Sensing*.
- Dawson, R. J., Ball, T., Werritty, J., Werritty, A., Hall, J. W., & Roche, N. (2011). Assessing the effectiveness of non-structural flood management measures in the Thames Estuary under conditions of socio-economic and environmental change. *Global Environmental Change*, 21(2), 628-646. doi: 10.1016/j.gloenvcha.2011.01.013
- De Roo, A., & Offermans, R. (1995). LISEM: a physically-based hydrological and soil erosion model for basin-scale water and sediment management. *IAHS Publications-Series of Proceedings and Reports-Intern Assoc Hydrological Sciences*, 231, 399-408.

- De Roo, A., Wesseling, C., Cremers, N., Offermans, R., Ritsema, C., & Van Oostindie, K. (1994). LISEM: a new physically-based hydrological and soil erosion model in a GIS-environment, theory and implementation. *IAHS Publications-Series of Proceedings and Reports-Intern Assoc Hydrological Sciences*, 224, 439-448.
- du Canal, P. T. (na). Modelling The Ob River, in Western Siberia, using Remotely Sensed Digital Elevation Models.
- EAC. (2011). Image Interpretation and Processing RGS Field Techniques: GISci Manual. Diperoleh dari URL | (Original Publication)|. doi: DOI
- Elfert, S., & Bormann, H. (2010). Simulated impact of past and possible future land use changes on the hydrological response of the Northern German lowland 'Hunte' catchment. *Journal of Hydrology*, 383(3-4), 245-255. doi: <http://dx.doi.org/10.1016/j.jhydrol.2009.12.040>
- Gilley, J. E., & Kottwitz, E. R. (1995). Random roughness assessment by the pin and chain method.
- Gosa, A. G. (2009). *Remote Sensing of Leaf Area Index: Enhanced Retrieval from Close-range and Remotely Sensed Optical Observation*. (Doctorate), University of Helsinki, Helsinki, Finland.
- Hadi, A. N., Sudibyakto, & Shresta, D. (2011). *Analyzing Runoff Dynamics Through Parameterizing A Hydrological Model in A Watershed A Case Study in Upper Part of Serayu Watershed, Central Java Province, Indonesia*. (Master), Universitas Gadjah Mada, Yogyakarta.
- Harsoyo, B. (2010). Review Modeling Hidrologi DAS di Indonesia. *Jurnal Sains dan Teknologi Modifikasi Cuaca*, 11(1), 41-47.
- Hayes, B. D. (2004). Interdisciplinary planning of non-structural flood hazard mitigation. *Journal of Water Resources Management and Planning*, 130, 15-25.
- Im, J., & Jensen, J. R. (2005). A change detection model based on neighborhood correlation image analysis and decision tree classification. *Remote Sensing of Environment*, 99(3), 326-340.
- Jetten, V. (2014). A Brief Guide to openLISEM. Retrieved 28 April 2015
- JICA. (2013). *Rencana Rinci Jatibarang*.
- Kiel, B., Alsdorf, D., & LeFavour, G. (2006). Capability of SRTM C- and X-band DEM Data to Measure Water Elevations in Ohio and the Amazon. *Photogrammetric Engineering & Remote Sensing*, 72(3), 313-320. doi: 10.14358/PERS.72.3.313
- Landis, J. R., & Koch, G. G. (1977). The measurement of observer agreement for categorical data. *Biometrics*, 33, 13.
- Lu, D., Moran, E., Hetrick, S., & Li, G. (2011). Land-Use and Land-Cover Change Detection. In Q. Weng (Ed.), *Advances in Environmental Remote Sensing - Sensors, Algorithms and Application*. United States of America: CRC Press.
- Lu, D., & Weng, Q. (2005). Urban Classification Using Full Spectral Information of Landsat ETM Imagery in Marion County, Indiana. *Photogrammetric Engineering & Remote Sensing*, 71(11), 275-284.
- Marfai, A. (2004). *GIS Modeling of River Tidal Flood*. (Master), ITC.

- Mersel, M. K., Smith, L. C., Andreadis, K. M., & Durand, M. T. (2013). Estimation of river depth from remotely sensed hydraulic relationships. *Water Resources Research*, 49(6), 3165-3179.
- Merz, B., Thielen, A., & Kreibich, H. (2011). Quantification of Socio-Economic Flood Risks *Flood Risk Assessment and Management* (pp. 229-247): Springer.
- Minea, G., & Zaharia, L. (2011). Structural and Non-Structural Measures for Flood Risk Mitigation in the Bâsca River Catchment (Romania). *Forum geografic*, X(1), 157-166. doi: 10.5775/fg.2067-4635.2011.034.i
- Nasional, B. S. (2010). Standar Nasional Indonesia *Klasifikasi Penutup Lahan* (Vol. 7645). Jakarta.
- Nurritasari, F. A. (2014). *Evaluation of Retention Basin Establishment to Reduce Flood Risk on Crops by Using Flood Modeling in Logung Sub-Catchment, Juwana Catchment, Central Java, Indonesia*. (Master), Gadjah Mada University
- University of Twente, Unpublished.
- Potter, K. W. (2011). Estimating potential reduction flood benefits of restored wetlands. *Journal of Contemporary Water Research and Education*, 97(1), 8.
- Poussin, J. K., Bubeck, P., Aerts, J., & Ward, P. J. (2012). Potential of semi-structural and non-structural adaptation strategies to reduce future flood risk: case study for the Meuse. *Natural Hazards and Earth System Sciences*, 12(11), 3455-3471. doi: 10.5194/nhess-12-3455-2012
- Prasena, A. (2012). *Assessing The Effects of Land Use Change on Runoff, Case Study of Bedog Sub-Watershed in Yogyakarta Province, Indonesia*. (Master), Universitas Gadjah Mada, Yogyakarta.
- Prasena, A., & Shrestha, D. B. P. (2013). Assessing The Effects of Land Use Change on Runoff in Bedog Sub Watershed Yogyakarta. *Indonesian Journal of Geography*, 45(No.1), 48-61.
- Price, J. C., & Bausch, W. C. (1995). Leaf area index estimation from visible and near-infrared reflectance data. *Remote Sensing of Environment*, 52(1), 55-65. doi: [http://dx.doi.org/10.1016/0034-4257\(94\)00111-Y](http://dx.doi.org/10.1016/0034-4257(94)00111-Y)
- PU-NET, P. K. P. (2009). Tahun 2013, Waduk Jatibarang Ditargetkan Selesai. Diperoleh dari Website Title website: |URL| doi:DOI
- Raharjo, P. D. (2009). Perubahan Penggunaan Lahan Das Kreo Terhadap Debit Puncak dengan Aplikasi Penginderaan Jauh. [Effect of Land Use Change to Peak Flow of Kreo Watershed Effect Using Remote Sensing]. 2009, 19(2), 16. doi: 10.14203/risetgeotam2009.v19.24
- Richards, J. A. (1999). *Remote Sensing Digital Image Analysis*. Berlin: Springer-Verlag.
- Santoso, B. (2006). Karakteristik Hujan Kota Semarang: Pembangunan Kurva Intensitas-Durasi-Frekuensi (IDF). *Jurnal Teknik Sipil*, 3(1). doi: citeulike-article-id:4642129
- Sanyal, J., Densmore, A. L., & Carbonneau, P. (2014). Analysing the effect of land-use/cover changes at sub-catchment levels on downstream flood

- peaks: A semi-distributed modelling approach with sparse data. *CATENA*, 118(0), 28-40. doi: <http://dx.doi.org/10.1016/j.catena.2014.01.015>
- Sapountzaki, K., Wanczura, S., Casertano, G., Greiving, S., Xanthopoulos, G., & Ferrara, F. F. (2011). Disconnected policies and actors and the missing role of spatial planning throughout the risk management cycle. *Natural Hazards*, 59(3), 1445-1474. doi: 10.1007/s11069-011-9843-3
- Schanze, J. (2006). Flood Risk Management – A Basic Framework. In J. Schanze, E. Zeman & J. Marsalek (Eds.), *Flood Risk Management: Hazards, Vulnerability and Mitigation Measures* (Vol. 67, pp. 1-20): Springer Netherlands.
- Schmidt, F., & Ferguson, J. (1951). Rainfall types based on wet and dry period ratios for Indonesia with Western New Guinea.
- SDA, D. (Producer). (2014, 23 Agustus 2015). Pengisian Awal Waduk Jatibarang. Diperoleh dari URL
- Setiawan, A. (2009). *Study of Land Use Change Effect on The Runoff Using LISEM (Limburg Soil Erosion Model)*. (Master), University of Gadjah Mada, Yogyakarta.
- Setyowati, D. L. (2010a). *Hubungan hujan dan limpasan pada berbagai dinamika spasial penggunaan lahan di DAS Kreo Jawa Tengah*. (Doctorate), Universitas Gadjah Mada.
- Setyowati, D. L. (2010b). Hubungan Hujan dan Limpasan pada Sub DAS Kecil Penggunaan Lahan Hutan, Sawah, Kebun Campuran di DAS Kreo. [Relation of Rainfall-Runoff at Small Watershed with Land use forest, rice field, mixed garden in Kreo Watershed]. *Forum Geografi*, 24(1), 18.
- Shrestha, A. B. (2008). *Resource Manual on Flash Flood Risk Management*
- Module 2: Non-structural Measures*. Kathmandu, Nepal: International Centre for Integrated Mountain Development.
- Sriwongsitanon, N., & Taesombat, W. (2011). Effects of land cover on runoff coefficient. *Journal of Hydrology*, 410(3-4), 226-238. doi: <http://dx.doi.org/10.1016/j.jhydrol.2011.09.021>
- Sriyanto, A. (2013). Laporan Perencanaan dan Perancangan Survey Pemetaan Penutup Lahan dan Keanekaragaman Hayati Kawasan Konservasi Proyek *Citarum Watershed Management and Biodiversity Conservation* (CWMBC) (pp. 32). Bandung.
- Sudarmanto, A. (2013). Analisis Kemampuan Infiltrasi Lahan Berdasarkan Kondisi Hidrometeorologis dan Karakteristik Fisik DAS pada Sub DAS Kreo Jawa Tengah.
- Suhandini, P. (2011). *Banjir Bandang di DAS Garang Jawa Tengah (Penyebab dan Implikasi)*. (Doctor), University of Gadjah Mada.
- Supriyadi, S., Khumaedi, K., & Panca, R. (2014). Pola Sebaran Limbah TPA Studi Kasus di Jatibarang Semarang. [Waste Distribution Pattern Cese Study in TPA Jatibarang Semarang]. *Jurnal Manusia dan Lingkungan*, 20(1), 35-48.
- Suripin. (2004). *Sistem drainase perkotaan yang berkelanjutan: Andi*.

- Suryahadi, M. Y. (2009). *Studi Pemanfaatan Waduk-waduk untuk Pengendalian Banjir Sungai Garang Kota Semarang Provinsi Jawa Tengah*. (Master), Universitas Gadjah Mada.
- Susilo, E., & Sudarmanto, B. (2012). Kajian Hidrologi Terhadap Perubahan Penggunaan Lahan Pertanian dan Lahan Hijau Menjadi Pemukiman di Kota Semarang. *Riptek*, 6(I), 9.
- Syawal, S., & Widjonarko. (2010). Simulasi Pengaruh Pembangunan Waduk Jatibarang Terhadap Banjir di Bantaran Sungai Garang Semarang. [Simulation of The Effect of Development on Flood Reservoir Jatibarang Along The River Garang Semarang]. *Tata Loka*, 12(3).
- vanDiepen, C., Wolf, J., vanKeulen, H., & Rappoldt, C. (1989). WOFOST: a simulation model of crop production. *Soil use and management*, 5(1), 16-24.
- Verrina, G. P., Anugerah, D. D., & Haki, H. (2014). Analisa Runoff Pada Sub DAS Lematang Hulu. *Jurnal Teknik Sipil dan Lingkungan*, 1(1), pp. 022-031.
- VIS, I. (2008). ENVI 4.5 User's Guide. *Software Manual ITT Visual Information Solutions (ITT VIS), Boulder (CO), USA*.
- Wan, R., & Yang, G. (2007). Influence of land use/cover change on storm runoff - A case study of Xitiaoxi River Basin in upstream of Taihu Lake Watershed. *Chinese Geographical Science*, 17(4), 349-356. doi: 10.1007/s11769-007-0349-6
- Wang, A., Jin, C., Liu, J., & Pei, T. (2006). A Modified Hortonian Overland Flow Model Based on Laboratory Experiments. *Water Resources Management*, 20(2), 181-192. doi: 10.1007/s11269-006-7375-5
- Wang, S., Zhang, Z., McVicar, T. R., Zhang, J., Zhu, J., & Guo, J. (2012). An event-based approach to understanding the hydrological impacts of different land uses in semi-arid catchments. *Journal of Hydrology*, 416-417(0), 50-59. doi: <http://dx.doi.org/10.1016/j.jhydrol.2011.11.035>
- Xu, H. (2007). Extraction of Urban Built-up Land Features from Landsat Imagery Using a Thematic-oriented Index Combination Technique. *Photogrammetric Engineering & Remote Sensing*, 73(12), 11.