

## DAFTAR PUSTAKA

- Albert, A. and Magrath, D., 1947, *The Choice of a Chelating Agent for Inactivating Trace Metals: Derivatives of Oxine (8-Hydroxyquinoline)*, University of Sydney, Australia.
- Anonim, 2015, *Penetapan Kebutuhan dan Persentase Minimal Penjualan Batubara untuk Kepentingan dalam Negeri Tahun 2015*.
- Anonim, 2001, *Peraturan Pemerintah No. 82 tentang Pengelolaan Kualitas Air dan Pengendalian Pencemaran Air*.
- Arafat, H.A., Ahnert, F. and Pinto N.G., 2005, On The Adsorption of Aromatics on Oxygenated Activated Carbon in Non Aqueous Adsorption Media. *Sep. Sci. Technol.*, 39(1) : 43-62.
- Asokbunyarat, V., Hullebusch, A.D., Lens, P.N.L. and Annachhatre, A.P., 2015, Coal Bottom Ash as Sorbing Material for Fe(II), Cu(II), Mn(II) and Zn(II) Removal from Aqueous Solutions, *Water Air Soil Pollut.*, 226, 143.
- Atalay, S., Adiguzel, H.I. and Atalay, F., 2001, Infrared Absorption Study of Fe<sub>2</sub>O<sub>3</sub>-CaO-SiO<sub>2</sub> Glass Ceramics, *Mater. Sci. Eng.*, A304-306, 796-799.
- Atkins, P.W., 1999, *Physical Chemistry* 8<sup>th</sup> Ed., W. H. Freeman and Company, New York.
- Badieii, A., Goldooz, H. and Ziarani, G.M., 2011, A Novel Method for Preparation of 8-hydroxyquinoline Functionalized Mesoporous Silica: Aluminum Complexes and Photoluminescence Studies, *Appl. Surf. Sci.*, 257, 4912–4918.
- Brown, G.E., Gibbs, G.V. and Ribbe, P.H., 1969, The Nature and The Variation in Length of the Si-O and Al-O Bonds in Framework Silicates, *Am. Mineral.*, 54.
- Budhyantoro, A. 2005, Konversi Abu Layang Batubara Sebagai Material Pengembangan Logam Nikel dan Uji Ketahanan Struktur Padatan Terhadap Panas. *Jurnal Ilmu Dasar*, 6(1) : 24-32.
- Castellan, G.W., 1982, *Physical Chemistry*, 3<sup>rd</sup> Ed., General Graphic Services, New York.
- Chen, S.B., Ma, Y.B., Chen, L. and Xian, K., 2010, Adsorption of Aqueous Cd<sup>2+</sup>, Pb<sup>2+</sup>, Cu<sup>2+</sup> Ions by Nano-hydroxyapatite: Single and Multi-Metal Competitive Adsorption Study, *Geochem. J.*, 44, 233-239.
- Chen, Y., Huang, R. and Zhu, C., 2014, Adsorptive Removal of La(III) from Aqueous Solutions with 8-Hydroxyquinoline Immobilized GMZ Bentonite, *J. Radioanal Nucl. Chem.*, 299, 665-674.

- Chiang, Y.W., Ghyselbrecht, K., Santos, R.M., Meesschaert, B. and Martens, J.A., 2012, Synthesis of Zeolitic-Type Adsorbent Material from Municipal Solid Waste Incinerator Bottom Ash and Its Application In Heavy Metal Adsorption, *Catal. Today*, 190, 23–30.
- Cornel and Miller, 1995, *Environmental Toxicology and Chemistry*, Oxford University Press Inc., New York.
- Daneshfar, A., Ghaedi, M., Vafafard, S. and Shiri, L., 2012, Amberlite IR-20 Modified with 8-Hydroxyquinoline as Efficient Adsorbent for Sholid-Phase Extraction and Flame Atomic Absorption Determination of Trace Amounts of Some Metal Ions, *Biol. Trace. Elem. Res.*, 145, 240-247.
- Dincer, A.R., Güneş, Y. and Karakaya, N., 2007, Coal-Based Bottom Ash (CBBA) Waste Material As Adsorbent for Removal of Textile Dyestuffs From Aqueous Solution, *J. Hazard. Mater.*, 141, 529–535.
- Dincer, A.R., Güneş, Y., Karakaya, N. and Gunes, E., 2007, Comparison of Activated Carbon and Bottom Ash for Removal of Reactive Dye from Aqueous Solution, *Bioresour. Technol.*, 98, 834–839.
- Do, D.D., 1998, *Adsorption Analysis : Equilibria and Kinetics*. Imperial College Press, London, England.
- Faridah, A.M., Widiastuti, N. dan Prasetyoko, D., 2012, Karakterisasi Abu Dasar PLTU Paiton: Pengaruh Perlakuan Magnet, HCl, dan Fusi dengan NaOH, *Prosiding Seminar Nasional Kimia Unesa*, Surabaya.
- Ferreiro, E.A., de Bussetti, S.G. and Helmy, K., 1988, Sorption of 8-Hydroxyquinoline by Some Clays and Oxides, *Clays Clay Miner.*, 36(1), 61-67.
- Geetha, S. and Ramamurthy, K., 2010, Environmental Friendly Technology of Cold-bonded Bottom Ash Aggregate Manufacture Through Chemical Activation, *J. Clean. Product.* 18: 1563-1569.
- Givianrad, M.H., Rabani, M., Tehrani, M.S., Azar, P.A. and Sabzevari, M.H., 2013, Preparation and Characterization of Nanocomposite, Silika Aerogel, Activated Carbon and Its Adsorption Properties for Cd (II) Ions from Aqueous Solution, *Saudi. J. Chem. Soc.*, 17, 329–335.
- Gorgievski M., Bozic D., Stankovic V., Strbac N. and Serbula S., 2013, Kinetics, Equilibrium and Mechanism of Cu<sup>2+</sup>, Ni<sup>2+</sup> and Zn<sup>2+</sup> Ions Biosorption using Wheat Straw, *Ecol. Eng.*, 58, 113–122.
- Gorme, J. B., Maniquiz, M.C., Kim, S.S., Son, Y.G., Kim, Y.T. and Kim, L.H., 2010, Characterization of Bottom Ash as an Adsorbent of Lead from Aqueous Solutions, *Environ. Res.*, 15(4), 207-213.

- Guo, W., Meng, X., Liu, Y., Ni, L., Hu, Z., Chen, R., Meng, M., Wang, Y., Han, J. and Luo, M., 2014, Synthesis and Application of 8-HQ Modified MagnetiC Mesoporous Carbon for Adsorption of Multivariate Metal Ions from Aqueous Solutions, *J. Ind.Eng. Chem.*, 21, 340-349.
- Gupta, V.K., Mittal, A., Krishnan, L. and Gajbe, V., 2004, Adsorption Kinetics and Column Operations for The Removal and Recovery of Malachite Green From Wastewater Using Bottom Ash, *Sep. Purif. Technol.*, 40, 87–96
- Haber, J., Block, J.H. and Delmon, B., 1995, Manual of Methods and Procedures for Catalyst Characterization, *Pure Appl. Chem.*, 67, 1257-1306.
- Handayani, T., 2014, Adsorpsi Ion Pb(II) dan Cd(II) pada Abu Dasar Batubara terimobilisasi Ditizon, *Tesis*, FMIPA, UGM, Yogyakarta.
- Harris, D.C., 2010, *Quantitative Chemical Analysis*, 8<sup>th</sup> ed., W.H. Freeman and Company, New York.
- Haryoto dan Wibowo, A., 2004, Bioakumulasi Logam Berat Kadmium oleh Fitoplankton *Chlorella* sp. Lingkungan Perairan Laut, *Jurnal Penelitian Sains & Teknologi*, 5(2), 89 – 103.
- Ho, Y.S. and McKay, G., 1999, Pseudo-second Order Model for Sorption Process, *Pro-Biochem.*, 34, 451-465.
- House, J.E., 2007, *Principles of Chemical Kinetics*, 2<sup>nd</sup> Ed., Academic Press, New York.
- Jarusiripot, C., 2014, Removal of Reactive Dye by Adsorption over Chemical Pretreatment Coal Based Bottom Ash, *Proc. Chem.*, 9, 121 – 130.
- Kamal, M.M., El-Sayed, A.Y.E., Ahmed, S.M., Omran, A.A., Shahata, M.M., 2011, Pre-concentration of Some Heavy Metal Ions with AlO–HQ and AlO–PHQ and Their Studies by FTIR and Spectroscopy, *Arabian J. Chem.*, 8(2):442-449.
- Liu, Z.S., Li, W.K. and Huang, C.Y., 2014, Synthesis of Mesoporous Silika Materials from Municipal Solid Waste Incinerator Bottom Ash, *Waste Manage.*, 34, 893–900.
- Lowell, S., Shields, J.E., 1984, *Powder Surface Area and Porosity*, 2<sup>nd</sup> Ed., Quantachrome Corporation, USA.
- Manahan, S.E., 2003, *Toxicological Chemistry and Biochemistry*, Lewis Publisher, New York.
- Martin, A., Swarbrik, J., and Cammarata, A., 1993, *Dasar-Dasar Farmasi Fisik dalam Ilmu Farmasi*, Universitas Indonesia, Jakarta.

- Mohamed, E.F., Andriantsiferana, C., Wilhelm, A.M. and Delmas, H., 2011, Competitive Adsorption of Phenolic Compounds from Aqueous Solution Using Sludge Based Activated Carbon. *Environ. Tech.*, 1–12.
- Mohan, S. and Gandhimathi, R., 2009, Removal of Heavy Metal Ions from Municipal Solid Waste Leachate using Coal Fly Ash as an Adsorbent, *J. Hazard. Mater.*, 163(1-3), 351-359.
- Morris, M.C., McMurdie, H.F., Evans, E.H., Paretzkin, B., Parker, H.S. and Panagiotopoulos, N.C., 1981, *Standard X-ray Diffraction Powder Patterns Section 18 Data for 58 Substances*, Nat. Bur. Stand. (U.S.), Monogr.
- Murniati, 2007, Pembuatan Zeolit dari Abu Dasar Batubara dan Aplikasinya sebagai Adsorben Cu(II), *Tesis*, FMIPA, UGM, Yogyakarta.
- Narsito, Nuryono dan Suyanta, 2004, Kinetika Adsorpsi Zn(II) dan Cd(II) pada Silika Gel termodifikasi Hasil Pengolahan Abu Sekam Padi, *Laporan Hasil Penelitian Ilmu Dasar*, November 2004, Lembaga Penelitian Universitas Gadjah Mada, Yogyakarta.
- Nuryono dan Narsito, 2002, Kajian Kinetika Adsorpsi Kadmium(II) dan Krom(III) pada Tanah Diatomit, *Laporan Penelitian*, Oktober 2002., Lembaga Penelitian Universitas Gadjah Mada, Yogyakarta.
- Nuryono, Kunarti, E.S., dan Narsito, 2010, Pembuatan Silika Termodifikasi Amonium Kuarter dan Amin *Imprinted* Ionik dari Abu Sekam Padi untuk Adsorpsi Selektif Logam Emas, *Laporan Akhir Hibah Kompetensi Batch II Lanjutan*, Maret 2010, Lembaga Penelitian dan Pengabdian Masyarakat Universitas Gadjah Mada, Yogyakarta.
- Padi, 2009, Pengaruh Perlakuan HCl terhadap Karakter Zeolit Alam Klaten, *Tesis*, FMIPA, UGM, Yogyakarta.
- Palar, H., 1994, *Pencemaran dan Toksikologi Logam Berat*, Rineka Cipta, Jakarta.
- Pan, H.C., Liang F.P., Mao, C.J., Zhu, J.J. and Chen, H.Y., 2007, Highly Luminescent Zinc(II)-Bis(8-hydroxyquinoline) Complex Nanorods: Sonochemical Synthesis, Characterizations, and Protein Sensing, *J. Phys. Chem. B*, 111, 5767-5772.
- Pavia, D.L., Lampman, G.M., Kriz, G.S. and Vyvyan, J.R., 2009, *Introduction to Spectroscopy*, Brooks or Cole Cengage Learning, Washington.
- Pearson, R.G., 1968, Hard and Soft Acids and Bases, HSAB Part I, *J.Chem. Ed.*, 45(9).
- Perera, S.D., and Trautman, L.R., 2006, Geopolymers with Potential for Use as Refractory Castables, *Azojomo*, 2: 132-140.

- Pizarro, J., Castillo, X., Jara, S., Ortiz, C., Navarro, P., Cid, H., Rioseco, H., Barros, D. and Belzile, N., 2015, Adsorption of  $\text{Cu}^{2+}$  on Coal Fly Ash Modified with Functionalized Mesoporous Silica, *Fuel*, 156, 96–102.
- Powell, K.J., Brown, P.L., Byrne, R.H., Gajda, T., Hefter, G., Leuz, A.K., Sjöberg, S. and Wanner, H., 2011, Chemical Speciation of Environmentally Significant Metals with Inorganic Ligands. Part 4: The  $\text{Cd}^{2+}$ ,  $\text{OH}^-$ ,  $\text{Cl}^-$ ,  $\text{CO}_3^{2-}$ ,  $\text{SO}_4^{2-}$ , and  $\text{PO}_4^{3-}$  systems (IUPAC Technical Report), *Pure Appl. Chem.*, 83(5), 1163–1214.
- Powell, K.J., Brown, P.L., Byrne, R.H., Gajda, T., Hefter, G., Leuz, A.K., Sjöberg, S. and Wanner, H., 2007, Chemical Speciation of Environmentally Significant Metals with Inorganic Ligands Part 2: The  $\text{Cu}^{2+}$ ,  $\text{OH}^-$ ,  $\text{Cl}^-$ ,  $\text{CO}_3^{2-}$ ,  $\text{SO}_4^{2-}$ , and  $\text{PO}_4^{3-}$  Systems (IUPAC Technical Report), *Pure Appl. Chem.*, 79(5), 895–950.
- Querol, X., Alastuey, A., López-Soler, A., Plana, F., Andrés, J.M., Juan, R., Ferrer, P. and Ruiz, C.R., 1997, A Fast Method For Recycling Fly Ash: Microwave-Assisted Zeolite Synthesis. *Environ. Sci. Technol.*, 31 (9), 2527–2533.
- Salam, M.A., Al-Zhrani, G. and Kosa, S.A., 2014, Removal of Heavy Metal Ions from Aqueous Solution by Multi-walled Carbon Nanotubes Modified with 8-hydroxyquinoline: Kinetic Study, *J. Ind. Eng. Chem.*, 20, 572–580.
- Saleh, S.M., Maarof, S.N.S.A., Rahim. and Nasuha, N., 2012, Adsorption of Congo Red onto Bottom Ash, *J. App. Sci.*, 12(12), 1181-1185.
- Santa, R.A.A.B., Benardin, A.M., Riella, H.G. and Kuhnen, N.C., 2013, Geopolymer Synthetized from Bottom Coal Ash and Calcined Paper Sludge, *J. Clean. Product.*, 57, 302-307.
- Sanusi, H. S., 2006, *Kimia Laut*. Proses Fisik Kimia dan Interaksinya dengan Lingkungan, Institut Pertanian Bogor, Bogor.
- Sekkiana, M.M.A. and El-Helbawy, S.M., 1985, Vibrational Spectra of Some Solid 8-Hydroxyquinoline Metal Complexes in Correlation with Their Coordination Bond Length and Type of Metal Ion, *Proc. Indian natn. Sci. Acad.*, 6, 959-964.
- Septiana, A., 2013, Studi Adsorpsi Ion Logam Pb(II), Cu(II), dan Cr(III) menggunakan Abu Dasar Batubara, *Skripsi*, FMIPA, UGM, Yogyakarta.
- Shahata, M.M., 2012, Adsorption of Some Heavy Metal Ions by Used Different Immobilized Substances on Silica Gel, *Arabian J. Chem.* doi:10.1016/j.arabjc.2011.12.010.
- Shaw, D.J. 1999. *Colloid and Surface Chemistry*. Butterworth-Heinemann, Inggris.

- Shim, Y.S., Kim, Y.K., Kong, S.H., Rhee, S.W. and Lee, W.K., 2003, The Adsorption Characteristics of Heavy Metals by Various Particle Sizes of MSWI Bottom Ash, *Waste Manag.*, 23(9), 851-7.
- Smallman, R. and Bishop, R., 1999, *Modern Physics Metallurgy and Materials Engineering*. Butterworth-Heinemann Oxford, Inggris.
- Soco, E. and Kalemkiewicz, J., 2013, Adsorption of Nickel(II) and Copper(II) Ions from Aqueous Solution by Coal Fly Ash, *J. Environ. Chem. Eng. I.*, 581–588.
- Speight, J. G., 2005, *Handbook of Coal Analysis*, John Wiley and Sons inc., New York.
- Sukpreabprom, H., Arquero, O.A., Naksata, W., Sooksamiti, P. and Janhom, S., 2014, Isoterm, Kinetic and Thermodynamic Studies on the Adsorption of Cd(II) and Zn (II) ions from Aqueous Solutions onto Bottom Ash, *Int. J. Environ. Sci. Dev.*, 5(2).
- Sukpreabprom, H., Arquero, O.A., Naksata, W., Sooksamiti, P. and Janhom, S., 2015, Single and Binary Adsorption of Cd(II) dan Zn(II) ion from Aqueous Solutions onto Bottom Ash, *Korean J. Chem. Eng.*, 32(5), 896-902.
- Suseno, H., Prastumi, Susanti, L., Setyowulan, D., 2012, Pengaruh Penggunaan Bottom Ash sebagai Pengganti Tanah Liat pada Campuran Bata terhadap Kuat Tekan Bata, *Jurnal Rekayasa Sipil*, 6(3).
- Vucinic, D, Miljavonic, I., Rosica and Lazic, P., 2003, “Effect of Na<sub>2</sub>O/SiO<sub>2</sub> mole Ratio on the Crystal Type of Zeolite Synthesized from Coal Fly Ash”, *J. Serb. Chem. Soc.* 68 (6), 471-478.
- Wu, F.C., Wu, P.H., Tseng, R.L. and Juang, R.S., 2010, Preparation of Activated Carbons from Unburnt Coal in Bottom Ash with KOH Activation for Liquid-phase adsorption, *J. Environ. Manage.*, 91, 1097–1102.
- Yanti, S., 2014, Studi Adsorpsi Ion Merkuri dan Tembaga menggunakan Abu Dasar Batubara Termodifikasi Ditizon, *Tesis*, FMIPA, UGM, Yogyakarta.
- Zhang, J.X. and Qu, L.L., 2013, Kinetic, Isoterm and Tehrmodynamic Studies of the Adsorption of Crystal Violet by Activated Carbon from Peanut Shells, *Water Sci. Technol.*, 67, 733-744.