

## DAFTAR PUSTAKA

- Agapidou, A., Theodoridou, S., Tegos, K., Mandala, E., Leukou, E., Karakasidou, O., Aletra, B., Sevastidou, A., Alemayehou, M., & Voskaridou, E. (2012). Co-Existence of Hereditary Pyrimidine 5'-Nucleotidase Deficiency and Heterozygous  $\alpha$ -Thalassemia: A Case Presentation. *Turkish J Haematol*, 29(4), 434-435.
- Aggarwal, S., Saluja, S., Bhasin, S., Sharma, M., Gupta, D., Gupta, B., & Mittal, V. (2011). HbE variants - Retrospective analysis in a tertiary care centre. *JACM*, 12(4), p. 263-265.
- Ahmed, M. G., & Fahim, F. (2011). Red Blood Cell Indices in Thalassemias. *Haematology Update*, Retrieved Dec 10th, 2014, from <http://www.psh.org.pk/HaematologyUpdate.html>
- Aji, D. N., Silman, C., Aryudi, C., Cynthia, Centauri, Andalia, D., Astari, D., Pitaloka, D., Wawolumaya, C., Sekartini, R., & Amalia, P. (2009). Faktor-Faktor yang Berhubungan dengan Kualitas Hidup Pasien Thalassaemia Mayor di Pusat Thalassaemia Departemen Ilmu Kesehatan Anak RSCM. *Sari Pediatri*, 11(2), p.85-89.
- Akhtar, M. S., Qaw, F., Borgio, J. F., Albuali, W., Suliman, A., Nasserullah, Z., Al-Jarrash, S., & Al-Ali, A. (2013). Spectrum of  $\alpha$ -Thalassemia Mutations in Transfusion-Dependent  $\beta$ -Thalassemia Patients from the Eastern Province of Saudi Arabia. *Hemoglobin*, 37(1), p. 65-73.
- Akinsheye, I., Solovieff, N., Ngo, D., Malek, A., Sebastiani, P., Steinberg, M. H., & Chui, D. H. K. (2012). Fetal Hemoglobin in Sick Cell Anemia: Molecular Characterization of the Unusually High Fetal Hemoglobin Phenotype in African Americans. *Am J Hematol*, 87(2), p. 217-219.
- Al-Allawi, N. A. S., Puehringer, H., Raheem, R. A., & Oberkanins, C. (2015). Genetic Modifiers in  $\beta$ -Thalassemia Intermedia: A Study on 102 Iraqi Arab Patients. *Genet Test Mol Biomarkers*. 19(5), p.242-7.
- AlFadhli, S., Al-Jafer, H., Hadi, M., Al-Mutairi, M., & Nizam, R. (2013). The Effect of UGT1A1 Promoter Polymorphism in the Development of Hyperbilirubinemia and Cholelithiasis in Hemoglobinopathy Patients. *PLoS One*, 8(10), e77681.
- Ali, N., Ayyub, M., Khan, S. A., Ahmed, S., Abbas, K., Malik, H. S., & Tashfeen, S. (2014). Frequency of  $\gamma$ -globin promoter -158 (C>T) XmnI polymorphism in patients with homozygous/compound heterozygous beta thalassaemia. *Hematol Oncol Stem Cell Ther*.8(1), p.10-15

- Alsultan, A., Solovieff, N., Aleem, A., AlGahtani, F. H., Al-Shehri, A., Elfaki Osman, M., Kurban, K., Bahakim, H., Kareem Al-Momen, A., Baldwin, C. T., Chui, D. H. K., & Steinberg, M. H. (2011). Fetal hemoglobin in sickle cell anemia: Saudi patients from the Southwestern province have similar HBB haplotypes but higher HbF levels than African Americans. *Am J Hematol*, 86(7), 612-614
- Andriastuti, M., Sari, T. T., Wahidiat, P. A., & Putriasih, S. A. (2011). Kebutuhan Transfusi Darah Pasca-Splenektomi pada Thalassemia Mayor. *Sari Pediatri*, 13(4), p. 244-249.
- Angastiniotis, M., Vives Corrons, J.-L., Soteriades, E. S., & Eleftheriou, A. (2013). The Impact of Migrations on the Health Services for Rare Diseases in Europe: The Example of Haemoglobin Disorders. *Scien World J*, 2013, 10. doi: 10.1155/2013/727905
- Ansari, S., Baghersalimi, A., Azarkeivan, A., Nojomi, M., & Hassanzadeh Rad, A. (2014). Quality of life in patients with thalassemia major. *Iran J Ped Hematol Oncol*, 4(2), p.57-63.
- Bachtiar, I. R., Fadil, R. M. R., & Azhali, M. S. (2009). Hubungan Jumlah Darah Transfusi, Pemberian Deferoksamin, Dan Status Gizi Dengan Kadar Seng Plasma Pada Penderita Thalassemia Mayor Anak. *M Kedokt Bandung*, 41(2).
- Badens, C., Joly, P., Agouti, I., Thuret, I., Gonnet, K., Fattoum, S., Francina, A., Simeoni, M.-C., Loundou, A., & Pissard, S. (2011). Variants in genetic modifiers of  $\beta$ -thalassemia can help to predict the major or intermedia type of the disease. *Haematologica*, 96(11), p. 1712-1714.
- Ballas, S. K., Talacki, C. A., Adachi, K., Schwartz, E., Surrey, S., & Rappaport, E. (1991). The XMN I Site (-158, C→T) 5' to tle G $\gamma$  GENE: Correlation with the Senegalese Haplotype and G $\gamma$  Globin Expression. *Hemoglobin*, 15(5), p. 393-405.
- Banan, M., Bayat, H., Azarkeivan, A., Mohammadparast, S., Kamali, K., Farashi, S., Bayat, N., Khani, M. H., Neishabury, M., & Najmabadi, H. (2012). The XmnI and BCL11A Single Nucleotide Polymorphisms May Help Predict Hydroxyurea Response in Iranian beta-Thalassemia Patients. *Hemoglobin*, 36(4), p. 371-380.
- Bauer, D. E., Kamran, S. C., Lessard, S., Xu, J., Fujiwara, Y., Lin, C., Shao, Z., Canver, M. C., Smith, E. C., Pinello, L., Sabo, P. J., Vierstra, J., Voit, R. A., Yuan, G.-C., Porteus, M. H., Stamatoyannopoulos, J. A., Lettre, G., & Orkin, S. H. (2013). An erythroid enhancer of BCL11A subject to genetic variation determines fetal hemoglobin level. *Science*. 342(6155), p. 253-257.

- Bauer, D. E., & Orkin, S. H. (2011). Update on fetal hemoglobin gene regulation in hemoglobinopathies. *Curr Opin Pediatr*, 23(1),p.1-8.
- Bayar, N., Kurtoglu, E., Arslan, S., Erkal, Z., Cay, S., Cagirci, G., Deveci, B., & Kucukseymen, S. (2015). Assessment of the relationship between fragmented QRS and cardiac iron overload in patients with beta-thalassemia major. *Anadolu Kardiyol Derg*, 15(2),p.132-136.
- Bhagat, S., Patra, P. K., & Thakur, A. S. (2012b). Association between XmnI Polymorphism and HbF Level in Sickle Cell Disease Patients from Chhattisgarh. *Int J of Biomed Sci*, 8(1),p.36-39.
- Bhanushali, A. A., Patra, P. K., Pradhan, S., Khanka, S. S., Singh, S., & Das, B. R. (2015). Genetics of fetal hemoglobin in tribal Indian patients with sickle cell anemia. *Translational Research*, 165(6),p.696-703.
- Bianchi, E., Zini, R., Salati, S., Tenedini, E., Norfo, R., Tagliafico, E., Manfredini, R., & Ferrari, S. (2010). c-myb supports erythropoiesis through the transactivation of KLF1 and LMO2 expression. *Blood*, 116(22),p. e99-110.
- Boonyawat, B., Monsereenusorn, C., & Traivaree, C. (2014). Molecular analysis of beta-globin gene mutations among Thai beta-thalassemia children: results from a single center study. *Appl Clin Genet*, 7(1),p. 253-258.
- Borg, J., Papadopoulos, P., Georgitsi, M., Gutierrez, L., Grech, G., Fanis, P., Phylactides, M., Verkerk, A. J., van der Spek, P. J., Scerri, C. A., Cassar, W., Galdies, R., van Ijcken, W., Ozgur, Z., Gillemans, N., Hou, J., Bugeja, M., Grosveld, F. G., von Lindern, M., Felice, A. E., Patrinos, G. P., & Philipsen, S. (2010). Haploinsufficiency for the erythroid transcription factor KLF1 causes hereditary persistence of fetal hemoglobin. *Nat Genet*, 42(9),p.801-805.
- Borgna-Pignatti, C., Cappellini, M. D., De Stefano, P., Del Vecchio, G. C., Forni, G. L., Gamberini, M. R., Ghilardi, R., Origa, R., Piga, A., Romeo, M. A., Zhao, H., & Cnaan, A. (2005). Survival and complications in thalassemia. *Ann N Y Acad Sci*, 1054 (1),p. 40-47.
- Borgna-Pignatti, C., Rugolotto, S., De Stefano, P., Zhao, H., Cappellini, M., Del Vecchio, G., Romeo, M., Forni, G., Gamberini, M., Ghilardi, R., Piga, A., & Cnaan, A. (2004). Survival and complications in patients with thalassemia major treated with transfusion and deferoxamine. *Haematologica*, 89(10),p. 1187-1193.
- Bulan, S. (2009). *Faktor-Faktor Yang Berhubungan dengan Kualitas Hidup Anak Thalassaemia Beta Mayor*. (S2), Universitas Diponegoro, Semarang.
- Cao, A., & Galanello, R. (2010). Beta-thalassemia. *Genet Med*, 12(2),p. 61-76.

- Cao, A., Galanello, R., & Origa, R. (2015). *Beta-Thalassemia* [Updated 2013 Jan 24]. In A. M. Pagon RA, Ardinger HH, et al (Ed.), GeneReviews® [Internet] (Vol. 1993-2015). Seattle (WA): University of Washington.
- Cao, A., Moi, P., & Galanello, R. (2011). Recent advances in beta-thalassemias. *Pediatr Rep*, 3(2), p.e17.
- Cappellini MD, Cohen A, Porter J, Taher A, Viprakasit V. (2014). *Guidelines for the Clinical Management of Thalassaemia 3rd Edition Revised*. Nicosia (CY): Thalassaemia International Federation. Available online: <http://www.thalassaemia.org.cy/wp-content/uploads/eBook-publications/guidelines-for-the-management-of-transfusion-dependent-thalassaemia/>
- Cardoso, G. L., Diniz, I. G., Martins da Silva, A. N. L., Cunha, D. A., da Silva Junior, J. S., Carvalho Uchôa, C. T., dos Santos, S. E. B., Trindade, S. M. S., Cardoso, M. d. S. d. O., & Guerreiro, J. F. (2014). DNA polymorphisms at BCL11A, HBS1L-MYB and XmnI-HBG2 site loci associated with fetal hemoglobin levels in sickle cell anemia patients from Northern Brazil. *Blood Cells Mol Dis*, 53(4),p.176-179.
- Casu, C., & Rivella, S. (2014). *Iron age: novel targets for iron overload*. ASH Education Program Book, 2014(1), 216-221. doi: 10.1182/asheducation-2014.1.216
- Caughey, W. (2012). *Biochemical and Clinical Aspects of Hemoglobin Abnormalities*: Elsevier Science, New York, USA
- Chan, O. T., Westover, K. D., Dietz, L., Zehnder, J. L., & Schrijver, I. (2010). Comprehensive and efficient HBB mutation analysis for detection of beta-hemoglobinopathies in a pan-ethnic population. *Am J Clin Pathol*, 133(5), 700-707
- Chandrashekar, V., & Soni, M. (2011). Hemoglobin Disorders in South India. *ISRN Hematol*, Volume 2011 (2011), Article ID 748939
- Chaneiam, N., Changtam, C., Mungkongdee, T., Suthatvoravut, U., Winichagoon, P., Vadolas, J., Suksamrarn, A., Fucharoen, S., & Svasti, S. (2013). A reduced curcuminoid analog as a novel inducer of fetal hemoglobin. *Ann Hematol*, 92(3),p.379-386.
- Charoenkwan, P., Teerachaimahit, P., & Sanguansermisri, T. (2014). The Correlation of  $\alpha$ -Globin Gene Mutations and the XmnI Polymorphism with Clinical Severity of Hb E/ $\beta$ -Thalassemia. *Hemoglobin*, 38(5),p.335-338.
- Chen, J., Marks, E., Lai, B., Zhang, Z., Duce, J. A., Lam, L. Q., Volitakis, I., Bush, A. I., Hersch, S., & Fox, J. H. (2013). Iron Accumulates in Huntington's Disease Neurons: Protection by Deferoxamine. *PLoS ONE*, 8(10),p. e77023.

- Chen QR, S. S., Peng YS, Wang Q, Mo BM. (2012). Correlation between hemoglobin F levels and single nucleotide polymorphism at BCL11A gene rs11886868 locus in  $\beta$ -thalassemia patients. *Zhongguo Shi Yan Xue Ye Xue Za Zhi*, 20(3),p.650-653.
- Chen, W., Zhang, X., Shang, X., Cai, R., Li, L., Zhou, T., Sun, M., Xiong, F., & Xu, X. (2010). The molecular basis of beta-thalassemia intermedia in southern China: genotypic heterogeneity and phenotypic diversity. *BMC Med Genet*, 11(1),p.31-40
- Cohen, Galanello, Piga, DiPalma, Vullo, & Tricta. (2000). Safety profile of the oral iron chelator deferiprone: a multicentre study. *Br J Haematol*, 108(2), 305-312. doi: 10.1046/j.1365-2141.2000.01866.x
- Cohen,A.R., Galanello, R.,Piga, A. DiPalma, A.,Vullo, C. & Tricta,F. (2000). Safety profile of the oral iron chelator deferiprone: a multicentre study. *Br J Haematol*, 108(2),p. 305-312.
- Colah, R., Nadkarni, A., Gorakshakar, A., Phanasgaonkar, S., Surve, R., Subramaniam, P. G., Bondge, N., Pujari, K., Ghosh, K., & Mohanty, D. (2004). Impact of  $\beta$  globin gene mutations on the clinical phenotype of  $\beta$  thalassemia in India. *Blood Cells Mol Dis*, 33(2),p.153-157
- Conti, E., & Izaurralde, E. (2005). Nonsense-mediated mRNA decay: molecular insights and mechanistic variations across species. *Curr Opin Cell Biol*, 17(3),p.316-325.
- Creary, L. E., Ulug, P., Menzel, S., McKenzie, C. A., Hanchard, N. A., Taylor, V., Farrall, M., Forrester, T. E., & Thein, S. L. (2009). Genetic variation on chromosome 6 influences F cell levels in healthy individuals of African descent and HbF levels in sickle cell patients. *PLoS One*, 4(1), p. e4218.
- Danjou, F., Anni, F., Perseu, L., Satta, S., Dessì, C., Lai, M. E., Fortina, P., Devoto, M., & Galanello, R. (2012). Genetic modifiers of  $\beta$ -thalassemia and clinical severity as assessed by age at first transfusion. *Haematologica*, 97(7),p. 989-993.
- Danjou, F., Francavilla, M., Anni, F., Satta, S., Demartis, F.-R., Perseu, L., Manca, M., Sollaino, M. C., Manunza, L., Mereu, E., Marceddu, G., Pissard, S., Joly, P., Thuret, I., Origa, R., Borg, J., Forni, G. L., Piga, A., Lai, M. E., Badens, C., Moi, P., & Galanello, R. (2015). A genetic score for the prediction of beta-thalassemia severity. *Haematologica*, 100(4),p.452-457.
- Dhawan, V., Kumar, K., Marwaha, R., & Ganguly, N. (2005 ). Antioxidant status in children with homozygous thalassemia. *Indian Pediat*, 42(11),p.1141-1145.

- Ermaya, Y. S., Hilmanto, D., & Reniarti, L. (2007). Hubungan Kadar Hemoglobin Sebelum Transfusi dan Zat Pengikat Besi dengan Kecepatan Pertumbuhan Penderita Thalassemia Mayor. *MKI*, 57(11),p.380-384.
- Esteghamat, F., Gillemans, N., Bilic, I., van den Akker, E., Cantù, I., van Gent, T., Klingmüller, U., van Lom, K., von Lindern, M., Grosveld, F., Bryn van Dijk, T., Busslinger, M., & Philipsen, S. (2013). Erythropoiesis and globin switching in compound Klf1::Bcl11a mutant mice. *Blood*. 121(13),p.2553-2562
- Fanis, P., Kousiappa, I., Phylactides, M., & Kleanthous, M. (2014). Genotyping of BCL11A and HBS1L-MYB SNPs associated with fetal haemoglobin levels: a SNaPshot minisequencing approach. *BMC Genom*, 15(1),p. 108-113.
- Farashi, S., Bayat, N., Faramarzi Garous, N., Ashki, M., Montajabi Niat, M., Vakili, S., Imanian, H., Zeinali, S., Najmabadi, H., & Azarkeivan, A. (2015). Interaction of an  $\alpha$ -Globin Gene Triplication with  $\beta$ -Globin Gene Mutations in Iranian Patients with  $\beta$ -Thalassemia Intermedia. *Hemoglobin*, 39(3), 201-206.
- Farrell, J. J., Sherva, R. M., Chen, Z. Y., Luo, H. Y., Chu, B. F., Ha, S. Y., Li, C. K., Lee, A. C., Li, R. C., Yuen, H. L., So, J. C., Ma, E. S., Chan, L. C., Chan, V., Sebastiani, P., Farrer, L. A., Baldwin, C. T., Steinberg, M. H., & Chui, D. H. (2011). A 3-bp deletion in the HBS1L-MYB intergenic region on chromosome 6q23 is associated with HbF expression. *Blood*. 117(18),p. 4935-4945.
- Finotti, A., Breda, L., Lederer, C. W., Bianchi, N., Zuccato, C., Kleanthous, M., Rivella, S., & Gambari, R. (2015). Recent trends in the gene therapy of  $\beta$ -thalassemia. *J Blood Med*, 6, 69-85.
- Fisher, S., Brunskill, S., Doree, C., Chowdhury, O., Gooding, S., & Roberts, D. (2013). Oral deferiprone for iron chelation in people with thalassaemia. *Cochrane Database Syst Rev*.(8), Art. No.: CD004839. Available online : <http://onlinelibrary.wiley.com/doi/10.1002/14651858.CD004839.pub2/epdf>
- Flint, J., Harding, R. M., Boyce, A. J., & Clegg, J. B. (1998). The Population Genetics of the haemoglobinopathies. *Baillieres Clin Haematol*, 11(2),p.1-50.
- Fucharoen, G., Fuchareon, S., Jetsrisuparb, A., & Fukumaki, Y. (1991). Eight-base deletion in exon 3 of the beta-globin gene produced a novel variant (beta khon kaen) with an inclusion body beta-thalassemia trait. *Blood*. 78(2):537-9.
- Fucharoen, S., & Weatherall, D. J. (2012). The Hemoglobin E Thalassemias. *Cold Spring Harbor Persp Med*, 2(8).p. 29-35.



- Fucharoen, S., & Winichagoon, P. (1992). Thalassaemia in Southeast Asia: problem and strategy for prevention and control. *Southeast Asian J Trop Med Public Health*, 23(1),p.647-655.
- Fucharoen, S., & Winichagoon, P. (2011). Haemoglobinopathies in southeast Asia. *Indian J Med Res*, 134(4),p. 498–506
- Fung, E. B. (2010). Nutritional deficiencies in patients with thalassemia. *Ann N Y Acad Sci*, 1202(1),p.188-196.
- Funnell, A. P. W., Prontera, P., Ottaviani, V., Piccione, M., Giambona, A., Maggio, A., Ciaffoni, F., Stehling-Sun, S., Marra, M., Masiello, F., Varricchio, L., Stamatoyannopoulos, J. A., Migliaccio, A. R., & Papayannopoulou, T. (2015). 2p15-p16.1 microdeletions encompassing and proximal to BCL11A are associated with elevated HbF in addition to neurologic impairment. *Blood*. 126(1),p.89-93
- Galanello, R., & Campus, S. (2009). Deferiprone chelation therapy for thalassemia major. *Acta Haematol*, 122(2-3),p.155-164.
- Galanello, R., & Origa, R. (2010). Beta-thalassemia. *Orph J of Rare Dis*, 5(11),p.1-15.
- Galanello, R., Perseu, L., Perra, C., Maccioni, L., Barella, S., Longinotti, M., Cao, A., & Cazzola, M. (2004). Somatic deletion of the normal  $\beta$ -globin gene leading to thalassaemia intermedia in heterozygous  $\beta$ -thalassaemic patients. *Br J Haematol*, 127(5),p.604-606.
- Galanello, R., Perseu, L., Satta, S., Demartis, F. R., & Campus, S. (2011). Phenotype-genotype correlation in  $\beta$ -thalassemia. *Thal Reports*, 1(s2),p.e6.
- Galanello, R., Ruggeri, R., Paglietti, E., Addis, M., Melis, M., & Cao, A. (1983). A family with segregating triplicated alpha globin loci and beta thalassemia. *Blood*.62(5),p.1035-1040
- Galarneau, G., Palmer, C. D., Sankaran, V. G., Orkin, S. H., Hirschhorn, J. N., & Lettre, G. (2010). Fine-mapping at three loci known to affect fetal hemoglobin levels explains additional genetic variation. *Nat Genet*, 42(12),p.1049-1051.
- Gambari, R. (2009). *Novel trends for the discovery and characterization of modifiers of globin gene expression*. Proceedings of the 10th International Thalassaemia Conference, Cairo, Egypt,.
- Gambari, R. (2010). Foetal haemoglobin inducers and thalassaemia: novel achievements. *Blood Transf*, 8(1),p.5-7.

- Ganie, R. A. (2003). *Studi DNA Thalassemia-a Southeast Asian Type di Medan*. (S3), Universitas Sumatera Utara, Medan.
- Gardenghi, S., Grady, R. W., & Rivella, S. (2010). Anemia, ineffective erythropoiesis, and hepcidin: interacting factors in abnormal iron metabolism leading to iron overload in beta-thalassemia. *Hematol Oncol Clin North Am*, 24(6),p.1089-1107.
- Gardenghi, S., Marongiu, M. F., Ramos, P., Guy, E., Breda, L., Chadburn, A., Liu, Y., Amariglio, N., Rechavi, G., Rachmilewitz, E. A., Breuer, W., Cabantchik, Z. I., Wrighting, D. M., Andrews, N. C., de Sousa, M., Giardina, P. J., Grady, R. W., & Rivella, S. (2007). Ineffective erythropoiesis in beta-thalassemia is characterized by increased iron absorption mediated by down-regulation of hepcidin and up-regulation of ferroportin. *Blood*, 109(11),p. 5027-5035.
- Garner, C., Tatu, T., & Reittie, J. E. (2000). Genetic influences on F cells and other hematologic variables: a twin heritability study. *Blood*, 95(1),p. 342-246.
- George, E., & Ann, T. J. (2010). Genotype-phenotype diversity of beta-thalassemia in Malaysia: treatment options and emerging therapies. *Med J Malaysia*, 65(4),p.256-260.
- Ghone, R., Kumbar, K. M., Suryakar, A. N., Katkam, R. V., & Joshi, N. G. (2008). Oxidative stress and disturbance in antioxidant balance in beta thalassemia major. *Indian J Clin Bioch*, 23(4),p.337-340.
- Ghosh, K., Colah, R., Manglani, M., Choudhry, V., Verma, I., Madan, N., Saxena, R., Jain, D., Marwaha, N., Das, R., Mohanty, D., Choudhary, R., Agarwal, S., Ghosh, M., & Ross, C. (2014). Guidelines for screening, diagnosis and management of hemoglobinopathies. *Indian J Hum Genet*, 20(2),p.101-119.
- Giardine, B., Borg, J., Viennas, E., Pavlidis, C., Moradkhani, K., Joly, P., Bartsakoulia, M., Riemer, C., Miller, W., Tzimas, G., Wajcman, H., Hardison, R. C., & Patrinos, G. P. (2014). Updates of the HbVar database of human hemoglobin variants and thalassemia mutations. *Nucleic Acids Res*, 42(D1), D1063-D1069.
- Gibney, G. T., Panhuysen, C. I. M., So, J. C. C., Ma, E. S. K., Ha, S. Y., Li, C. K., Lee, C. W., Li, C. K., Yuen, H. L., Lau, Y. L., Johnson, D. M., Farrell, J. J., Bisbee, A. B., Farrer, L. A., Steinberg, M. H., Chan, L. C., & Chui, D. K. (2008a). Variation and heritability of Hb F and F-cells among  $\beta$ -thalassemia heterozygotes in Hong Kong. *Am J Hematol*, 83(6),p.458-464.
- Ginder, G. D. (2015). Epigenetic regulation of fetal globin gene expression in adult erythroid cells. *Transl Res*, 165(1),p.115-125.



- Gonzales-Redondo, J., Stoming, T., Kutlar, F., Kutlar, A., McKie, V., McKie, K., & Huisman, T. (1989). Severe HbS-beta<sup>o</sup>thalassemia with a T-C substitution in the donor splice site of the first intron of the beta-globin gene. *Br J Haematol*, 71(1),p.113-117
- Greene, M. (2014). *Thalassemia: Causes, Treatment Options and Long-Term Health Outcomes*. New York, USA: Nova Science Publishers, Incorporated.
- Greenhill, S. J., Drummond, A. J., & Gray, R. D. (2010). How Accurate and Robust Are the Phylogenetic Estimates of Austronesian Language Relationships? *PLoS One*, 5(3), e9573.
- Grow, K., Vashist, I., Abrol, P., Sharma, S., & Yadav, R. (2014). Beta Thalassemia In India: Current Status And The Challenges Ahead. *IJPPS*, 6(4),p.28-33.
- Gu, S., Pakstis, A. J., Li, H., Speed, W. C., Kidd, J. R., & Kidd, K. K. (2007). Significant variation in haplotype block structure but conservation in tagSNP patterns among global populations. *Eur J Hum Genet*, 15(3),p.302-312.
- Guerrini, A., Lampronti, I., Bianchi, N., Zuccato, C., Breveglieri, G., Salvatori, F., Mancini, I., Rossi, D., Potenza, R., Chiavilli, F., Sacchetti, G., Gambari, R., & Borgatti, M. (2009). Bergamot (Citrus bergamia Risso) Fruit Extracts as  $\gamma$ -Globin Gene Expression Inducers: Phytochemical and Functional Perspectives. *Journal of Agri and Food Chem*, 57(10),p.4103-4111.
- Guimarães, J. S., Cominal, J. G., Silva-Pinto, A. C., Olbina, G., Ginzburg, Y. Z., Nandi, V., Westerman, M., Rivella, S., & de Souza, A. M. (2015). Altered erythropoiesis and iron metabolism in carriers of thalassemia. *Eur J Haematol*, 94(6), 511-518
- Guvenc, B., Canataroglu, A., Unsal, C., Yildiz, S. M., Turhan, F. T., Bozdogan, S. T., Dincer, S., & Erkman, H. (2012).  $\beta$ -Globin chain abnormalities with coexisting  $\alpha$ -thalassemia mutations. *Arch Med Sci*, 8(4), 644-649
- Hahn, C. K., & Lowrey, C. H. (2014). Induction of fetal hemoglobin through enhanced translation efficiency of  $\gamma$ -globin mRNA. *Blood*. 124(17),p.2730-2734
- Haj Khelil, A., Morinière, M., Laradi, S., Khelif, A., Perrin, P., Ben Chibani, J., & Baklouti, F. (2011). Xmn I polymorphism associated with concomitant activation of G $\gamma$  and A $\gamma$  globin gene transcription on a  $\beta$ 0-thalassemia chromosome. *Blood Cells Mol Dis*, 46(2),p.133-138.
- Harteveld, C. L., Refaldi, C., Giambona, A., Ruivenkamp, C. A. L., Hoffer, M. J. V., Pijpe, J., De Knijff, P., Borgna-Pignatti, C., Maggio, A., Cappellini, M. D., & Giordano, P. C. (2013). Mosaic segmental uniparental isodisomy and progressive clonal selection: a common mechanism of late onset  $\beta$ -thalassemia major. *Hematologica*. 98(5),p.691-695

- Hassan, S., Ahmad, R., Zakaria, Z., Zulkafli, Z., & Abdullah, W. Z. (2013). Detection of  $\beta$ -globin Gene Mutations Among  $\beta$ -thalassaemia Carriers and Patients in Malaysia: Application of Multiplex Amplification Refractory Mutation System–Polymerase Chain Reaction. *Malays J Med Sci*, 20(1),p.13-20.
- Hassan, S. Z., Gheita, T. A., Kenawy, S. A., Fahim, A. T., El-Sorougy, I. M., & Abdou, M. S. (2011). Oxidative stress in systemic lupus erythematosus and rheumatoid arthritis patients: relationship to disease manifestations and activity. *Int J Rheum Dis*, 14(4),p.325-331.
- Hernanda, P. Y., Tursilowati, L., Arkesteijn, S. G., Ugrasena, I. D., Larasati, M. C., Soeatmadji, S. M., Giordano, P. C., & Harteveld, C. L. (2012). Towards a prevention program for beta-thalassemia. The molecular spectrum in East Java, Indonesia. *Hemoglobin*, 36(1),p.1-6.
- Higgs, D. R., Engel, J. D., & Stamatoyannopoulos, G. (2012). Thalassaemia. *The Lancet*, 379(9813), 373-383.
- Hoffman, R., Silberstein, L. E., Heslop, H., & Weitz, J. (2013). *Hematology: Basic Principles and Practice*. Philadelphia, USA: Saunders/Elsevier.
- Honig, G. R., & Adams, J. G. (2012). *Human Hemoglobin Genetics*: Springer Vienna, Italia
- Inati, A., Noureldine, M. A., Mansour, A., & Abbas, H. A. (2015). Endocrine and Bone Complications in Thalassaemia Intermedia: Current Understanding and Treatment. *BioMed Res Int*, 2015:813098.
- International Thalassaemia Federation. (2012). Chapter 3 : Blood transfusion therapy (Publication no. <http://www.thalassaemia.org.cy/about-haemoglobin-disorders/beta-thalassaemia/management.shtml>). Retrieved 08-08-2014, from International Thalassaemia Federation
- Jawaid, K., Wahlberg, K., Thein, S. L., & Best, S. (2010). Binding patterns of BCL11A in the globin and GATA1 loci and characterization of the BCL11A fetal hemoglobin locus. *Blood Cells Mol Dis*, 45(2),p.140-146.
- Jay, F., Sjödin, P., Jakobsson, M., & Blum, M. G. B. (2013). Anisotropic Isolation by Distance: The Main Orientations of Human Genetic Differentiation. *Mol Bio Evol*, 30(3), 513-525.
- Jiang, J., Best, S., Menzel, S., Silver, N., Lai, M. I., Surdulescu, G. L., Spector, T. D., & Thein, S. L. (2006). cMYB is involved in the regulation of fetal hemoglobin production in adults. *Blood*, 108(3),p.1077-1083.
- Jomovaa, K., & Valko, M. (2011). Importance of Iron Chelation in Free Radical-Induced Oxidative Stress and Human Disease. *Curr Pharm Design*, 17(31),p.3460-3473.

- Jouini, L., Bibi, A., Ouali, F., Hadj Fredj, S., Ouennich, F., Siala, H., Messaoud, T., & Fattoum, S. (2012). Contribution of beta-globin cluster polymorphisms to raise fetal hemoglobin levels in normal adults. *Mol Biol Rep*, 39(4), 4619-4625.
- Kalpravidh, R. W., Siritanaratkul, N., Insain, P., Charoensakdi, R., Panichkul, N., Hatairaktham, S., Srichairatanakool, S., Phisalaphong, C., Rachmilewitz, E., & Fucharoen, S. (2010a). Improvement in oxidative stress and antioxidant parameters in beta-thalassemia/Hb E patients treated with curcuminoids. *Clin Biochem*, 43(4-5),p.424-429.
- Kalpravidh, R. W., Siritanaratkul, N., Insain, P., Charoensakdi, R., Panichkul, N., Hatairaktham, S., Srichairatanakool, S., Phisalaphong, C., Rachmilewitz, E., & Fucharoen, S. (2010b). Improvement in oxidative stress and antioxidant parameters in  $\beta$ -thalassemia/Hb E patients treated with curcuminoids. *Clin Biochem*, 43(4-5),p.424-429.
- Karafet, T. M., Hallmark, B., Cox, M. P., Sudoyo, H., Downey, S., Lansing, J. S., & Hammer, M. F. (2010). Major East–West Division Underlies Y Chromosome Stratification across Indonesia. *Mol Biol Evol*, 27(8), 1833-1844.
- Karimi, M., Haghpanah, S., Farhadi, A., & Yavarian, M. (2012). Genotype–phenotype relationship of patients with  $\beta$ -thalassemia taking hydroxyurea: a 13-year experience in Iran. *Int J Hematol*, 95(1),p.51-56.
- Kattamis C, L. C., Delaporta P, Apostolakou F, Kattamis A, Papassotiriou I. (2011). Disturbances of biomarkers of iron and oxidant-antioxidant homeostasis in patients with beta-thalassemia intermedia. *Pediatr Endocrinol Rev*, 8 Suppl(2),p.256-262.
- Kelly, E. B. (2012). *Encyclopedia of Human Genetics and Disease*: Greenwood. USA
- Kementerian Kesehatan Republik Indonesia. (2010). Pencegahan Thalassaemia (Hasil Kajian Health Technology Assesment tahun 2009). Jakarta. Indonesia
- Khan, J., Qari, M. H., & Al-Sharif, N. H. (2004). Hematological Parameters and Elements Level in three Different Groups of Thalassaemia Major. *Bahrain Med Bull*, 26(2).p.12.17
- Khattak, S. A., Ahmed, S., Anwar, J., Ali, N., & Shaikh, K. H. (2012). Prevalence of various mutations in beta thalassaemia and its association with haematological parameters. *J Pak Med Assoc*, 62(1),p.40-43.
- Kim, S., Bultman, S. J., Kiefer, C. M., Dean, A., & Bresnick, E. H. (2009). BRG1 requirement for long-range interaction of a locus control region with a

downstream promoter. *Proceedings of the National Academy of Sciences*, 106(7),p.2259-2264.

Ko, B.-S., Chang, C.-S., Chang, M.-C., Chen, T., Chiou, T.-J., Chiu, C.-F., Huang, W.-L., Kao, W.-Y., Lan, Y.-J., Lin, S.-F., Tan, T.-D., Tang, J.-L., Tzeng, C.-H., Wang, P.-N., Yet, S.-P., & Tien, H.-F. (2014). Guidelines for treating iron overload in myelodysplastic syndromes: a Taiwan consensus statement. *Int J Hematol*, 100(1),p.7-15.

Korkmaz S, Barnucz E, Loganathan S, Li S, Radovits T, Hegedus P, Zubarevich A, Hirschberg K, Weymann A, Puskás LG, Ózsvári B, Faragó N, Kanizsai I, Fábíán G, Gyuris M, Merkely B, Karck M, Szabó C, Szabó G. (2013). Q50, an Iron-Chelating and Zinc-Complexing Agent, Improves Cardiac Function in Rat Models of Ischemia/Reperfusion-Induced Myocardial Injury. *Circ J*, 77(7),p.1817-1826.

Labie, D., Dunda-Belkhodja, O., Rouabhi, F., Pagnier, J., Ragusa, A., & Nagel, R. L. (1985a). The -158 site 5' to the G gamma gene and G gamma expression. *Blood*, 66(6),p.1463-1465.

Labie, D., Pagnier, J., Lapoumeroulie, C., Rouabhi, F., Dunda-Belkhodja, O., Chardin, P., Beldjord, C., Wajcman, H., Fabry, M. E., & Nagel, R. L. (1985b). Common haplotype dependency of high G gamma-globin gene expression and high Hb F levels in beta-thalassemia and sickle cell anemia patients. *Proc Natl Acad Sci U S A*, 82(7),p.2111-2114.

Ladis, V., Chouliaras, G., Berdoukas, V., Chatziliami, A., Fragodimitri, C., Karabatsos, F., Youssef, J., Kattamis, A., & Karagiorga-Lagana, M. (2011). Survival in a large cohort of Greek patients with transfusion-dependent beta thalassaemia and mortality ratios compared to the general population. *Eur J Haematol*, 86(4),p.332-338.

Lahiry, P., Al-Attar, S. A., & Hegele, R. A. (2008). Understanding Beta-Thalassemia with Focus on the Indian Subcontinent and the Middle East. *Open Hematol J*, 2(1),p. 5-13.

Lai, M. I., Jiang, J., Silver, N., Best, S., Menzel, S., Mijovic, A., Colella, S., Ragoussis, J., Garner, C., Weiss, M. J., & Thein, S. L. (2006).  $\alpha$ -Haemoglobin stabilising protein is a quantitative trait gene that modifies the phenotype of  $\beta$ -thalassaemia. *Br J Haematol*, 133(6),p. 675-682.

Laksmiawati, D., Handayani, S., Udyaningsih-Freisleben, S., Kurniati, V., Adhiyanto, C., & Hidayat, C. (2003). Iron Status and Oxidative Stress in Beta-Thalassemia Patients in Jakarta. *Biofactors*, 19(1-2),p.53-62.

- Lampronti, I., Bianchi, N., Borgatti, M., Fibach, E., Prus, E., & Gambari, R. (2003). Accumulation of  $\gamma$ -globin mRNA in human erythroid cells treated with angelicin. *Eur J Haematol*, 71(3),p.189-198.
- Lanni, F. (2002). *Heterogenetias Molekular Gena Globin- $\beta$  di Indonesia: Kaitannya Dengan Pola Penyebaran Thalassemia- $\beta$  serta Afinitas Genetik antar Populasi di Indonesia*. (S3), Yogyakarta.Universitas Gadjah Mada.
- Laurence, J., & Franklin, M. (2014). *Translating Gene Therapy to the Clinic: Techniques and Approaches*: Elsevier Science. Philadelphia, USA
- Lessard, S., Beaudoin, M., Benkirane, K., & Lettre, G. (2015). Comparison of DNA methylation profiles in human fetal and adult red blood cell progenitors. *Genome Med*, 7(1),p.1-5
- Lettre, G., Sankaran, V. G., Bezerra, M. A., Araujo, A. S., Uda, M., Sanna, S., Cao, A., Schlessinger, D., Costa, F. F., Hirschhorn, J. N., & Orkin, S. H. (2008a). DNA polymorphisms at the BCL11A, HBS1L-MYB, and beta-globin loci associate with fetal hemoglobin levels and pain crises in sickle cell disease. *Proc Natl Acad Sci U S A*, 105(33),p.11869-11874.
- Lie-Injo, L. E., Cai, S. P., Wahidijat, I., Moeslichan, S., Lim, M. L., Evangelista, L., Doherty, M., & Kan, Y. W. (1989a). Beta-thalassemia mutations in Indonesia and their linkage to beta haplotypes. *Am J Hum Genet*, 45(6), 971–975.
- Lü, J.-M., Lin, P. H., Yao, Q., & Chen, C. (2010). Chemical and molecular mechanisms of antioxidants: experimental approaches and model systems. *J Cell Mol Med*, 14(4),p.840-860.
- Madhok, S., & Madhok, S. (2014). Dental considerations in Thalassemic patients. *IOSR J Dental Med Sci*, 13(6),p.57-62.
- Mais, D. D., Gulbranson, R. D., & Keren, D. F. (2009). The Range of Hemoglobin A2 in Hemoglobin E Heterozygotes as Determined by Capillary Electrophoresis. *Am J Clin Pathol*, 132(1),p.34-38.
- Manchinu, M. F., Marongiu, M. F., Poddie, D., Casu, C., Latini, V., Simbula, M., Galanello, R., Moi, P., Cao, A., Porcu, S., & Ristaldi, M. S. (2014). In vivo activation of the human  $\delta$ -globin gene: the therapeutic potential in  $\beta$ -thalassemic mice, *Haematologica*, 99(1),p.76-84
- Martin, A., & Thompson, A. A. (2013). Thalasseurias. *Pediatr Clin North Am*, 60(6),p.1383-1391.
- Menteri Kesehatan Republik Indonesia. (2011). *Peraturan Menteri Kesehatan Republik Indonesia Nomor 1109/MENKES/PER/VI/201 tentang Petunjuk*

*Teknis Jaminan Pelayanan Pengobatan Thalassaemia*, Jakarta: Kementerian Kesehatan Republik Indonesia,.

- Menzel, S., Jiang, J., Silver, N., Gallagher, J., Cunningham, J., Surdulescu, G., Lathrop, M., Farrall, M., Spector, T. D., & Thein, S. L. (2007). The HBS1L-MYB intergenic region on chromosome 6q23.3 influences erythrocyte, platelet, and monocyte counts in humans. *Blood*, 110(10),p.3624-3626.
- Miccio, A., & Blobel, G. A. (2010). Role of the GATA-1/FOG-1/NuRD Pathway in the Expression of Human  $\beta$ -Like Globin Genes. *Mol Cell Biol*, 30(14),p.3460-3470.
- Modell, B., & Darlison, M. (2008). Global epidemiology of haemoglobin disorders and derived service indicators. *Bull World Health Organ*, 86(6),p.480-7.
- Moiz, B., Hashmi, M., Nasir, A., Rashid, A., & Moatter, T. (2012). Hemoglobin E syndromes in Pakistani population. *BMC Blood Dis*, 12(1), 3.
- Mokhtar, G. M., Gadallah, M., El Sherif, N. H. K., & Ali, H. T. A. (2013). Morbidities and Mortality in Transfusion-Dependent Beta-Thalassemia Patients (Single-Center Experience). *J Pediatr Hematol Oncol*, 30(2),p.93-103.
- Mtatiro, S. N., Makani, J., Mmbando, B., Thein, S. L., Menzel, S., & Cox, S. E. (2015). Genetic variants at HbF-modifier loci moderate anemia and leukocytosis in sickle cell disease in Tanzania. *Am J Hematol*, 90(1), E1-E4.
- Mukherjee, M. B., Nadkarni, A. H., Gorakshakar, A. C., Ghosh, K., Mohanty, D., & Colah, R. B. (2010). Clinical, hematologic and molecular variability of sickle cell-beta thalassemia in western India. *Indian J Hum Genet*, 16(3), 154-158.
- Musallam, K. M., Taher, A. T., & Rachmilewitz, E. A. (2012).  $\beta$ -Thalassemia Intermedia: A Clinical Perspective. *Cold Spring Harb Perspect Med*, 2(7):a013482
- National Center for Biotechnology Information, N. L. o. M. (2015). Database of Single Nucleotide Polymorphisms (dbSNP) ; (dbSNP Build ID: rs11886868). from <http://www.ncbi.nlm.nih.gov/SNP/>
- National Center on Birth Defects and Developmental Disabilities. (2012). Thalassaemia. Material Support, diakses pada <http://www.cdc.gov/ncbddd/thalassemia/index.html>.
- Neishabury, M., Azarkeivan, A., & Najmabadi, H. (2010). Frequency of Positive XmnI G $\gamma$  polymorphism and coinheritance of common alpha thalassemia mutations do not show statistically significant difference between thalassemia major and intermedia cases with homozygous IVSII-1 mutation. *Blood Cells Mol Dis*, 44(2),p.95-99.



- Neu-Yilik, G., Amthor, B., Gehring, N. H., Bahri, S., Paidassi, H., Hentze, M. W., & Kulozik, A. E. (2011). Mechanism of escape from nonsense-mediated mRNA decay of human  $\beta$ -globin transcripts with nonsense mutations in the first exon. *RNA*, 17(5),p.843-854
- Ng, N. Y. H., & Ko, C. H. (2014). Natural Remedies for the Treatment of Beta-Thalassemia and Sick Cell Anemia;Current Status and Perspectives in Fetal Hemoglobin Reactivation. *Int Sch Res Notices*, 2014, 11. doi: 10.1155/2014/123257
- Nguyen, T. K., Joly, P., Bardel, C., Moulisma, M., Bonello-Palot, N., & Francina, A. (2010). The XmnI (G)gamma polymorphism influences hemoglobin F synthesis contrary to BCL11A and HBS1L-MYB SNPs in a cohort of 57 beta-thalassemia intermedia patients. *Blood Cells Mol Dis*, 45(2),p.124-127.
- Niraj, S., Nishanth, V., Eliezer, R., Amit, V., & Yelena, G. (2014). Impact of iron overload and potential benefit from iron chelation in low-risk myelodysplastic syndrome. *Blood*. 124(6),p.873-881.
- Nitta, T., Kawano, F., Yamashiro, Y., Takagi, F., Murata, T., Tanaka, T., Ferania, M., Adhiyanto, C., & Hattori, Y. (2015). A New Kruppel-Like Factor 1 Mutation (c.947G > A or p.C316Y) in Humans Causes beta-Thalassemia Minor. *Hemoglobin*, 39(2),p.121-126.
- Northrop-Clewes, C. A. (2014). The interpretation of indicators of iron status during an acute phase response Annex 4: WHO. Available online : [http://www.who.int/nutrition/publications/micronutrients/anaemia\\_iron\\_deficiency/9789241596107\\_annex4.pdf](http://www.who.int/nutrition/publications/micronutrients/anaemia_iron_deficiency/9789241596107_annex4.pdf)
- O'Donnell, A., Premawardhena, A., Arambepola, M., Allen, S. J., Peto, T. E. A., Fisher, C. A., Rees, D. C., Olivieri, N. F., & Weatherall, D. J. (2007). Age-related changes in adaptation to severe anemia in childhood in developing countries. *Proc Natl Acad Sci U S A*, 104(22),p.9440-9444.
- Oberoi, S., Das, R., Panigrahi, I., Kaur, J., & Marwaha, R. K. (2011a). XmnI-G gamma polymorphism and clinical predictors of severity of disease in beta-thalassemia intermedia. *Pediatr Blood Cancer*, 57(6),p.1025-1028.
- Ohba, Y., Hattori, Y., Harano, T., Harano, K., Fukumaki, Y., & Ldeguchi, H. Ohba, Y., Hattori, Y., Harano, T., Harano, K., Fukumaki, Y., & Ldeguchi, H. (1997).  $\beta$ -Thalassemia Mutations in Japanese and Koreans. *Hemoglobin*, 21(2),p.191-200.
- Olivieri, N. F., Pakbaz, Z., & Vichinsky, E. (2011). Hb E/beta-thalassaemia: a common & clinically diverse disorder. *Indian J Med Res*, 134(4),p.522-531.

- Origas, R., Galanello, R., Ganz, T., Giagu, N., Maccioni, L., Faa, G., & Nemeth, E. (2007). Liver iron concentrations and urinary hepcidin in beta-thalassemia. *Haematologica*, 92(5), p. 583-588.
- Orkin, S. H., Nathan, D. G., Ginsburg, D., Look, A. T., Fisher, D. E., & Lux, S. (2014). *Nathan and Oski's Hematology and Oncology of Infancy and Childhood*: Expert Consult: Online: Elsevier Health Sciences. New York, USA
- Pakdee, N., Yamsri, S., Fucharoen, G., Sanchaisuriya, K., Pissard, S., & Fucharoen, S. (2014). Variability of hemoglobin F expression in hemoglobin EE disease: Hematological and molecular analysis. *Blood Cells Mol Dis*, 53(1–2), p.11-15.
- Pant, L., Kalita, D., Singh, S., Kudesia, M., Mendiratta, S., Mittal, M., & Mathur, A. (2014). Detection of Abnormal Hemoglobin Variants by HPLC Method: Common Problems with Suggested Solutions. *Int Sch Res Notices*, 2014, Article ID 257805
- Patel, D. K., Patel, M., Mashon, R. S., Patel, S., Dash, P. M., & Das, B. S. (2010). Clinical and molecular characterization of beta(S) and (G)gamma((A)gammadeltabeta)(0)-thalassemia in eastern India. *Hemoglobin*, 34(6), p.604-609.
- Patne, A. B., Hisalkar, P. J., Gaikwad, S. B., & Patil, S. V. (2012). Alterations in antioxidant enzyme status with lipid peroxidation in thalassemia major patients. *Int J Univers Pharm Life Sci*, 3(10), p.2003-2006.
- Patrinos, G. P., Giardine, B., Riemer, C., Miller, W., Chui, D. H. K., Anagnou, N. P., Wajcman, H., & Hardison, R. C. (2004). Improvements in the HbVar database of human hemoglobin variants and thalassemia mutations for population and sequence variation studies. *Nucleic Acids Res*, 32(suppl 1), D537-D541.
- Peeling, P., Sim, M., Badenhorst, C. E., Dawson, B., Govus, A. D., Abbiss, C. R., Swinkels, D. W., & Trinder, D. (2014). Iron Status and the Acute Post-Exercise Hepcidin Response in Athletes. *PLoS ONE*, 9(3), p.e93002.
- Pennell, D. J., Berdoukas, V., Karagiorga, M., Ladis, V., Piga, A., Aessopos, A., Gotsis, E. D., Tanner, M. A., Smith, G. C., Westwood, M. A., Wonke, B., & Galanello, R. (2006). Randomized controlled trial of deferiprone or deferoxamine in beta-thalassemia major patients with asymptomatic myocardial siderosis. *Blood*, 107 (9), p3738 – 3744
- Pepe, A., Meloni, A., Capra, M., Cianciulli, P., Prossomariti, L., Malaventura, C., Putti, M. C., Lippi, A., Romeo, M. A., Bisconte, M. G., Filosa, A., Caruso, V., Quarta, A., Pitrolo, L., Missere, M., Midiri, M., Rossi, G., Positano, V.,

- Lombardi, M., & Maggio, A. (2011). Deferasirox, deferiprone and desferrioxamine treatment in thalassemia major patients: cardiac iron and function comparison determined by quantitative magnetic resonance imaging. *Haematologica*, 96(1), 41-47.
- Pereira, C., Relvas, L., Bento, C., Abade, A., Ribeiro, M. L., & Manco, L. (2015). Polymorphic variations influencing fetal hemoglobin levels: Association study in beta-thalassemia carriers and in normal individuals of Portuguese origin. *Blood Cells Mol Dis*, 54(4), p. 315-320.
- Peri, K., Gagnon, J., Gagnon, C., & Bard, H. (1997). Association of -158 (C--&T) (XmnI) DNA polymorphism in G gamma-globin promoter with delayed switchover from fetal to adult hemoglobin synthesis. *Pediatr Res*, 41(2), p.214-217.
- Piga, A., Roggero, S., Salussolia, I., Massano, D., Serra, M., & Longo, F. (2010). Deferiprone. *Ann N Y Acad Sci*, 1202(1), p.75-78.
- Pramoonjago, P., Harahap, A., Taufani, R. A., Setianingsih, I., & Marzuki, S. (1999). Rapid screening for the most common  $\beta$  thalassaemia mutations in south east Asia by PCR based restriction fragment length polymorphism analysis (PCR-RFLP). *J Med Genet*, 36, 927-938.
- Prasing, W., & Pornprasert, S. (2014). Measurement of HbA2 by Capillary Electrophoresis for Diagnosing  $\beta$ -thalassemia/HbE Disease in Patients With Low HbF. *Lab Medicine*, 45(3), p.226-230.
- Pratummo, K., Jetsrisuparb, A., Fucharoen, S., & Tripatara, A. (2014). Hpcidin expression from monocyte of splenectomized and non-splenectomized patients with HbE- $\beta$ -thalassemia. *Hematology*, 19(3), p.175-180.
- Prchal, J., Stamatoyannopoulos, G., & Opitz, J. M. (1981). Two siblings with unusually mild homozygous  $\beta$ -thalassemia: A didactic example of the effect of a nonallelic modifier gene on the expressivity of a monogenic disorder. *Am. J. Med. Genet*, 10(3), p.291-300.
- Priyatiningih, D. R. (2010). *Pengaruh Deferasirox Terhadap Kadar T4 dan TSH Pada Penderita Thalassaemia Mayor Dengan Ferritin Yang Tinggi (S2)*, Thesis. Universitas Diponegoro, Semarang.
- Provan, D., & Gribben, J. (2010). *Molecular Hematology*: Wiley. New York. USA
- Rahim, F., Allahmoradi, H., Salari, F., Shahjahani, M., Fard, A. D., Hosseini, S. A., & Mousakhani, H. (2013). Evaluation of Signaling Pathways Involved in  $\gamma$ -Globin Gene Induction Using Fetal Hemoglobin Inducer Drugs. *Int J Hematol Oncol Stem Cell Res*, 7(3), p. 41-46.

- Ramakrishna, V., & Jaiikhani, R. (2007). Evaluation of Oxidative Stress in Insulin Dependent Diabetes Mellitus (IDDM) Patients. *Diagn Pathol*, 2(22),p.1-6.
- Ramos, P., Melchiori, L., Gardenghi, S., Van-Roijen, N., Grady, R. W., Ginzburg, Y., & Rivella, S. (2010). Iron metabolism and ineffective erythropoiesis in beta-thalassemia mouse models. *Ann N Y Acad Sci*, Agustus 2010,1202,p. 24-30.
- Randox. (2011). RANSOD, *Superoxide dismutase Manual*. Rx Monza. Antrim, United Kingdom: Randox Laboratories.
- Rees, D. C., Porter, J. B., Clegg, J. B., & Weatherall, D. J. (1999). Why Are Hemoglobin F Levels Increased in HbE/ $\beta$  Thalassemia?.*Blood*, 94(9),p.3199-3204.
- Remacha, Á., Sanz, C., Contreras, E., de Heredia, C. D., Grifols, J. R., Lozano, M., Nuñez, G. M., Salinas, R., Corral, M., & Villegas, A. (2013). Guidelines on haemovigilance of post-transfusional iron overload. *Blood Transf*, 11(1), p128-132
- Renianti, L. (2009). *Hubungan Haplotipe Gen Alpha Hemoglobin Stabilizing Protein (AHSP) dengan Gambaran Klinis Penderita Thalassaemia Beta-HbE*. Risbin Iptekdok Report: Universitas Indonesia.
- Reznik, B., Clement, S. L., & Lykke-Andersen, J. (2014). hnRNP F Complexes with Tristetraprolin and Stimulates ARE-mRNA Decay. *PLoS One*, 9(6),p.e100992.
- Rivella, S. (2012). The role of ineffective erythropoiesis in non-transfusion-dependent thalassemia. *Blood Rev*, 26 Suppl 1, S12-15.
- Romilda, C., Marika, P., Marina, B., Andromachi, K., Luisa, B., Enrico, L., Alessandro, S., Kryssia Isabel, R.-C., Massimo, R., & Fabio, F. (2014). Oxidative damage in the progression of chronic liver disease to hepatocellular carcinoma: An intricate pathway. *World J Gastroenterol*, 20(12),p.3078-3086.
- Roosjen, M., McColl, B., Kao, B., Gearing, L. J., Blewitt, M. E., & Vadolas, J. (2014). Transcriptional regulators Myb and BCL11A interplay with DNA methyltransferase 1 in developmental silencing of embryonic and fetal beta-like globin genes. *FASEB J*, 28(4), 1610-1620
- Rosatelli, M., Oggiano, L., Battista Leoni, G., Tuveri, T., Di Tucci, A., Scalas, M., Dore, F., Pistidda, P., Massa, A., & Longinotti, M. (1989). Thalassemia intermedia resulting from a mild beta-thalassemia mutation. *73*(2),p.601-5
- Roy, P., Bhattacharya, G., Mandal, A., Dasgupta, U. B., Banerjee, D., Chandra, S., & Das, M. (2012). Influence of BCL11A, HBS1L-MYB, HBBP1 Single

Nucleotide Polymorphisms and the HBG2 XmnI Polymorphism On Hb F Levels. *Hemoglobin*, 36(6),p.592-599.

Rujito, L., Setyono, J., Siswandari, W., Wulan, & Dewi. (2012). *Data Penelitian Project Riset Unggulan Unsoed (RUKU) 2012*. Laporan Penelitian Unsoed (RUKU).

Rumaney, M. B., Ngo Bitoungui, V. J., Vorster, A. A., Ramesar, R., Kengne, A. P., Ngogang, J., & Wonkam, A. (2014). The Co-Inheritance of Alpha-Thalassemia and Sick Cell Anemia Is Associated with Better Hematological Indices and Lower Consultations Rate in Cameroonian Patients and Could Improve Their Survival. *PLoS One*, 9(6),p.e100516.

Ruslianti, V., Chairulfatah, A., & Rachmadi, D. (2013). Hubungan Spektrum Klinis Infeksi Dengue dengan Kadar Seng dan Feritin Serum. *Sari Pediatri*, 15(4),p.213-219.

Salanti, G., Amountza, G., Ntzani, E. E., & Ioannidis, J. P. A. (2005). Hardy-Weinberg equilibrium in genetic association studies: an empirical evaluation of reporting, deviations, and power. *Eur J Hum Genet*, 13(7),p. 840-848

Sampietro, M., Thein, S., Contreras, M., & Pazmany, L. (1992). Variation of HbF and F-cell number with the G-gamma Xmn I (C-T) polymorphism in normal individuals. *Blood*.79(3),p.832-839.

Sankaran, V. G. (2011). Targeted Therapeutic Strategies for Fetal Hemoglobin Induction. *Am Soc Hematol Educ Program*, 2011(1),p.459-465.

Sankaran, V. G., & Nathan, D. G. (2010). Reversing the hemoglobin switch. *N Engl J Med*, 363(23),p.2258-2260.

Sankaran, V. G., & Orkin, S. H. (2013). The Switch from Fetal to Adult Hemoglobin. *Cold Spring Harbor Persp Med*, 3(1). doi: 10.1101/cshperspect.a011643

Sankaran, V. G., Xu, J., & Orkin, S. H. (2010a). Advances in the understanding of haemoglobin switching. *Br J Haematol*, 149(2),p.181-194.

Sankaran, V. G., Xu, J., & Orkin, S. H. (2010b). Transcriptional silencing of fetal hemoglobin by BCL11A. *Ann N Y Acad Sci*, 1202,p.64-68.

Sankaran, V. G., Xu, J., Ragoczy, T., Ippolito, G. C., Walkley, C. R., Maika, S. D., Fujiwara, Y., Ito, M., Groudine, M., Bender, M. A., Tucker, P. W., & Orkin, S. H. (2009). Developmental and species-divergent globin switching are driven by BCL11A. *Nature*, 460(7259),p.1093-1097.

Sastroasmoro, S., & Ismail, S. (2011). *Dasar-Dasar Metodologi Penelitian Klinis* (4 ed.). Jakarta: Sagung Seto.

- Satta, S. (2007). *Studio del gene AHSP nelle  $\beta$ -Talassemie*. (S3), Universita' degli Studi di Cagliari, Cagliari.
- Satta, S., Perseu, L., Maccioni, L., Giagu, N., & Galanello, R. (2012). Delayed fetal hemoglobin switching in subjects with KLF1 gene mutation. *Blood Cells Mol Dis*, 48(1),p.22-24.
- Sattari, M., Sheykhi, D., Nikanfar, A., Pourfeizi, A. H., Nazari, M., Dolatkhah, R., & Mashayekhi, S. (2012). The Financial and Social Impact of Thalassemia and Its Treatment in Iran. *Pharm sci*, 18 (3),p.171-176.
- Schmidt, S. A., Foley, P. L., Jeong, D.-H., Rymarquis, L. A., Doyle, F., Tenenbaum, S. A., Belasco, J. G., & Green, P. J. (2015). Identification of SMG6 cleavage sites and a preferred RNA cleavage motif by global analysis of endogenous NMD targets in human cells. *Nucleic Acids Res*, 43(1),p.309-323.
- Sedgewick, A. E., Timofeev, N., Sebastiani, P., So, J. C., Ma, E. S., Chan, L. C., Fucharoen, G., Fucharoen, S., Barbosa, C. G., Vardarajan, B. N., Farrer, L. A., Baldwin, C. T., Steinberg, M. H., & Chui, D. H. (2008). BCL11A is a major HbF quantitative trait locus in three different populations with beta-hemoglobinopathies. *Blood Cells Mol Dis*, 41(3), 255-258.
- Setianingsih, I., Williamson, R., Daud, D., Harahap, A., Marzuki, S., & Forrest, S. (1999). Phenotypic variability of Filipino beta(o)-thalassemia/HbE patients in Indonesia. *Am J Hematol*, 62(1),p.7-12.
- Setianingsih I, W. R., Marzuki S, Harahap A, Tamam M, Forrest S, . (1998). Molecular basis of b-thalassemia in Indonesia: Application to prenatal diagnosis. *Mol Diagn*, 3(1),p.11-19.
- Setyono, J., & Rujito, L. (2009). *Penelusuran Pedigree Keluarga Talasemia dan Terapan Konseling Genetika : Strategi Pencegahan Penyakit Talasemia (Studi Pendahuluan)*. Purwokerto: Jenderal Soedirman University.
- Sharaf, A., Ali, S. H., & Abo-Elwafa, H. (2014). Evaluation of puberty in relation to iron overload in multi transfused B-thalassemia patients. *J Am Sci*, 10(11),p.1-7.
- Sharma, A., Marwah, S., Buxi, G., & Yadav, R. (2013). Hemoglobin E Syndromes: Emerging Diagnostic Challenge in North India. *Indian J Hematol Blood Transfus*, 29(1),p.21-25.
- Shazia, Q., Mohammad, Z. H., Rahman, T., & Shekhar, H. U. (2012). Correlation of Oxidative Stress with Serum Trace Element Levels and Antioxidant Enzyme Status in Beta Thalassemia Major Patients: A Review of the Literature. *Anemia*, 2012 (2012), Article ID 270923.



- Sherry, S. T., Ward, M.-H., Kholodov, M., Baker, J., Phan, L., Smigielski, E. M., & Sirotkin, K. (2001). dbSNP: the NCBI database of genetic variation. *Nucleic Acids Res*, 29(1),p.308-311.
- Siatecka, M., Xue, L., & Bieker, J. J. (2007). Sumoylation of EKLF Promotes Transcriptional Repression and Is Involved in Inhibition of Megakaryopoiesis. *Mol Cell Biol*,27(24),p.8547-8560.
- Simsek, F., Ozturk, G., Kemahli, S., Erbas, D., & Hasanoglu, A. (2005). Oxidant and antioxidant status in beta thalassemia major patients. *J Ankara Univ Fac Med*, 58(1),p.34-38.
- Smith, G. C., Alpendurada, F., Carpenter, J. P., Alam, M. H., Berdoukas, V., Karagiorga, M., Ladis, V., Piga, A., Aessopos, A., Gotsis, E. D., Tanner, M. A., Westwood, M. A., Galanello, R., Roughton, M., & Pennell, D. J. (2011). Effect of deferiprone or deferoxamine on right ventricular function in thalassemia major patients with myocardial iron overload. *J Cardiovasc Magn Reson*, 13(1), p34-34.
- So, C. C., Song, Y. Q., Tsang, S. T., Tang, L. F., Chan, A. Y., Ma, E. S., & Chan, L. C. (2008). The HBS1L-MYB intergenic region on chromosome 6q23 is a quantitative trait locus controlling fetal haemoglobin level in carriers of beta-thalassaemia. *J Med Genet*, 45(11),p.745-751.
- Soares, P., Trejaut, J. A., Loo, J.-H., Hill, C., Mormina, M., Lee, C.-L., Chen, Y.-M., Hudjashov, G., Forster, P., Macaulay, V., Bulbeck, D., Oppenheimer, S., Lin, M., & Richards, M. B. (2008). Climate Change and Postglacial Human Dispersals in Southeast Asia. *Mol Biol Evol*, 25(6), 1209-1218.
- Sofro, A. S. (1995). Molecular pathology of beta-thalassemia in Indonesia. *Southeast Asian J Trop Med Public Health*, 26 Suppl 1,p. 221-224.
- Sofro, A. S., Madiyan, & Suhartini. (1994). Frekuensi Trait Talasemia beta di Ambon. *Berita Kedokteran Masyarakat*, 10(1), p.14-28.
- Sofro, A. S., Suharto, & Madiyan. (1986). *Frekuensi trait Talasemia beta pada beberapa kelompok etnik mahasiswa di Yogyakarta*. Laporan Penelitian Proyek PIT no 287/PIT/DPPM/335/1985 Universitas Gadjah Mada.
- Solé, X., Guinó, E., Valls, J., Iniesta, R., & Moreno, V. (2006). SNPStats: a web tool for the analysis of association studies. *Bioinformatics*, 22(15),p.1928-1929.
- Solovieff, N., Milton, J. N., Hartley, S. W., Sherva, R., Sebastiani, P., Dworkis, D. A., Klings, E. S., Farrer, L. A., Garrett, M. E., Ashley-Koch, A., Telen, M. J., Fucharoen, S., Ha, S. Y., Li, C. K., Chui, D. H., Baldwin, C. T., & Steinberg, M. H. (2010). Fetal hemoglobin in sickle cell anemia: genome-wide

association studies suggest a regulatory region in the 5' olfactory receptor gene cluster. *Blood*, 115(9),p.1815-1822.

Sripichai, O., Makarasara, W., Munkongdee, T., Kumkhaek, C., Nuchprayoon, I., Chuansumrit, A., Chuncharunee, S., Chantrakoon, N., Boonmongkol, P., Winichagoon, P., & Fucharoen, S. (2008). A scoring system for the classification of beta-thalassemia/Hb E disease severity. *Am J Hematol*, 83(6),p.482-484.

Srivorakun, H., Singha, K., Fucharoen, G., Sanchaisuriya, K., & Fucharoen, S. (2014). A Large Cohort of Hemoglobin Variants in Thailand: Molecular Epidemiological Study and Diagnostic Consideration. *PLoS One*, 9(9),p. e108365.

Stadhouders, R., Aktuna, S., Thongjuea, S., Aghajanirefah, A., Pourfarzad, F., van Ijcken, W., Lenhard, B., Rooks, H., Best, S., Menzel, S., Grosveld, F., Thein, S. L., & Soler, E. (2014). HBS1L-MYB intergenic variants modulate fetal hemoglobin via long-range MYB enhancers. *J Clin Invest*, 124(4),p.1699-1710.

Steinberg, M. H., Forget, B. G., Higgs, D. R., & Weatherall, D. J. (2009). *Disorders of Hemoglobin: Genetics, Pathophysiology, and Clinical Management* (Cambridge Medicine) (Vol. 2 edition). London: Cambridge University Press.

Sumera, A., Radhakrishnan, A., Baba, A. A., & George, E. (2015). Review: Beta-thalassemia and molecular chaperones. *Blood Cells Mol Dis*, 54(4), 348-352.

Surovell, T., Waguespack, N., & Brantingham, P. J. (2005). Global archaeological evidence for proboscidean overkill. *Proc Natl Acad Sci U S A*, 102(17),p.6231-6236

Taher, A. T., Musallam, K. M., & Inati, A. (2009). The hypercoagulable state in thalassemia intermedia. *Hemoglobin*, 33 Suppl 1, S160-169.

Tallack, M. R., & Perkins, A. C. (2013). Three fingers on the switch: Krüppel-like factor 1 regulation of  $\gamma$ -globin to  $\beta$ -globin gene switching. *Curr Opin Hematol*, 20(3),p.193-200.

Tamam, M., Hadisaputro, S., Sutaryo, Setianingsih, I., Astuti, R., & Soemantri, A. (2010). Hubungan antara Tipe Mutasi Gen Globin dan Manifestasi Klinis Penderita Talasemia. *JKB*, 26 (Februari 2010),p.48-52.

Tasmini, Sofro, A. S., & Madiyan. (1992). *Frekuensi traits Thalassaemia beta di Ujung Pandang*. Laporan Penelitian DPP 1991-1993, Universitas Gadjah Mada.

- Taufani, R. A. (2003). *Kendala Deteksi Mutasi : Thalassemia-B sebagai Model*. (Master Thesis), Fakultas Kedokteran Universitas Indonesia, Jakarta.
- Teh, L. K., George, E., Lai, M. I., Tan, J. A. M. A., Wong, L., & Ismail, P. (2014). Molecular basis of transfusion dependent beta-thalassemia major patients in Sabah. *J Hum Genet*, 59(3), p.119-123.
- Telfer, P., Coen, P., Christou, S., Hadjigavriel, M., Kolnakou, A., Pangalou, E., Pavlides, N., Psiloinis, M., Simamonian, K., Skordos, G., Sitarou, M., & Angastiniotis, M. (2006). Survival of medically treated thalassemia patients in Cyprus. Trends and risk factors over the period 1980-2004. *Haematologica*. 91(9),p.1187-92
- Thalassaemia International Federation. (2014). *Guidelines For The Management Of Transfusion Dependent Thalassaemia (TDT)* (3rd ed. Vol. 3). Nicossia, Cyprus: Thalassaemia International Federation Publisher.
- Thalassemia International Federation. (2014). *Epidemiology*. Available from: <http://www.thalassaemia.org.cy/about-haemoglobin-disorders/beta-thalassaemia/epidemiology.shtml>. Accessed January 7, 2014.
- Thavorncharoensap, M., Torcharus, K., Nuchprayoon, I., Riewpaiboon, A., Indaratna, K., & Ubol, B.-o. (2010). Factors affecting health-related quality of life in Thai children with thalassemia. *BMC Blood Dis*, 10(1),p.1-10
- The HUGO Pan-Asian SNP Consortium. (2009). Mapping Human Genetic Diversity in Asia. *Science*, 326(5959), 1541-1545. doi: 10.1126/science.1177074
- The International HapMap Consortium. (2010). Integrating common and rare genetic variation in diverse human populations. *Nature*, 467(7311), 52-58. doi: <http://www.nature.com/nature/journal/v467/n7311/abs/nature09298.html#supplementary-information>
- Thein, S. L. (2004). Genetic insights into the clinical diversity of  $\beta$  thalassaemia. *Br J Haematol*, 124(3), 264-274.
- Thein, S. L. (2008). Genetic modifiers of the  $\beta$ -haemoglobinopathies. *Br J Haematol*, 141(3), 357-366.
- Thein, S. L., & Menzel, S. (2009). Discovering the genetics underlying foetal haemoglobin production in adults. *Br J Haematol*, 145(4), 455-467.
- Thein, S. L., Menzel, S., Peng, X., Best, S., Jiang, J., Close, J., Silver, N., Gerovasilli, A., Ping, C., Yamaguchi, M., Wahlberg, K., Ulug, P., Spector, T. D., Garner, C., Matsuda, F., Farrall, M., & Lathrop, M. (2007). Intergenic variants of HBS1L-MYB are responsible for a major quantitative trait locus

on chromosome 6q23 influencing fetal hemoglobin levels in adults. *Proc Natl Acad Sci U S A*, 104(27),p.11346-11351.

Tienboon, P., Sanguansermisri, T., & Fuchs, G. J. (1996). Malnutrition and growth abnormalitis in children with beta thalassemia mayor. *K Trop Med Public Health*, 27(2),p.356-61.

Tohru, F., & Masuko , U.-F. (2011). Superoxide Dismutases: Role in Redox Signaling, Vascular Function, and Diseases. *Antioxid Redox Signal*, 15(6),p.1583-1606.

Tritipsombut, J., Sanchaisuriya, K., Phollarp, P., Bouakhasith, D., Sanchaisuriya, P., Fucharoen, G., Fucharoen, S., & Schelp, F. P. (2012). Micromapping of Thalassemia and Hemoglobinopathies in Diferent Regions of Northeast Thailand and Vientaine, Laos People's Democratic Republic. *Hemoglobin*, 36(1),p.47-56.

Tsang, B. L., Sullivan, K. M., Ruth, L. J., Williams, T. N., & Suchdev, P. S. (2014). Nutritional Status of Young Children with Inherited Blood Disorders in Western Kenya. *Am J Trop Med Hyg*, 90(5),p.955-962.

Tsiftoglou, A. S., Vizirianakis, I. S., & Strouboulis, J. (2009). Erythropoiesis: model systems, molecular regulators, and developmental programs. *IUBMB Life*, 61(8),p.800-830.

Tubsuwan, A., Munkongdee, T., Jearawiriyapaisarn, N., Boonchoy, C., Winichagoon, P., Fucharoen, S., & Svasti, S. (2011). Molecular analysis of globin gene expression in different thalassaemia disorders: individual variation of  $\beta$ E pre-mRNA splicing determine disease severity. *Br J Haematol*, 154(5),p.635-643.

Tumonggor, M. K., Karafet, T. M., Hallmark, B., Lansing, J. S., Sudoyo, H., Hammer, M. F., & Cox, M. P. (2013). The Indonesian archipelago: an ancient genetic highway linking Asia and the Pacific. *J Hum Genet*, 58(3),p.165-173.

Tyagi, S., Pati, H. P., Choudhry, V. P., & Saxena, R. (2004). Clinico-haematological Profile of HbE Syndrome in Adults and Children. *Hematology*, 9(1),p.57-60.

Uda, M., Galanello, R., Sanna, S., Lettre, G., Sankaran, V. G., Chen, W., Usala, G., Busonero, F., Maschio, A., Albai, G., Piras, M. G., Sestu, N., Lai, S., Dei, M., Mulas, A., Crisponi, L., Naitza, S., Asunis, I., Deiana, M., Nagaraja, R., Perseu, L., Satta, S., Cipollina, M. D., Sollaino, C., Moi, P., Hirschhorn, J. N., Orkin, S. H., Abecasis, G. R., Schlessinger, D., & Cao, A. (2008). Genome-wide association study shows BCL11A associated with persistent fetal hemoglobin and amelioration of the phenotype of beta-thalassemia. *Proc Natl Acad Sci U S A*, 105(5), 1620-1625.

- van Dijk, T. B., Gillemans, N., Pourfarzad, F., van Lom, K., von Lindern, M., Grosveld, F., & Philipsen, S. (2010). Fetal globin expression is regulated by Friend of Prmt1. *Blood*, 116(20),p.4349-4352.
- Vasudev, R., & Sawhney, V. (2014). Thalassaemia Major and Intermedia in Jammu and Kashmir, India: A Regional Transfusion Centre Experience. *Indian J Hematol Blood Transfus*, 30(4),p.297-300.
- Viprakasit, V., & Origa, R. (2014). Genetic Basic Pathophysiology and Diagnosis, Viprakasit, V., & Origa, R. (2014). *Genetic Basic Pathophysiology and Diagnosis, in : Guidelines for the Management of Transfusion Dependent Thalassaemia (TDT) (Vol. 3)*. Nicossia, Cyprus: Thalassaemia International Federation
- Viprakasit, V., Tanphaichitr, V. S., Chinchang, W., Sangkla, P., Weiss, M. J., & Higgs, D. R. (2004). Evaluation of alpha hemoglobin stabilizing protein (AHSP) as a genetic modifier in patients with beta thalassemia. *Blood*, 103(9),p.3296-3299.
- Wahidiyat. (1979). *Penelitian thalassemia di Jakarta (dissertation)*. (S3), Fakultas Kedokteran Universitas Indonesia, Jakarta.
- Wahidiyat, P. A. (2009). *Faktor-Faktor Genetik Pengubah Manifestasi Klinis Thalassaemia-β/HbE : Interaksi Antara Mutasi Thalassaemia-β,α, Polimorfisme XmnI-Gγ dan SNPs Pada Kluster Gen Globin-β*. (S3), Universitas Indonesia, Jakarta.
- Wahidiyat, P. A., Gatot, D., Tjitrasari, T., Ringoringo, H. P., S, M. N., Taufani, R. A., Setianingsih, I., & Harahap, A. (2006). Phenotypic diversity in beta-HbE thalassemia patients, *Pediatr Indones*, 46,p.82-86
- Wahlberg, K., Jiang, J., Rooks, H., Jawaidd, K., Matsuda, F., Yamaguchi, M., Lathrop, M., Thein, S. L., & Best, S. (2009). The HBS1L-MYB intergenic interval associated with elevated HbF levels shows characteristics of a distal regulatory region in erythroid cells. *Blood*, 114(6), p.1254-1262.
- Wajcman, H., Vasseur, C., Pissard, S., & Baudin-Creuzat, V. (2011). α-Hemoglobin Stabilizing Protein: A Modulating Factor in Thalassemias?. *Hemoglobin*, 35(5-6),p.463-468.
- Wang, Z., Yu, W., Li, Y., Shang, X., Zhang, X., Xiong, F., & Xu, X. (2010). Analysis of alpha-hemoglobin-stabilizing protein (AHSP) gene as a genetic modifier to the phenotype of beta-thalassemia in Southern China. *Blood Cells Mol Dis*, 45(2),p.128-132.
- Waseem, F., Khemomal, K. A., & Sajid, R. (2011). Antioxidant status in beta thalassemia major: A single-center study. *Indian J Pathol Microbiol*, 54(761-3).

- Weatherall, D. J. (2010). Thalassaemia as a global health problem: recent progress toward its control in the developing countries. *Ann N Y Acad Sci*, 1202(1), 17-23.
- Weatherall, D. J., & Clegg, J. B. (2008). *The Thalassaemia Syndromes*. (4th edition ed.): Oxford, Blackwell Science.UK
- Weatherall, D. J., Clegg, J. B., Wood, W. G., Old, J. M., Higgs, D. R., Pressley, L., & Darbre, P. D. (1980). The Clinical And Molecular Heterogeneity Of The Thalassaemia Syndromes. *Ann N Y Acad Sci*, 344(1), 83-100.
- Wei, G.-H., Zhao, G.-W., Song, W., Hao, D.-L., Lv, X., Liu, D.-P., & Liang, C.-C. (2007). Mechanisms of human  $\gamma$ -globin transcriptional induction by apicidin involves p38 signaling to chromatin. *Biochem Biophys Res Commun*, 363(4),p.889-894
- Weiss, M. J., Zhou, S., Feng, L., Gell, D. A., Mackay, J. P., Shi, Y., & Gow, A. J. (2005). Role of Alpha Hemoglobin-Stabilizing Protein in Normal Erythropoiesis and  $\beta$ -Thalassaemia. *Ann N Y Acad Sci*, 1054(1),p.103-117.
- Wilber, A., Nienhuis, A. W., & Persons, D. A. (2011). Transcriptional regulation of fetal to adult hemoglobin switching: new therapeutic opportunities. *Blood*, 117(15),p.3945-3953.
- Willcox, J. K., Ash, S. L., & Catignani, G. L. (2004). Antioxidants and Prevention of Chronic Disease. *Crit Rev Food Sci Nutr*, 44(4),p.275-295.
- Williams, T. N., & Weatherall, D. J. (2012). World Distribution, Population Genetics, and Health Burden of the Hemoglobinopathies. *Cold Spring Harb Perspec Med*, 2(9):a011692
- Wong, L., George, E., & Tan, J.-A. (2011). A holistic approach to education programs in thalassaemia for a multi-ethnic population: consideration of perspectives, attitudes, and perceived needs. *J Community Genet*, 2(2),p.71-79.
- Wong, Y. C., George, E., Tan, K. L., Yap, S. F., Chan, L. L., & JAMA, T. (2006). Molecular characterisation and frequency of G $\gamma$ Xmn I polymorphism in Chinese and Malay  $\beta$ -thalassaemia patients in Malaysia. *Malays J Pathol*, 28(1),p.17-21.
- Wonkam, A., Bitoungui, V. J., Vorster, A. A., Ramesar, R., Cooper, R. S., Tayo, B., Lettre, G., & Ngogang, J. (2014). Association of Variants at BCL11A and HBS1L-MYB with Hemoglobin F and Hospitalization Rates among Sickle Cell Patients in Cameroon. *PLoS One*, 9(3).
- Xu, J., Bauer, D. E., Kerenyi, M. A., Vo, T. D., Hou, S., Hsu, Y.-J., Yao, H., Trowbridge, J. J., Mandel, G., & Orkin, S. H. (2013). Corepressor-dependent



silencing of fetal hemoglobin expression by BCL11A. *Proc Natl Acad Sci*, 110(16), 6518-6523.

Xu, J., Bauer, D. E., & Orkin, S. H. (2011a). Targeting Regulators of Hemoglobin F : Mini Review , The Hematologist, September 01. Available online : <http://www.hematology.org/Thehematologist/Mini-Review/1237.aspx>

Xu, J., Sankaran, V. G., Ni, M., Menne, T. F., Puram, R. V., Kim, W., & Orkin, S. H. (2010). Transcriptional silencing of  $\gamma$ -globin by BCL11A involves long-range interactions and cooperation with SOX6. *Genes Dev*, 24(8), 783-798.

Xu, L. H., Fang, J. P., Xu, H. G., & Weng, W. J. (2011b). Evaluation of hepatic iron overload in Chinese children with beta-thalassemia major. *Pediatr Hematol Oncol*, 28(8),p.702-707.

Yayasan Thalassaemia Indonesia Cab Banyumas. (2012). Data Penderita Yayasan Thalassaemia Banyumas. Buku Data Penderita Thalassaemia.

Yin, A., Li, B., Luo, M., Xu, L., Wu, L., Zhang, L., Ma, Y., Chen, T., Gao, S., Liang, J., Guo, H., Qin, D., Wang, J., Yuan, T., Wang, Y., Huang, W.-w., He, W.-F., Zhang, Y., Liu, C., Xia, S., Chen, Q., Zhao, Q., & Zhang, X. (2014). The Prevalence and Molecular Spectrum of  $\alpha$ - and  $\beta$ -Globin Gene Mutations in 14,332 Families of Guangdong Province, China. *PLoS One*, 9(2), e89855.

Zebisch, A., Schulz, E., Grosso, M., Lombardo, B., Acierno, G., Sill, H., & Iolascon, A. (2015). Identification of a novel variant of epsilon-gamma-delta-beta thalassemia highlights limitations of next generation sequencing. *Am J Hematol*, 90(3),p.E52-54.

Zertal-Zidani, S., Ducrocq, R., Sahbatou, M., Satta, D., & Krishnamoorthy, R. (2002). Foetal haemoglobin in normal healthy adults: relationship with polymorphic sequences cis to the bold beta globin gene. *Eur J Human Genet*, 10(5), 320-326.

Zhou, D., Liu, K., Sun, C. W., Pawlik, K. M., & Townes, T. M. (2010). KLF1 regulates BCL11A expression and gamma- to beta-globin gene switching. *Nat Genet*, 42(9),p.742-744.