



TABLE OF CONTENTS

COVER	i
THESIS ENDORSEMENT	ii
DECLARATION OF ACADEMIC INTEGRITY.....	iii
ACKNOWLEDGEMENT	iv
TABLE OF CONTENTS	v
LIST OF TABLE	viii
LIST OF FIGURES	ix
ABSTRACT	xi
CHAPTER 1 INTRODUCTION	1
1.1 Background	1
1.2 Research Objectives	2
1.3 Research Stages and Scopes.....	3
1.4 The Novelty of The Research.....	4
1.5 The Benefit of The Research.....	4
1.5 Structure of the Dissertation.....	5
CHAPTER 2 LITERATURE REVIEW	6
2.1 Defining Accessibility	6
2.2 Airport Accessibility	7
2.3 Leeds Local Implementation and Transport Strategy	8
2.4 Leeds Bradford International Airport Master Plan.....	9
2.5 Leeds Bradford International Airport Connectivity Study.....	9
2.6 Transport Management for Alleviating Congestion.....	10
2.7 SATURN Modelling Case Studies.....	12
2.7.1 Case Study 1:.....	12
2.7.2 Case Study 2:.....	13



CHAPTER 3 THEORITICAL BACKGROUND AND SATURN'S PRELIMINARY MODEL	15
3.1 The Principle of Transport Modelling	15
3.2 SATURN Elastic Demand Assignment	16
3.3 Application of Consumer Surplus Theory for Transport Users	17
3.4 Leeds Bradford International Airport Location.....	19
3.5 Airport Surface Access.....	21
3.6 Airport Operationalisation.....	25
3.7 Modelling Airport Travel and Its Access in SATURN.....	26
3.8 The Airport Access Entry Points and Flow Distribution	31
3.9 The Flight Departures during Peak Period	34
3.10 Mitigating Problem on The Road Junctions.....	35
CHAPTER 4 METHODOLOGY	42
4.1 The Assignment and Simulation Concept in SATURN.....	42
4.1.1 Wardrop's Equilibrium	42
4.1.2 Stochastic User Equilibrium.....	42
4.1.3 Degree of Convergence	43
4.1.4 Frank-Wolfe Algorithm.....	43
4.1.5 Cyclical Flow Profile within Simulation.....	44
4.2 SATURN Modelling Overview	46
4.3 Matrix Manipulation	49
4.3.1 Matrix Factoring.....	49
4.3.2 Adding Two Matrices.....	50
4.3.3 Viewing Row and Column Total	51
4.3.4 Dumping a Matrix to an ascii .DAT (text) File.....	51
4.4 SATURN Elastic Demand Assignment-Excess Trips Algorithm	52
4.5 Alleviating Road Congestion Alternative Measures.....	53
4.6 Improving Network Using P-make Network Editor.....	56
4.7 Applying Rule of a Half in SATURN.....	59



4.8 MX ROH.....	59
4.9 Minimum Cost Trees	60
4.10 Optional Analysis-Selected Link Analysis	60
CHAPTER 5 ANALYSIS ON IMPROVING ACCESSIBILITY TO LEEDS BRADFORD INTERNATIONAL AIRPORT	62
5.1 Benchmarking and Alternative Measures	62
5.2 Network Improvements	67
5.2.1 Access from the North.....	67
5.2.2 Access from the West.....	68
5.2.3 Access from the South.....	73
5.2.4 Access from the East	74
5.3 Performance of the Measures.....	76
5.3.1 Impact on Travel Time	76
5.3.2 Impact on Travel Cost	77
5.4 User Benefits Appraisal	78
5.4.1 Fixed Demand	78
5.4.2 Elastic Demand	79
CHAPTER 6 CONCLUSION AND SUGGESTION	81
6.1 Conclusion and Findings	81
6.2 Suggestion and Further Researches.....	82
REFERENCES.....	83
APPENDICES	86
Appendix 1: Elastic Trip Demand Calculation.....	87
Appendix 2: User Benefits Calculation	103



LIST OF TABLES

Table 3.1 Journey time to the airport at peak and off-peak periods.....	24
Table 3.2 Travel cost and value of time	27
Table 3.3 The zones with high trip generations to the airport	29
Table 3.4 Passenger trips to the airport during peak periods	30
Table 3.5 The flows in access entry points to the airport.....	33
Table 5.1 Network benchmarking and proposed alternative measures.....	65
Table 5.2 The impact of the improvements to the travel time	76
Table 5.3 The cumulative delay reduction	77
Table 5.4 The impact of the improvements to the travel cost	77



LIST OF FIGURES

Figure 3.1 The Four-Step Model.....	15
Figure 3.2 The relationship between travel cost and transport demand.....	18
Figure 3.3 Leeds Bradford International Airport Location	19
Figure 3.4 The Layout of LBIA	20
Figure 3.5 The variation of modes used to access the airport.....	21
Figure 3.6 Post and projected annual passenger of LBIA.....	25
Figure 3.7 Flight departure time table in LBIA	26
Figure 3.8 The airport identity in SATURN and high-trip generation zones	28
Figure 3.9 The road with V-C ratio > 85% in the morning peak (08.00 -09.00 AM)	30
Figure 3.10 The road with V-C ratio > 85% in the evening peak (17.00 -18.00 AM)	31
Figure 3.11 Flows through the airport main access in the morning peak (08.00-09.00 AM)	32
Figure 3.12 Flight departure which potentially affected by road traffic	34
Figure 3.13 Rawdon junction (node 1371)	35
Figure 3.14 A65/A658 junction (node 7710).....	36
Figure 3.15 A657/A6120 junction (node 9419).....	36
Figure 3.16 Junction in Outer Ring Road (node 1349, 9405, 9406).....	37
Figure 3.17 Horsforth Roundabout (node 9455).....	38
Figure 3.18 A660/B157 junction	39
Figure 3.19 A660/A658 junction	40
Figure 3.20 Junctions with V-C ratio > 85%	41
Figure 4.1 The CFP pattern from link i to link j	45
Figure 4.2 General structure of an assignment model.....	46



Figure 4.3 Running the basic SATURN model using SATALL	48
Figure 4.4 The pseudo link illustration in elastic assignment	52
Figure 4.5 Editing features on a specific junction.....	57
Figure 4.8 The selected link analysis in the road network.....	61
Figure 5.1 The route choices to airport	66
Figure 5.2 Delay in B6451/A659 junction.....	67
Figure 5.3 Improvement in B6451/A659 junction.....	68
Figure 5.4 Delay in A658/A657 Greengates junction (Node 7710)	69
Figure 5.5 Improvement in A658/A657 Greengates junction (Node 7710)	70
Figure 5.6 A658/Bayton Ln junction (node 1377).....	71
Figure 5.7 Signal stage times optimization in A658/Bayton Ln junction (node 1377)	71
Figure 5.8 Delay in A6120/A657 Rodley roundabout.....	72
Figure 5.9 Improvement in A6120/A657 Rodley roundabout.....	73
Figure 5.10 Delay in Low Ln/A6120 and A660/B6157	74
Figure 5.11 Improvement in Low Ln/A6120 and A660/B6157	74
Figure 5.12 Delay in A660/A658 Pool Bank New Rd and A658/Pool Rd.....	75
Figure 5.13 Improvement in A660/A658 Pool Bank New Rd and A658/Pool Rd	75