

DAFTAR PUSTAKA

- Altschul, S.F., Gish W., Miller W., Myers E.W., Lipman D.J., 1990. Basic Local Alignment Search Tool. *J. Mol. Biol.* 215 (3) : 403-410.
- Amman, B.R., Owen, R.D., Bradley, R.D. 2002. *Utility of Hair Structure for Taxonomic Discrimination of Bats, With an Example from The Bats in Colorado*. Occasional papers, Museum of Texas Tech University, Lubbock.
- Barron, U.G., Butler. F., McDonnell, K., and Ward, S. 2009. The End of The Identity Crisis ? Advances in Biometric Markers for Animal Identification. *Irish Veterinary Journal.* 62; 204-208.
- Bahuguna, A. and Mukherjee, S.K. 2000. Use of SEM to recognize Tibetan Antelope (*Chiru*) Hair and Blending in Wool Product. *Science & Justice.* 40 (3); 177-182.
- Bower, T.R., Curry, K.T. 1983. Use of a Roller Press to Obtain Cuticular Impressions of Guard Hairs on Acetate Strips. *Journal of Mammalogy.* 64; 531 - 532.
- Brazej, A., Galatik, A., Galatik, J. Krul, Z. and Mladek, M. 1989. *Atlas of Microscopic Structures of Fur Skins I*. Elsevier. Amsterdam.
- Bray, T.C., Mohammed, O.B., Butynski, T.M., Wornski, T., Sandouka, M.A., Alagaili, A.N. 2014. Genetic variation and subspecific status of the grey wolf (*Canis lupus*) in Saudi Arabia. Short Communication. Elsevier. *Mamm Biol.* 79 : 409 - 413
- Brunner, H., Coman, B.J. 1974. *The Identification of Mammalian Hair*. Inkata Press, Victoria, Australia.
- Bugge, C.E., Burkhardt, J., Dugstad, K.S., Enger, T.B., Kasprzycka, M., Kleinauskas, A., Myhre, M., Scheffler, K., Strom, S., and Vetlesen, S. 2011. *Biometric Methods of Animal Identification. Compilation of Groupwork*. Laboratory Animal Science. Norwegian School of Veterinary Science.
- Butts, M.R., Ludica, C.A. 2012. Guard Hair of Pennsylvania's Mammals : A *Pictorial Atlas and Identification Key*. Biology Departement. Susquehanna University.

- Cracraft, J. and Bychowski, H.K. 1991. Parsimony and phylogenetic inference using DNA sequence : Some methodological strategies. In M. Miyamoto and J.Cracraft (Eds.), *Phylogenetic analysis of DNA sequences*. Oxford Univ. Press, New Yorl, pp. 184-220
- Davis, A.K. 2010. A Technique for Rapidly Quantifying Mammal Hair Morphology for Zoological Research. The University of Georgia. *Folia Zool.* 59 (2); 87-92
- Gomercic, T., Sindicic, A., Galov, H., Arbanasic, J., Kusak, I., Kocijan, M., Duras, G.D.H. 2010. High genetic variability of Croatian grey wolf (*Canis lupus* l.) population as revealed by mitochondrial DNA control region sequences. *Zool. Stud.* 49 : 816-823
- Grobler, J.P, Pretorius, D.M., Botha, K., Kotze, A., Hallerman, E.M., Vuuren, B.J.V. 2005. An exploratory analysis of geographic genetic variation in southern African nyala (*Tragelaphus angasi*). *Mamm. Biol.* 70: 291-299
- Hartl, G.B., Zachos, F.E., Nadlinger, K., Ratkiewicz, M., Klien, F., Lang, G. 2005. Allozyme and mitochondrial DNA analysis of French red deer (*Cervus elaphus*) populations : genetic structure and its amplications for management and coservation. *Mamm. Biol* 70 : 23-24
- Hardy, M. H. 1992. The Secret Life of The Hair Follicle. *Trends in Genetics.* 8; 55 - 61.
- Haryo, A. 2013. Studi Morfometrik Rambut Anjing Jenis *American Pitbull Terrier*, *German Shepherd* dan *Doberman*. [skripsi]. Fakultas Kedokteran Hewan Universitas Airlangga.
- Hatmosrojo, R., Budiana, N.S. 2003. Melatih Anjing Penjaga. Penebar Swadaya. Cimanggis. Depok. Halaman : 3-6.
- Henky, O.S. 2012. Identifikasi Korban Bencana Massal : Praktik DVI Antara Teori dan Kenyataan. *J Indonesian Legal and Forensic Sci.* 2(1); 5-7.
- Hou, W., Chen, Y., Wu. X., HU, J., Peng, Z., Yang, J., tang, Z., Zhou, C., Li, Y., Yang, S., Du, Y., Kong, L., Ren, Z., Zhang, H., And Shuai, S. 2007. A complete mitochondrial genome sequence of Asian black bear Sichuan subspecies (*Ursus thibetanus mupinensis*). *Intl. J.Biol. Sci.*, 3(2) : 85-90
- Inagaki, H. 1986. Morphological Characteristic Of The Hair of Japanesse Monkeys (*Macaca fuscata fuscata*); Legth, Diameter and Shape in Cross – Section, and Arrangement of The Medulla. *J.Primates.* 27(1); 115-123.

- Keogh, H.J. 1983. A Photographic Reference System of The Microstructure of The Hair of Southern African Bovids. *South African Journal of Wildlife Research*. 13 (4); 89 - 132.
- Kondo, K., Vanek, M., Rasmussen, P. V., Blomsted, L. 2000. The Beauty of Mink Pelage Observed with SEM. *Journal of the Faculty of Agriculture, Hokkaido University*. 70 (1); 1 - 8.
- Kuhl, H.S., Burdghardt, T. 2013. Animal Biometrics : Quantifying and Detecting Phenotypic Appearance. *Trends In Ecology and Evolution*. 28 (7); 432 -441.
- Lorenzirini, R., Fico, R., and Mattioli, S. 2005. Mitochondrial DNA evidence for a genetic distinction of the native red deer of Mesola, Norhern Italy, form the Alpine populations and the Sardinian subspecies. *Mamm. Biol*. 70: 187-198
- Lungu, A., Recordati, C., Ferrazzi, V., Gallazzi, D. 2007. Image Analysis of Animal Hair : Morphological Features Useful in Forensic Veterinary Medicine. *Lucrari Stiniifice Medicina Veterinaria*.
- Lyne, A.G., Short, B.F. 1965. Eds. Biology of The Skin and Hair Growth. *Proceedings of a symposium in Canberra, Australia*. Elsevier.
- Mangal, S.K. 2006. Personal Identification Based On Handwriting [thesis]. Indian Institute of Technology Kanpur. Kanpur.
- Martin, I., Garcia, T., Fajardo, V., Rojas, M., Hernandez, P., Gonzales, I., Martin, R. 2007. Technical note : Detection of cat, dog and rat or mouse tissues in food and animal feed using species specific polymerase chain reaction. *J Anim Sci*. 85 : 2734
- Menike, U., Manawadu, D., Meegaskumbura, S. 2012. Identification of Sri Lankan Sherws Using Hair Anatomy. *Ceyclon Jour Of Sci. Bio Sci*. 41 (1) : 45 -66.
- Merck, M. D. 2007. *Veterinary Forensic: Animal Cruelty Investigation*. Black Publishing Ltd. USA. Pages : 235-237.
- Montagna, W., Ellis, R. A. 1957. Histology and Cytochemistry of Human Skin: XIII. The Blood Supply of The Hair Follicle. *Journal of the National Cancer Institute*. 19, 451.

- Montagna, W., Dobson, R.L. 1967. Eds. Hair growth. *Proceedings of the University of Oregon Medical School symposium on the biology of skin*. Pergamon Press, Oxford, England. pp 585.
- Moore, T., D., Spence, L.E., Dugnolle, E.E. 1974. *Identification of The Dorsal Guard Hairs of Some Mammals of Wyoming*. Wyoming Game and Fish Departement.
- Meng, J., Wyss, A. 1997. Multituberculate and other mammal hair recovered from Palaeogene excreta. *Nature*. 385; 712 - 714.
- Nakaki, S., Hino, D., Miyoshi, M., Nakayama, H., Moriyoshi, H., Morikawa, T., Itohara K. 2007. Study Of Animal Species (Human, Dog, and Cat) Identification Using A Multiplex Single Base Primer Extension In The Cytochrome b Gene. *Forensic Science Int*. 173; 97-102.
- Oli, M. K. 1993. A Key for The Identification of The Hair of Snow Leopards (*Panthera unica*) Habitat in Nepal. *Journal of Zoology* (London). 231, 71-93.
- Overall, K.L., and Love, M. 2001. Dog Bites To Human-Demography, Epidemiology, Injury, and Risk. *JAVMA*. 218 (12).
- Parson, W., Pegoraro, K., Niederstatter, H., Foger, M. 2000. Species identification by means of the cytochrome b gene. *Int. J. Legal Med*. 114 ; 23-28.
- Pilli, E., Casamassima, R., Vai, S., Virgili, A., Barni, F., D'errico, G., Berti, A., Lago, G., and Caramelli, D. 2014. Pet fur or fake fur ? A forensic approach. *Biomed Central. Invest. Gen*. 5 : 7
- Robbins, C.R. 1994. Chemical and Physical Behavior of Human Hair, 3rd Edition. New York: Springer-Verlag.
- Sacks, J.J., Sinclair, L., Glichrist, J. 2000. Special Report : Breeds of dogs involved in fatal Human Attacks in the United States Between 1979 and 1998. *JAVMA* 217; 836-840.
- Sarwoko, E. A. 2006. Mekanisme Sistem Identifikasi Biometrik. *Proceeding Seminar Nasional SPMIPA*.
- Sato, H., Matsuda, H., Kubota, S., Kawano, K. 2006. Statistical Comparasion Of Dog and Cat Guard Hairs Using Numerical Morphology. *Forensic Science Int*. 158; 94-103.

- Schmitz, J., Ohme, M., and Zichler, H. 2002. The complete mitochondrial sequence of *Tarsius bancanus* : Evidence for an extensive nucleotide compositional plasticity of primate mitochondrial DNA. *J.Mol.Biol.Evol.* 19 : 544-553.
- Schweitzer, M.H. 2011. Soft Tissue Preservation in Terrestrial Mesozoic Vertebrates. *Annual Review of Earth and Planetary Sciences.* 39, 187 - 216.
- Sindicic, M., Gomercic, T., Galov, A., Arbanasic, H., Kusak, J., Slavica, and Huber, D. 2011. Mitochondrial DNA control region as atool for species identification and distiction between wolves and dogs from Croatia. *Vet Arhiv.* 81 (2) : 249-258
- Stahlkuppe, J. 2000. American Pitbull Terier. Barrons Educational Series. Inc. Haupagge New York. USA
- Tamura, K., Glen, S., Daniel, P., Alan, F., dan Kumar, S. 2013. *MEGA 6: Molecular Evolutionary Genetics Analysis Version 6.0.* *Mol. Biol. Evol.* 30 (12) : 2725–2729.
- Tamura, K., Peterson, D., Peterson, N., Stecher, G., Nei, M., dan Kumar, S. 2011. MEGA 5: Molecular Evolutionary Genetics Analysis Using Maximum Likelihood, Evolutionary Distance, and Maximum Parsimony Methods. *Mol Biol Evol.* 28 : 2731–2739.
- Taru, P., Backwell, L. 2013. Identification of Fossil Hairs In *Parahyaena brunnea* Coprolites form Middle Pleistocene Deposits at Gladysvale Cave, South Africa. *Journal of Archeological Science.* 40, 3674-3685.
- Taylor, R.E., Hare, P.E., Prior, C.A., Kirner, D.L., Wan, L., Burky, R.B. 1995. Radiocarbon Dating of Biochemically Characterized Hair. *Radiocarbon.* 37, 1 - 11.
- Teerink, B.J. 2003. Hair of West European Mammals. Cambridge University Press, Cambridge.
- Thompson, I.D., Porter, M.S., Walker, S.L. 1987. A Key to The Identification of Some Small Boreal Mammals of Central Canada from Guard Hairs. *Canadian Field – Naturalist* : 101, 614 - 616.
- Verma, K., Joshi, B. 2012. *Different Animal Species Hairs as Biological Tool for The Forensic Assessment of Individual Identification Characteristics*



from Animals of Zooligical Park, Pragati Maidan, New Delhi, India.
Amity Institute of Forensic Science. Page : 2157-7145.

Wallis, R. L. 1993. A Key for The Identification of Some Ontario Mammals.
Canadian Journal of Zoology. 71; 587 - 591.