

DAFTAR PUSTAKA

- Ahmad, F. dan Sheha, E., 2013, *Preparation and physical properties of (PVA)_{0.7}(NaBr)_{0.3}(H₃PO₄)_{xM} solid acid membrane for phosphoric acid – Fuel cells*, Journal of Advanced Research 4: 155-161.
- Alhosseini, S.N., Moztafzadeh, F., Mozafari, M., Asgari, S., Samadikuchaksaraei, A., Dodel, M., Kargozar, S., Jalali, N., 2011b. *Synthesis and Characterization of Electrospun Polyvinyl Alcohol Nanofibrous Scaffolds Modified by Blending with Kitosan for Neural Tissue Engineering*. Int. J. Nanomedicine 6, 3509–3518.
- Al-Saeed, T.A. dan Khalil, D.A., 2010, *Diffraction effects in optical microelectromechanical system Michelson interferometers*, Applied Optic Vol 49 No 20.
- Aussawasathien, D., 2006, *Electrospun Conducting Nanofiber-Based Materials and Their Characterizations: Effects of Fiber Characteristics on Properties and Applications*, University of Akron, USA.
- Aziz, NA., Majid, SR., Arof, K., (2012) *Synthesis and characterizations of phthaloyl chitosan-based polymer electrolytes*. J Non-Cryst Solids 358:1581-1590.
- Bhardwaj, N., Khundu, S. C., 2010, *Electrospinning: A fascinating fiber fabrication technique*, Biotechnology Advance 28, 325-347.
- Boonpoo-nga, R., Sriring, M., Nasomjai, P., Martwiset, S., 2014, *Electrospun fibres from polyvinyl alcohol, poly(styrene sulphonic acid-co-maleic acid), and imidazole for proton exchange membranes*, ScienceAsia 40, 232-237.
- Bosworth, L.A., Downes, S., 2011, *Electrospinning for Tissue Engineering*, Wood Head Publishing, UK.
- Cardenas, G. dan Miranda, P., 2004, *FTIR and TGA Studies of Chitosan Composite Films*, J. Chil. Chem. Soc, 49,4,291-295.
- Collins, G., Federici, J., Imura, Y., Catalani, L.H., 2012, *Charge generation, charge transport, and residual charge in the electrospinning of polymers: A review of issues and complications*, J. Appl. Phys. 111, 144701.
- Dash M., Chiellini, F., Ottenbrite, E., 2011, *Chitosan-Aversatile semi-synthetic polymer in biomedical application*, Polym. Sci., 30, 981-114.

- Desai, K., Kit, K., Li, J., Zivanovic, S., 2008, *Morphological and Surface Properties of Electrospun Chitosan Nanofibers*, *Biomacromolecules* 9, 1000–1006.
- Diaz, M., Ortiz, A., Ortiz, I., 2014, *Progress in the use of ionic liquids as electrolyte membranes in fuel cells*, *Journal of Membrane Science* 469:379-396.
- Elsabee, M.Z., Naguib, H.F., Morsi, R.E., 2012, *Kitosan based nanofibers*, *Materials Science and Engineering C* 32, 1711-1726.
- Fisher, P.J., Wessels, W.S., Dietz, A.B., Prendergast, F.G., 2008, *Enhanced biological cathodoluminescence*, *Optics Communications* 281, 1901-1908.
- Fridikh, S.V., Jian H. Yu, Brenner, M.P., Rutledge, G.C., 2003, *Controlling The Fiber Diameter during Electrospinning*. *Phys. Rev. Lett.* 90, 1-4.
- Garg, K. dan Bowlin, G.L., 2011, *Electrospinning jets and nanofibrous structures*, *AIP Biomicrofluidics* 5, 013403.
- Goodship, V. dan Jacobs, D., 2005, *Polyvinyl alcohol : materials, processing and application*, *Repra Review Report*, 16(12), 3-24.
- Gyliene, O., Razmute, I., Tarozaitė, R. and Nivinskiene, O., 2003, *Chemical Composition and Sorption Properties of Chitosan Produced from Fly Larva Shells*, *Chemija (Vilnius)*, 14(3), 121-127.
- Hema, M., SIVASEKERAPANDIAN, S., SAKUNTHALA, A., ARUNKUMAR, D., NITHYA, H., 2008, *Structural, vibrational and electrical characterization of PVA–NHBr polymer electrolyte system*, *SD Physica B* 403 : 2740-2747.
- Itoh, S., Yamaguchi, I., Shinomiyad, K. and Tanaka, J., 2003, *Development of the chitosan tube prepared from crab tendon for nerve regeneration*, *Sci. Technol. Adv. Mater.*, 4, 261-268.
- Jayakumar, R., Menon, D., Manzoor, K., Nair, S.V., Tamura, H., 2010, *Biomedical applications of chitin and chitosan based nanomaterials—A short review*, *J. Carbohydrate polymer*, 82, 227-232.
- Jia, Y.-T., Gong, J., Gu, X.-H., Kim, H.-Y., Dong, J., Shen, X.-Y., 2007, *Fabrication and Characterization of Poly(Vinyl) Alcohol/Kitosan Blend Nanofiber Produced by Electrospinning Methods*, *Carbohydr. Polym.* 67, 403–409.
- Kadir, M.F.Z., Majid, S. R., Arof, A.K., 2010, *Plasticized chitosan-PVA blend polymer electrolyte based proton battery*, *Electrochimica Acta* 55, 1475-1482.

- Khan, W.S., Asmatulu, R., Ceylan, M., Jabbarnia, A., 2013, *Recent Progress on Conventional and Non-Conventional Electrospinning Processes*. *Fibers and Polymers* 14, 1235–1247.
- Kim, J.K., Cheruvally, G., Choi, J.W., Ahn, J.H., Choi, D.S., Song, C.E., 2007, *Rechargeable Organic Radical Battery with Electrospun, Fibrous Membrane-Based Polymer Electrolyte*. *Journal of Electrochemical Society*, 154, 839-843.
- Kim, D. J., Jo, M. J., Nam, S. Y., 2014, *A review of polymer–nanocomposite electrolyte membranes for fuel cell application*, JIEC-2020; No. of Pages 17.
- Klossner, R.R., Queen, H.A., Coughlin, A.J., Krause, W.E., 2008, *Correlation of Chitosan's Rheological Properties and Its Ability to Electrospin*, *Biomacromolecules* 9, 2947–2953.
- Kriegel, C., Kit, K.M., McClements, D.J., Weiss, J., 2009, *Electrospinning of chitosan–poly(ethylene oxide) blend nanofibers in the presence of micellar surfactant solutions*, *Polymer* 50, 189–200.
- Lewandowska, K., 2009, *Miscibility and thermal stability of poly(vinyl alcohol)/chitosan mixtures*. *Thermochim Acta* 493: 42–48.
- Li, L., Hsieh, Y.-L., 2006. *Kitosan bicomponent nanofibers and nanoporous fibers*, *Carbohydr. Res.* 341, 374–381.
- Mansur, H.S., Sadahira, C.M., Souza, A.N., Mansur, A.A.P., 2008, *FTIR spectroscopy characterization of poly (vinyl alcohol) hydrogel with different hydrolysis degree and chemically crosslinked with glutaraldehyde*. *Mater. Sci. Eng. C* 28, 539–548.
- Martwiset, S., Jaroensuk, K., 2011, *Electrospinning of Poly(vinyl alcohol) and Poly(4-styrenesulfonic acid) for Fuel Cell Applications*, *Journal of Applied Polymer Science*, Vol 124, 2594-2600.
- McKee, M.G., Hunley, M.T., Layman, J.M., Long, T.E., 2006, *Solution Rheological Behavior and Electrospinning of Cationic Polyelectrolytes*. *Macromolecules* 39, 575–583.
- Mu'min, M. S, 2014, *Pengaruh Konsentrasi Pelarut Asam asetat Terhadap Munculnya "bead" Pada Nanofiber PVA/kitosan*, Tesis, MIPA, UGM, Yogyakarta.
- Nartetamrongsutt, K., Chase, G. G., 2013, *The influence of salt and solvent concentrations on electrospun polyvinylpyrrolidone fiber diameters and bead formation*, *J. Polymer* 54, 2166-2173.

- Paipatak, K., Pompra, T., Mongkantalang, P., Techitdheera, W., Pecharapa, W., 2011, *Characterization of PVA-Kitosan Nanofibers Prepared by Electrospinning*, *Procedia Eng.* 8, 101–105.
- Permanasari, A. 2011. *IR. Modul Kuliah Analisis Kimia IPB Bogor*.
- Rinaudo, M., 2006, *Chitin and Chitosan: Properties and Application*, *Prog. Polym. Sci.*, 31, 603-632.
- Rinaudo, M., Domand, A., 1989, *Solution Properties of Chitosan*, dalam: *Chitin and Chitosan*, Elsevier, New York, page 73.
- Rinaudo, M., Pavlov, G., Desbrie`res, J., 1999, *Influence of Acetic Acid Concentration on The Solubilization of Kitosan*, *Polymer* 40, 7029–7032.
- Rosca, C., Popa, M. I., Lisa G., Chitanu G. C., 2005, *Interaction of Chitosan with Natural or Synthetic Anionic Polyelectrolytes. I. The Chitosan-carboxymethylcellulose complex*, *Carbohydr. Polym.*, 62, 35-41.
- Roy, S.K., Orazem, M.E., Tribollet, B., 2007, *Interpretation of Low-Frequency Inductive Loops in PEM Fuel Cells*, *Journal of The Electrochemical Society*, 15412B1378-B1388.
- Rwei, S.-P., Huang, C.-C., 2012. *Electrospinning PVA Solution-Rheology and Morphology Analyses*. *Fibers Polym.* 13, 44–45.
- Sastromiharjo, H., 1985. *Spektroskopi*. Liberty, Yogyakarta.
- Sayed, A.S.A.A., 2011, *Electrospinning of Polymeric Nanofibers and Nanocomposite Materials: Fabrication, Physicochemical Characterization and Medical Applications*, Dissertation, der MartinLuther-Universität, Halle-Wittenberg.
- Shabani, I., Hasani-Sadrabadi, M.M., Haddadi-Asl, V., Soleimani, M., 2011, *Nanofiber-based polyelectrolytes as novel membranes for fuel cell applications*, *Journal of Membrane Science* 368, 233–240.
- Sheha, E., *Preparation and physical properties of (PVA)_{0.75}(NH₄Br)_{0.25}(H₂SO₄)_{xm} solid acid membrane*. *Journal of Non-Crystalline Solids* 356: 2282–2285.
- Shukla, S.K., Mishra, A.K., Mamba, B.B., 2013, *Chitosan-Based Nanomaterials: A State-of-The-Art Review*, *Int. J. Biol. Macromol.* 59, 46–58.
- Shukur, M. F., Majid N. A., Ithnin R., Kadir M. F. Z., 2013, *Effect of plasticization on the conductivity and dielectric properties of starch–chitosan blend biopolymer electrolytes infused with NH₄Br*, IOP Publishing, *Phys. Scr.* T157.

- Tamura, T. dan Kawakami, H., 2010, *Aligned Electrospun Nanofiber Composite Membranes for Fuel Cell Electrolytes*, ACS Nano Lett 10, 1324-1328.
- Theron, S.A., Zussman, E., Yarin, A.L., 2004, *Experimental Investigation of the Governing Parameters in the Electrospinning of Polymer Solutions*, Polymer Journal, 45, 2017-2030.
- Thompson, C.J., Chase, G.G., Yarin, A.L., Reneker, D.H., 2007, *Effects of Parameters on Nanofiber Diameter Determined from Electrospinning Model*, Polymer, 48: 6913-6922.
- Vaghari, H., Jafarizadeh-Malmiri, H., Brenjian, A., Anarjan, N., 2013. *Recent advances in application of chitosan in fuel cells*, Sustainable Chemical Process, 1;16.
- Wang, Y.X., Robertson J.L., Spillman W.B., and Claus, R.O., 2004, *Effect of the Chemical Structure and the Surface Properties of Polymeric Biomaterials on Their Biocompatibility*, Pharm. Res., 21 (8), 1362-1373.
- Xu, X.Y., Kim, K.M., Hanna, M.A., Nag, D., 2005, *Chitosan–starch composite film: preparation and characterization*, industrial crops and products 21 (2005) 185-192.
- Yuan, X-Z., Song, C., Wang, H., Zhang, J., 2009, *Electrochemical Impedance Spectroscopy in PEM Fuel Cells Fundamental and Application*, Springer, Canada.
- Yusof, Y. M., Illias, H. A., Kadir, M. F. Z., 2014, *Incorporation of NH₄Br in PVA-chitosan blend-based polymer electrolyte and its effect on the conductivity and other electrical properties*, Ionics 20, 1235-1245.
- Zhang, Q.G., Liu, Q.L., Zhu, A.M., Xiong, Y., dan Ren, L., 2009, *Pervaporation Performance of Quaternized Poly(vinyl alcohol) and Its Crosslinked Membranes for The Dehydration of Ethanol*, J.Membr.Sci., 335, 68-75.
- Zhang, Y., Huang, X., Duan, B., Wu, L., Li, S., Yuan, X., 2007, *Preparation of Electrospun chitosan/poly(vinyl alcohol) membranes*, Colloid Polym. Sci. 285, 855–863.
- Zhong, S., Cui, X., Gao, Y., Liu, W., 2014, *Fabrication and properties of poly(vinyl alcohol)-based polymer electrolyte membranes for direct methanol fuel cell applications*, international journal of hydrogen and energy 39, 17857-17864.
- Ziabari, M., Mottaghitalab, V., Haghi, A. K., 2009, *Application of direct tracking method for measuring diameter electrospun nanofiber*, Brazilian chemical engineering, 26, 53-62.