UNIVERSITAS
GADJAH MADA
KAJIAN PENGARUH SUBSTITUEN TERHADAP SIFAT KOMPLEKS SEMIKONDUKTOR Hg(II)-PORFIRIN DENGAN METODE DENSITY FUNCTIONAL THEORY / TIME DEPENDENT-DENSITY FUNCTIONAL THEORY (DFT/TD-DFT)
HAFIZ AJI AZIZ, Prof. Dr. Harno Dwi Pranowo, M.Si
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Adeyemo, A. O., dan Krishnamurty, M., 1984, Equilibrium Studies on Mercury(II)- Porphyrin in Aquaeous Solution, *Inorg. Chim. Acta*, 83, L41-L43

Amao Y., Yamada Y., dan Aoki K., 2004, Preparation and properties of dye-sensitized solar cells using chlorophyll derivative immobilized TiO2 film electrode, *J. Photochem. Photobiol. A*, 164, 47-51.

Barbee, J., dan Kuznetsov, A. E., 2011, Revealing substituent effects on the electronic structure and planarity of Ni(II)-porphyrins, *Comput. Theo. Chem.*, 981, 73-85.

Bryantsev, V. S., Diallo, M. S., van Duin, A. C. T., dan Goddard III, W. A., 2009, Evaluation of B3LYP, X3LYP and M06-Class Density Functional for Predicting Binding Energies of Neutral, Protonated and Deprotonated Water Clusters, *J. Chem. Theory Comput.*, 5, 1016-1026

Becke, A. D., 1988, Density-functional exchange-energy approximation wit correct asymptotic behaviour, *Phys. Rev. A*, 38, 3098-3100.

Bertini, I., Gray, H. B., Lippard, S. J., dan Valentine, J. S., 1994, *Bioinorganic Chemistry,* University Science Books, California.

Daphnomili, D., Sharma, G. D., Biswas, S., Thomas, K. R. J., dan Coutsolelos A. G., 2013, A new porphyrin pearing pyridinylethynyl group as sensitizer for dye-sensitized solar cells, *J. Photochem. Photobiol. A*, 253, 88-96.

Ditchfield, R., Hehre, W. J., dan Pople J. A., 1971, Self-Consistent Molecular-Orbital Method IX. An Extended Gaussian Type Basis for Molecular-Orbital Studies of Organic Compounds, *J. Chem. Phys*., 54, 724-729.

Fieser, L. F., Fieser, M., dan Rajagoplan, S., 1948, Absorption Spectroscopy and the Structure of the Diosterols, *Contribution From the Chemical Laboratory,* Harvard.

Foster, J. M., dan Boys, S. F., 1960, A Quantum Variational Calculation for HCHO, *Rev. Mod. Phy*., 32, 303-304.

Foster, J. M., dan Boys, S. F., 1960, A Quantum Variational Calculation for a Range of CH2 Configurations, *Rev. Mod. Phy.*, 32, 305-307.

Gu, H., Chang, S., Holford, D., Zhang, T., Lu, H., Kreouzis, T., dan Gillin, W. P., 2015, Annealing and doping-dependent magnetoresistance in single layer poly(3-hexylthiophene) organic semiconductor device, *Org. Elec*., 17, 51-56.

UNIVERSITAS GADJAH MADA
KAJIAN PENGARUH SUBSTITUEN TERHADAP SIFAT KOMPLEKS SEMIKONDUKTOR Hg(II)-PORFIRIN DENGAN METODE DENSITY FUNCTIONAL THEORY / TIME DEPENDENT-DENSITY FUNCTIONAL THEORY (DFT/TD-DFT)
HAFIZ AJI AZIZ, Prof. Dr. Harno Dwi Pranowo, M.Si
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

Hasanah, I. U., 2013, Kajian Teoritis Sifat Semikonduktor Kompleks Logam-Porfirin dengan Menggunakan Metode DFT, *Skripsi*, Jurusan Kimia FMIPA UGM, Yogyakarta.

Hehre, W. J., Stewart, R. F., dan Pople, J. A., Self-Consistent Molecular-Orbital Method I. Use of Gaussian Expansion of Slater Type Atomic Orbitals, *J. Chem. Phys.*, 51, 2657-2665.

Hohenber, P., dan Kohn, W., 1964, Inhomogeneous Electron Gas, *Pys. Rev.*, 136, B864-B873.

Horvath, O., Huszank, R., Valicsek, Z., dan Lendvay, G., 2006, Photophysics and photochemistry of kinetically labile, water-soluble porphyrin complexes, *Coor. Chem. Rev*., 250, 1792-1803.

Horvath, O., Valicsek, Z., Harrach, G., Lendvay, G., dan Fodor, M. A., 2012, Spectroscopic and photochemical properties of water-soluble metalloporphyrins of distorted structure, *Coor. Chem. Rev.*, 256, 1531-1545.

Kang, Y., dan Kang., F. A., 2011, A linear mathematical relationship hidden in the Woodward UV rules for α,β unsaturated ketones, *Tetrahedron Lett*., 52, 6679-6681.

Kikuchi, R., 1954, Gaussian Function in Molecular Integrals, *J. Chem. Phys*., 22, 148.

Klingshirn, C, 2005, *Semiconductor Optics 2nd Edition*, Springer, New York

Kohn, W., dan Sham, L. J., 1965, Self Consistent Equation Including Exchange and Correlation Effects, *Phys. Rev*., 140, A1133-A1138.

Krishnan, R., Binkley, J. S., Seeger, R., dan Pople J. A., Self-Consistent Molecular-Orbital Method XX. A Basis Set for Correlated Wave Function, *J. Chem. Phys*., 72, 650-654.

Kruse, H., Goerigk, L., dan Grimme, S., 2012, Why the Standar B3LYP/6-31* Model Chemistry Should Not Be Used in DFT Calculations of Molecular Thermochemistry: Understanding and Correcting the Problems, *J. Org. Chem.*, Article in Press.

Lee., C, Yang, W., dan Parr, R. G., Development of Colle-Salvetti correlation energy formula into a functional of the electron density, *Pys. Rev. B.*, 37, 785-789.

Miao, F., Wang, Z., Tao, B., Chu, J., dan Chu, P. K., 2013, Composition dependence of structural, optical and photochemical properties of

UNIVERSITAS GADJAH MADA
KAJIAN PENGARUH SUBSTITUEN TERHADAP SIFAT KOMPLEKS SEMIKONDUKTOR Hg(II)-PORFIRIN DENGAN METODE DENSITY FUNCTIONAL THEORY / TIME DEPENDENT-DENSITY FUNCTIONAL THEORY (DFT/TD-DFT)
HAFIZ AJI AZIZ, Prof. Dr. Harno Dwi Pranowo, M.Si
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

nanocrystalline neodymium-doped titania photocatalyst, *Elec. Acta*., 112, 33-36.

Mitchell, B. S., 2004, *An Introduction to Material Engineering and Science: For Chemicals and Material Engineers*, Wiley Interscience, New Jersey.

O'Boyle, N. M., Tenderholt, A. L, dan Langner, K. M., 2008, Software News and Update cclib: A Library for Package-Independent Computational Chemistry Algorithm, *J. Comput. Chem.*, 29, 839-846.

Paul-Roth, C. O., Drouet S., Merhi, A., Williams, J. A. G., Gildea., L., F., Pearson, C., Petty, M. C., Synthesis of platinum complexes of fluoroenyl-substituted prophyrin used as phosphorescent dyes for solution processed organic light-emitting devices, *Tetrahedron*, 69, 9625-9632.

Racah, G., 1942, The Theory of Complex Spectra. II, *Phys. Rev.*, 62, 438-462.

Shalabi, A. S., Assem. M. A., soliman, K. A., El Mahdy., A. M., dan Taha, H. O., 2014, Performance of metalloporphyrin malonic acid as dye-sensitized solar cells assessed by density functional theory, *Mat. Sci. Semicon, Proc.*, 26, 119-129.

Shavit, I., dan Karplus, M., 1962, Multicenter Integral in Molecular Quantum Mechanics, *J. Chem. Phys*., 36. 550.

Shupack, S. I, Billig, E., Clark, R. J. H., William R., dan Gray, H. B., 1964, The Electronic Structure of Square-Planar Metal Complexes V. Spectral Properties of Maleonitriledithiolate Complexes of Nickel, Paladium and Platinum. *Contribution from Departmen of Chemistry*, Columbia University.

Slater, J. C., 1930, Atomic Shielding Constant, *Phys. Rev.*, 36, 57-64.

Smart, E. L., dan Moore, E. A., 2005, *Solid State Chemistry: An Introduction, Taylor & Francis*, Boca Raton

Tai, C. K., Chuang, W. H., Wang, B. C., 2013, Substituted group and side chain effects for the porphyrin and Zinc(II)-porphyrin derivatives: A DFT and TD-DFT study, *J. Lumin.*, 142, 8-16.

Taketa, H., Huzinaga., S., dan Oohata, K., 1962, Gaussian-Expansion Methods for Molecular Integrals, *J. Phys. Soc. Japan*, 21, 2133-2133.

Tanabe, Y., dan Sugano, S., 1954. On the Absorption Spectra of Complex Ions I., *J. Phys. Soc. Japan*, 9, 753-765.

Tanabe, Y., dan Sugano, S., 1954. On the Absorption Spectra of Complex Ions II, *J. Phys. Soc. Japan*, 9, 766-779.

UNIVERSITAS
GADJAH MADA
KAJIAN PENGARUH SUBSTITUEN TERHADAP SIFAT KOMPLEKS SEMIKONDUKTOR Hg(II)-PORFIRIN DENGAN METODE DENSITY FUNCTIONAL THEORY / TIME DEPENDENT-DENSITY FUNCTIONAL THEORY (DFT/TD-DFT)
HAFIZ AJI AZIZ, Prof. Dr. Harno Dwi Pranowo, M.Si
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

Tanabe, Y., dan Sugano, S., 1954. On the Absorption Spectra of Complex Ions, III The Calculation of Crystalline Field Strength, *J. Phys. Soc. Japan*, 11, 864-873.

Wang, F., dan Landau, D. P., 2001, Efficient Multiple-range Random Walk Algorithm to Calculate the Density of States, *Phys. Rev. Lett.,* 86, 2050-2053.

Wang, J., Liu, H., Li, H., dan Zou, C., 2010, Mesoporous $TiO_{2-x}A_y$ (A = N, S) as a visible-light-response photocatalyst, *Sol. State Sci*., 12, 490-497

Wang, M. C., Sue., L. S., Liau, B. C., Ko, B. T., Elango, S., Chen, J. H., 2001, Mercury Complexes of meso-Tetra-(p-cyanophenil)porphyrin and N-methylporphyrin: Meso-tetra-(p-cyanophenyl)porphyrinatomercury(II) and Chloro(N-methyl-meso-tetraphenylporphyrinatomercury(II), *Inorg. Chem.,* 40, 6064-6068.

Wang, X. F., Xiang, J., Wang, P., Koyama., Y., Yanagida., S., Wada Y., Hamada K., Sasaki S., Tamiaki H., 2005., Dye-sensitized solar cells using chlorophyll *a* derivative as the sensitizer and carotenoid having diferent conjugation length as redox spacers, *Chem. Phys. Lett*., 408, 409-414.

Woodward, R. B., Structure and the Absroption Spectra of α, β Unsaturated Ketones, *Contribution From Converse Memorial Laboratory,* Harvard.