

## DAFTAR PUSTAKA

- Anonymous<sup>1</sup>, 1994. Agency for Toxic Substances and Disease Registry *Toxicological Profile for Acetone*. Atlanta(GA): Department of Health and Human Services :Public Health Service.
- Anonymous<sup>2</sup>, 2013. Acetone : Health Informstion Summary. *New Hampshire department of Environmental Service*. New Hampshire.
- Anonymous<sup>3</sup>, 2014. Material Safety Data Sheet : *Acetone*. Australia: Periggo.
- Anonymous<sup>4</sup>, 1999. *Acetone*. UNEP Publications. Paris : CAS no : 67-64-1.
- Amin, M. N., 2012. *Kinerja Spektrometer Fotoakustik Dalam Karakterisasi Scrubber Gas C<sub>2</sub>H<sub>4</sub>*. Tesis penyunt. Yogyakarta: Universitas Gadjah Mada.
- Bayrakli, İ. & Akman, H., 2014. Breath analysis with photoacoustic spectrometer. *Global Journal on Technology*, pp. 21-29.
- Bialowiec, Andrzej. 2011. *Hazardous Emissions from Municipal Solid Waste Landfills*. Contemporary Problems of Management and Environmental Protection, No. 9.
- Brosseau, J., Heitz, M., 1994. Trace gas compounds from municipal landfill sanitary sites. *Atmos. Environ*, Volume. 28 (2), pp. 285–293.
- Cernat, R., Matei, C. & Dumitras, D., 2010. Laser Photoacoustic Spectroscopy Method for Measurements of Trace Gas CO<sub>2</sub> Concentration from Human Breath. *Romanian Reports in Physics*, Volume 62, pp. 610-616.
- Demtröder, W., 2003. *Laser Spectroscopy: Basic Concepts and Instrumentation*. Berlin: Springer-Verlag.
- Dumitras, D. C., Ana Maria, B & Popa, C., 2012. Laser Photoacoustic: I Principles. Dalam: *CO<sub>2</sub> Laser- Optimisation and Aplication*. USA: INTECH Open Access Publisher, pp. 3-36.
- Gondal, M., Dastageer, A. & Shwehdi, M., 2004. Photoacoustic spectrometry for trace gas analysis and leak detection. *Talanta*, pp. 131-141.
- Hubert, M. H., 1983. Laser Optoacoustic Detector Measurement of Signatures of a Selection of Environmental Contaminants.. *Ultra Lasertech Inc.*, pp. 83-715-1.
- Kasam, 2011. Ananlisis Resiko Lingkungan pada Tempat Pembuangan Akhir (TPST) Sampah (Studi Kasus: TPST Piyungan Bantul). *Sains dan Tek. Lingkungan Journal UII*, Volume 3, p. 1.
- King J, A. Kupferthaler, K. Unterkofler, H. Koc, S. Teschl, G. Teschl, W. Miekisch, J. Schubert, H. Hinterhuber, A. Amann, 2009. *Isoprone and Acetone Concentration Profiles During Exercise on a Ergometer*. Austria: Journal of Breath Research.

- Lang, R., 1989. *Modeling the Movement of Trace Gases in Municipal Solid Waste Landfill*. Brossseau and Heitz: Davis (CA): Universitas California.
- Lourenco, Celia and Claire Turner, 2014. Breath Analysis in Disease Diagnosis: Methodological Considerations and Applications. *Metabolites*, Volume 4, pp. 465-489.
- Mazzone, P., 2008. Analysis of Volatile Organic Compounds in The Exhaled Breath for The Diagnosis of Lung Cancer. *J. Thorac Oncol*, Volume 3, pp. 774-780.
- M de Reus, H. Fischer, F. Arnold, J. de Gouw, R. Holzinger, C. Warneke, and J. Williams., 2003. On the relationship between acetone and carbon monoxide in different air masses. *Atmos. Chem. Phys*, Volume 3, pp. 1709–1723.
- Mitrayana, 2010. *Spektrometer Fotoakustik Laser untuk Deteksi Gas Aseton dari Pernafasan Manusia*. Yogyakarta: Universitas Gadjah Mada
- Mitrayana, Wasono, M. A. J. & Ikhsan, M. R., 2014. *Spektroskopi Fotokustik Laser dan Aplikasinya*. Yogyakarta: Universitas Gadjah Mada.
- Murniati, 2000. Metode deteksi beberapa jenis gas polusi udara dengan spektrometer fotoakustik laser CO<sub>2</sub>. Yogyakarta: *Thesis*. Universitas Gadjah Mada.
- Popa, C, Ana M. Bratu, Ramona Cernat, Stefan Banita, Doru C.A Datu, C. Dumitras , 2011.. Spectroscopy Studies of Ethylene and Ammonia as Biomarkers at Patients with Different Medical Disorders. *U. P. B Sci., Series A*, 73(2).
- Pratama, A. K. Y., 2013. *Optimasi Daya Laser Pada Spektrometer Fotoakustik Laser CO<sub>2</sub> Konfigurasi Intrakavitas dan Aplikasinya Dalam Mengukur Konsentrasi Gas Aseton Pada Gas Hembus Nafas Pasien Penderita Diabetes Mellitus Tipe 2*. Yogyakarta: Thesis. Universitas Gadjah Mada.
- Rosencwaig, A., 1980, *Photoacoustic and Photoacoustics Spectroscopy*, John Wiley and Sons, New York.
- Sauren, J.J.A.M., 1992, *Ammonia Monitor Based On Intermodulated CO<sub>2</sub> Laser Photoacoustic Stark Spectroscopy*, Agricultural University Wageningen, The Netherlands.
- Septiani, Y. M., 2013. *Analisis Kualitas Udara dan Gangguan Fungsi Paru Pada Masyarakat di Sekitar TPST (Studi Kasus di TPST Piyungan Kabupaten Bantul Yogyakarta)*. Yogyakarta: Universitas Gadjah Mada.
- Setyowati, A. D., 2014. *Karakteristik Scrubber Gas Etilen (C<sub>2</sub>H<sub>4</sub>) pada Buah Potong Menggunakan Spektrometer Fotoakustik Laser CO<sub>2</sub>*. Yogyakarta: Universitas Gadjah Mada.
- Solihat, I., 2014. *Aplikasi Spektrometer Fotoakustik Laser Untuk Deteksi Gas Etilen Pada Gas Hembus Perokok dan Mantan Perokok*. Yogyakarta: Thesis. Universitas Gadjah Mada.

- S, Sriram. 2015. An Overview Of Utilisation Of Landfill Gas As A Source Of Energy Generation. *International Journal of Emerging Trends in Engineering Research (IJETER)*, Vol. 3 No.6, Pages : 495 - 498
- Zimmerman, R. & Goodkind, M., 1981. *Landfill recovery. Part I: Environmental Impacts*. Brosseau and Heitz: Chicago (IL): Gas Research Institute.