

## DAFTAR PUSTAKA

- Abarzua-Araya A, Navarrete-Dechent CP, Heusser F, Retamal J, Zegpi-Trueba MS. 2014. Atenolol versus propranolol for the treatment of infantile hemangiomas: A randomized controlled study. *J Am Acad Dermatol* 70:1045-9.
- Ariwibowo L, Danarti R. 2014. Comparison of efficacy between topical corticosteroid, timolol maleat 0,5% eye drop, and education observation in managing infantile hemangioma. Oral presentation. 21<sup>st</sup> Regional Conference of Dermatology. Danang Vietnam 9-12 April (abstract book p. 189-90).
- Barnes CM, Christison-Lagay EA, Folkman J. 2007. The placenta theory and the origin of infantile hemangioma. *Lymphat Res Biol* 5: 245-55.
- Bischoff J. 2009. Progenitor cells in infantile hemangioma. *J Craniofac Surg* 20 Suppl 1: 695-7.
- Bonifazi E, Milano A, Colonna V. 2013. Evaluation of safety and efficacy of a galenic preparation of 1% propranolol in 89 cases of cutaneous infantile hemangioma. *Eur J Pediat Dermatol* 23: 93-104.
- Bonini FK, Bellodi FS, Souza EM. 2011. Propranolol treatment for hemangioma of infancy. *An Bras Dermatol* 86: 763-6.
- Boon LM, MacDonald DM, Mulliken JB. 1999. Complications of systemic corticosteroid therapy for problematic hemangioma. *Plast Reconstr Surg* 104: 1616-23.

- Boscolo E, Bischoff J. 2009. Vasculogenesis in infantile hemangioma. *Angiogenesis* 12: 197-207.
- Boye E, Jinnin M, Olsen BR. 2009. Infantile hemangioma: Challenges, new insights, and therapeutic promise. *J Craniofac Surg* 20 Suppl 1: 678-84.
- Bree AF, Siegfried E, Sotelo-Avila C, Nahass G. 2001. Infantile hemangiomas: Speculation on placental trophoblastic origin. *Arch Dermatol* 137: 573-7.
- Buckmiller LM. 2009. Propranolol treatment for infantile hemangiomas. *Curr Opin Otolaryngol Head Neck Surg* 17: 458-9.
- Buckmiller LM, Munson PD, Dyamenahalli U, Dai Y, Richter GT. 2010. Propranolol for infantile hemangiomas: Early experience at a tertiary vascular anomalies center. *Laryngoscope* 120: 676-81.
- Burnstine RA, Felton JL, Ginther WH. 1982. Cardiorespiratory reaction to timolol maleate in a pediatric patient: A case report. *Ann Ophthalmol* 14: 905-6.
- Callahan A, Yoon M. 2012. Infantile hemangioma: A review. *Saudi J Ophthalmol* 26: 283-91.
- Calvo M, Garcia-Millan C, Villegas C, Fueyo-Casado A, Buron I. 2012. Topical timolol for infantile hemangioma of the eyelid. *Int J Dermatol*. 52:603-4.
- Chakkittakandiyil A, Phillips R, Frieden IJ, Siegfried E, Lara-Corrales I, Lam J, Bergmann J, Bekhor P, Poorsattar S, Pope E. 2012. Timolol maleate 0.5% or 0.1% gel-forming solution for infantile hemangiomas: A retrospective, multicenter, cohort study. *Pediatr Dermatol* 29: 28-31.
- Denoyelle F, Leboulanger N, Enjolras O, Harris R, Roger G, Garabedian EN. 2009. Role of Propranolol in the therapeutic strategy of infantile

laryngotracheal hemangioma. *Int. J. Pediatr. Otorhinolaryngol.* 73 : 1168-72.

Drolet BA, Esterly NB, Frieden IJ. 1999. Hemangiomas in children. *N England J Med* 341: 173-81.

Frieden IJ. 2011. Infantile hemangioma research: Looking backward and forward. *J Invest Dermatol* 131: 2345-8.

Gangopadhyay AN, Sharma SP, Gopal SC, Gupta DK, Panjawano K, Sinha JK. 1995. Local steroid therapy in cutaneous hemangiomas. *Indian Pediatr* 33: 31-3.

Garzon MC, Lucky AW, Hawrot A, Frieden IJ. 2005. Ultrapotent topical corticosteroid treatment of hemangiomas of infancy. *J Am Acad Dermatol* 52: 281-6.

Gawrych E, Walecka A, Rajewska J, Juszkiwicz P. 2009. Intralesional corticosteroid therapy in infantile hemangiomas. *Ann Acad Med Stetin* 55: 15-21.

Gorincour G, Kokta V, Rypens F, Garel L, Powell J, Dubois J. 2005. Imaging characteristics of two subtypes of congenital hemangiomas: Rapidly involuting congenital hemangiomas and non-involuting congenital hemangiomas. *Pediatr Radiol* 35: 1178-85.

Greenberger S, Boscolo E, Adini I. 2010. Corticosteroid suppression of VEGF-A in infantile hemangioma-derived stem cells. *N Engl J Med* 362: 1005-13.

Greene AK. 2010. Systemic corticosteroid is effective and safe treatment for problematic infantile hemangioma. *Pediatr Dermatol* 27: 322-3.

- Greene AK, Couto RA. 2011. Oral prednisolone for infantile hemangioma: Efficacy and safety using a standardized treatment protocol. *Plast Reconstr Surg* 128: 743-52.
- Grover C, Arora P, Kedar A, Pal P, Lal B. 2010. Combination of oral corticosteroids and polidocanol sclerotherapy in the management of infantile hemangiomas. *Dermatol Surg* 36: 2030-6.
- Grover C, Kedar A, Arora P, Lal B. 2011. Efficacy of oral prednisolone use in the treatment of infantile hemangiomas in Indian children. *Pediatr Dermatol* 28: 502-6.
- Guo S, Hunt MG, Superstein R. 2010. Treatment of infantile hemangiomas. *J Pediatr Ophthalmol Strabismus* 47: 198-201.
- Habif TP, Campbell Jr JL, Chapman MS, Dinulos JGH, Zug KA. 2013. Potencies of topical steroids. *Dermatology DDx Deck*. 2<sup>nd</sup> Edition. New York : Elsevier Saunders. p. 170.
- Ho NT, Lansang P, Pope E. 2007. Topical imiquimod in the treatment of infantile hemangiomas: A retrospective study. *J Am Acad Dermatol* 56: 63-8.
- Hsu TC, Wang JD, Chen CH, Chang TK, Wang TM, Chou CM, Lin HK. 2012. Treatment with propranolol for infantile hemangioma in 13 Taiwanese newborns and young infants. *Pediatr Neonatol* 53:125-32.
- Jalil S, Akhtar J, Ahmed S. 2006. Corticosteroids therapy in the management of infantile cutaneous hemangiomas. *J Coll Physicians Surg Pak* 16: 662-5.

- Jephson CG, Manunza F, Syed S, Mills NA, Harper J, Hartley BE. 2009. Successful treatment of isolated subglottic haemangioma with propranolol alone. *Int J Pediatr Otorhinolaryngol* 73: 1821-3.
- Khunger N, Pahwa M. 2011. Dramatic response to topical timolol lotion of a large hemifacial infantile haemangioma associated with PHACE syndrome. *Br J Dermatol* 164: 886-8.
- Korte JM, Kaila T, Saari KM. 2002. Systemic bioavailability and cardiopulmonary effects of 0.5% timolol eyedrops. *Graefes Arch Clin Exp Ophthalmol* 240: 430-5.
- Leaute-Labreze C, Taieb A. 2008. Efficacy of beta-blockers in infantile capillary haemangiomas: The physiopathological significance and therapeutic consequences. *Ann Dermatol Venereol* 135: 860-2.
- Lo K, Mihm M, Fay A. 2009. Current theories on the pathogenesis of infantile hemangioma. *Semin Ophthalmol* 24: 172-7.
- Maguiness SM, Frieden IJ. 2010. Current management of infantile hemangiomas. *Semin Cutan Med Surg* 29: 106-14.
- Mathes EF, Frieden IJ. 2012. Vascular Tumor. In: Goldsmith LA, Katz SI, Gilchrist BA, Paller AS, Leffell DJ, Wolff K (Ed.). *Fitzpatrick's dermatology in general medicine*. 8<sup>th</sup> Edition. New York: McGraw Hill Companies. p. 1456-69.
- Mulliken JB, Zetter BR, Folkman J. 1982. In vitro characteristics of endothelium from hemangiomas and vascular malformations. *Surgery* 92: 348-53.

- Niuwenhuis K, de Laat PCJ, Janmohamed SR, Madern GC, Oranje AP. 2013. Infantile hemangioma : Treatment with short course systemic corticosteroid therapy as an alternative for propranolol. *Pediatr Dermatol* 30: 64-70.
- Pandey A, Gangopadhyay AN, Sharma SP, Kumar V, Gupta DK, Gopal SC. 2010. Evaluation of topical steroids in the treatment of superficial hemangioma. *Skinmed* 8: 9-11.
- Peridis S, Pilgrim G, Athanasopoulos I, Parpounas K. 2011. A meta-analysis on the effectiveness of propranolol for the treatment of infantile airway haemangiomas. *Int J Pediatr Otorhinolaryngol* 75: 455-60.
- Phillips CB, Pacha O, Biliciler-Denkta G, Hebert AA. 2012. A review of Beta antagonist treatment for infantile hemangioma. *J Drugs Dermatol* 11: 826-9.
- Pope E, Chakkittakandiyil A. 2010. Topical timolol gel for infantile hemangiomas: A pilot study. *Arch Dermatol* 146: 564-5.
- Pope E, Krafchik BR, Macarthur C, Stempak D, Stephens D, Weinstein M, Baruchel S. 2007. Oral versus high-dose pulse corticosteroids for problematic infantile hemangiomas: A randomized, controlled trial. *Pediatrics* 119: e1239-47.
- Prasetyo P, Ariwibowo L, Rianawati T, Danarti R. 2012. Topically applied timolol 0,5% eye drop as treatment for pediatric patients with infantile hemangioma. Poster presentation. 7<sup>th</sup> Regional Scientific Meeting on Pediatric Dermatology. Jakarta 23-25 November (abstract book p. 228).

- Price CJ, Lattouf C, Baum B, McLeod M, Schachner LA, Duarte AM, Connelly EA. 2011. Propranolol vs corticosteroids for infantile hemangioma. *Arch Dermatol* 147: 1371-6.
- Robertson D, Biaggioni I. 2012. Adrenoceptor antagonist drugs. In : Katzung BG (Ed.), Masters (Ed.), Trevor AJ (Ed.). *Basic and clinical pharmacology*. 12<sup>th</sup> Edition. New York : Mc Graw Hill Companies. p. 151-68.
- Rosenblatt A, Mathes EF, Rosbe KW. 2012. Infantile hemangiomas: From pathogenesis to clinical features. *Research Rep Neonat* 2: 55-64.
- Sanchez-Carpintero I, Ruiz-Rodriguez R, Lopez-Guiterrez J. 2011. Propranolol in the treatment of infantile hemangioma: Clinical effectiveness, risks, and recommendations. *Actas Dermosifiliogr* 102: 766-79.
- Serra AMS, Junior AGC, Soares FMG, Costa IMC. 2010. Therapeutic management of skin hemangiomas in children. *An Bras Dermatol* 85: 307-17.
- Siegfried EC, Keenan WJ, Al-Jureidini S. 2008. More on propranolol for hemangiomas of infancy. *N Engl J Med* 359: 2846; author reply 2846-7.
- Singh BN, Williams FM, Whitlock RM, Collett J, Chew C. 1980. Plasma timolol levels and systolic time intervals. *Clin Pharmacol Ther* 28: 159-66.
- Storch CH, Hoeger PH. 2010. Propranolol for infantile haemangiomas: Insights into the molecular mechanisms of action. *Br J Dermatol* 163: 269-74.
- Theletsane T, Redfern A, Raynham O, Harris T, Prose NS, Khumalo NP. 2009. Life-threatening infantile haemangioma: A dramatic response to propranolol. *J Eur Acad Dermatol Venereol* 23: 1465-6.

Valencia IC, Kerdel FA. 2012. Topical corticosteroids. In: Goldsmith LA, Katz SI, Gilchrest BA, Paller AS, Leffell DJ, Wolff K (Ed.). Fitzpatrick's dermatology in general medicine. 8<sup>th</sup> Edition. New York: McGraw Hill Companies. p. 2659-65.

Zimmermann AP, Wiegand S, Werner JA, Eivazi B. 2010. Propranolol therapy for infantile haemangiomas: Review of the literature. Int J Pediatr Otorhinolaryngol 74: 338-42.