

## DAFTAR PUSTAKA

- Adomaviciute, E., and Milasius, R., 2007, The Influence of Applied Voltage on Poly (vinyl alcohol) (PVA) Nanofibre Diameter, *Fibres. Text. East. Eur.*, 15, 64–65.
- Anonim, 1995, Keputusan Menteri Lingkungan Hidup: Kep–51/MENLH/10/1995 Tentang Baku Mutu Limbah Cair.
- Alhosseini, S.N., Moztafzadeh, F., Mozafari, M., Shadnaz, A., and Dodel, M., 2012, Synthesis and Characterization of Electrospun Polyvinyl Alcohol Nanofibrous Scaffolds Modified by Blending with Chitosan for Neural Tissue Engineering, *Int. J. Nanomedicine.*, 7, 25–34.
- Aliabadi M, Irani M, Ismaeili J, Piri H, and Parnian MJ., 2013, Electrospun Nanofiber Membrane of PEO/Chitosan for the Adsorption of Nickel, Cadmium, Lead and Copper Ions from Aqueous Solution, *Chem. Eng. J.*, 220, 237-243
- Aswin, 2011, Preparasi dan Karakterisasi Karbon Aktif dari Kulit Kacang Mete (*Anacardium occidentale*) serta Uji Aktivitas Adsorpsi Menggunakan Methylene Blue, *Tesis*, Jurusan Kimia, Universitas Gadjah Mada, Yogyakarta.
- Campo, V.L., Coimbra, P., and Gil, M., 2009, Carrageenans: Biological Properties, Chemical Modifications and Structural Analysis – A review, *Polym Bull.*, 77(2), 167–180.
- Campos, E., Coimbra, P., and Gil, M.H., 2013, An Improved Method for Preparing Glutaraldehyde Cross-Linked Chitosan-Poly(Vinyl Alcohol) Microparticles, *Polym.Bull.*, 70(2), 549–561.
- Cenens, J., and Schoonheydt, A.R., 1988, Visible Spectroscopy of Methylene Blue on Hectorite, Laponite B, and Barasym in Aqueous Suspension, *J. Clays and Clay Mineral.*, 36, 214-224.
- Chauhan, D., and Dwivedi, J., 2014, Novel Chitosan/PVA/Zerivalent Iron Biopolymeric Nanofibers with Enhanced Arsenic Removal Applications., *Environ Sci Pollut Res.*, 21, 9430– 9442.
- Chen P., Kuo T., and Kuo J., 2010, Novel Chitosan–Pectin Composite Membranes With Enhanced Strength, Hydrophilicity And Controllable Disintegration, *Carbohydr Polym.*, 82(4), 1236-1242.
- Dalton, P.D., Klee, D., and Moller, M., 2005, Electrospinning with Dual Collection Rings, *Polymer.*, 46 (3), 611-614.
- Distantina, S., and Fahrurrozi, M., 2010, Hydrogel Based on Glutaraldehyde Crosslinked Kappa Carrageenan: Effect of Glutaraldehyde Concentration, *Proseeding 19<sup>th</sup> Regional Symposium on Chemical Engineering*, 7-8 November 2012, Bali.

- Doshi, J., and Reneker, D.H., 1995, Electrospinning Process and Application of Electrospun Fibers, *J. Electrostat.*, 35, 151–160.
- Faizah, Kuni., 2014, Fabrikasi Nanofiber PVA/Kitosan yang di Doping dengan NaCl dan Pengaruhnya Terhadap Morfologi Fiber, *Tesis*, Jurusan Fisika, Universitas Gadjah Mada, Yogyakarta
- Fil, A.B., Ozmetin, C., and Korkmaz M., 2012, Cationic dye (Methylene Blue) Removal from Aqueous Solution by Monmorillonite, *Bull. Korean Chem.*, 33,10-23
- Gurses, A., Hassani, A., Kiransan, M., Acish, O., and Karaca, S., 2014, Removal of Methylene Blue from Aqueous Solution Using by Untreated Lignite as Potential Low-Cost Adsorben: Kinetic, Thermodynamic and Equilibrium Approach, *J. Jwpe.*, 2, 10-21.
- Haider, S., and Park, S.Y., 2009, Preparation of The Electrospun Chitosan Nanofibers and Their Applications To The Adsorption Of Cu(II) And Pb(II) Ions From An Aqueous Solution. *J Memb Sci.*, 328(1-2), 90–96.
- Hamdaoui, O., and Chiha, M., 2007, Removal of Methylene Blue from Aqueous Solutions by Wheat Bran., *Acta Chim. Slov*, 407–418.
- Handayani, T., 2014, Adsorpsi Ion Pb(II) dan Cd(II) pada Abu Dasar Batubara Terimobilisasi Ditizon, *Tesis*, Jurusan Kimia, Universitas Gadjah Mada, Yogyakarta.
- Ho, Y.S., and Mckay, G., 1999, Pseudo-Second Order Model for Sorption Processes, *Process Biochem.*, 34, 451–465.
- Houas, A., Lacheb, H., Ksibi, M., Elaloui, E., Guillard, C., and Herman, J.M., 2001, Photocatalytic Degradation Patway of Methylene Blue in Water, *Appl. Catal. B Environ.*, 31, 145-157.
- Li, C., Hein, S., and Wang, K., 2012, Chitosan-Carragenenan Polyelectrolyte Complex for the Delivery of Protein Drugs, *ISRN Biomaterials*, 13, 1-6.
- Li L., Hsieh Y Lo., 2006, Chitosan Bicomponent Nanofibers and Nanoporous Fibers. *Carbohydr Res.*, 341(3), 374-381.
- Liang, C.Z., Sun, S.P., Li, F.Y., Ong, Y.K., and Chung, T.S., 2014, Treatment of Highly Concentrated Wastewater Containing Multiple Synthetic Dyes by A Combined Process of Coagulation/Flocculation and Nanofiltration, *J. Membr. Sci.*, 469, 306-315.
- Lynam, M.M., Kilduff, J.E., and Weber, W.J., 1995, Adsorption of p-Nitrophenol from Dilute Aqueous Solution: An Experiment in Physical Chemistry with an Environmental Approach, *J. Cem. Conc. Res.*, 80–84.
- Mansur, H.S., Sadahira, C.M., Souza, A.N., and Mansur P., 2008, FTIR Spectroscopy Characterization of Poly (Vinyl Alcohol) Hydrogel with Different Hydrolysis Degree and Chemically Crosslinked With Glutaraldehyde, *Mater Sci Eng C.*, 28(4), 539-548.

- Matthews, J.A., Wnek G., and Simpson D., 2002, Electrospinning of Collagen Nanofibers., *Biomacromolecules*, 1, 232–238.
- Morais, W. A., Almeida, A. L. P. De., Pereira, M. R., and Fonseca, J. L.C., 2008, Equilibrium and Kinetic Analysis of Methyl Orange Sorption on Chitosan Spheres, *Carbohydr. Res.*, 343, 2489-2493.
- Margaritis, K., Dimitrios, N., Bikiarisa, and Dimitra, A.L., 2015, Synthesis and Characterization of Modified Carrageenan Microparticles for The Removal of Pharmaceuticals from Aqueous Solutions, *Colloids Surf B Biointerfaces.*, 127, 256–65.
- Nanaki, S.G., Kyzas, G.Z, and Tzereme, A., 2015, Synthesis and Characterization of Modified Carrageenan Microparticles for The Removal of Pharmaceuticals from Aqueous Solutions, *Colloids Surf B Biointerfaces.*, 127, 256-265.
- Nawaz, M., and Ahsan, M., 2014, Comparison of Physico-Chemical, Advanced Oxidation and Biological Techniques for the Textile Wastewater Treatment, *Alexandria. Eng .J.*, 53, 711-722.
- Nugroho, P.S.A., 2014, Pelepasan Kurkumin dari Nanopartikel Kitosan-Karboksimetil selulosa-Glutaraldehyda, *Tesis*, Jurusan Kimia, Universitas Gadjah Mada, Yogyakarta.
- Ong, S. A., Toorasika, E., Hirata, M., and Hano, T., 2005, Biodegradation of Redox Dye Methylene Blue by Up-Flow Anaerobic Sludge Blanket Reactor. *J. Hazard Mater*, 124(1-3), 88–94.
- Oktari, L.R., 2014, Pembuatan Film Komposit Kompleks Polielektrolit Kitosan  $\kappa$ -Karaginan dan Pemanfaatannya sebagai Adsorben Biru Metilen, *Tesis*, Jurusan Kimia, Universitas Gadjah Mada, Yogyakarta
- Panboon, Sunisa., 2005, Electrospinning of Poly (Vinyl Alcohol)/Chitosan Fibers for Wound Dressing Applications, *Thesis*, King Mongkut's Institute of Technology North Bangkok Academy, Bangkok.
- Pandit, P., and Basu, S., 2004, Removal of Ionic Dyes from Water by Solvent Extraction Using Reverse Micelles, *Environ. Sci. Technol*, 38(8), 2435–2442.
- Palupi, Endang., 2006, Fotokatalisis dan Fotoelektrokatalisis Menggunakan Film TiO<sub>2</sub>, *Skripsi*, Institut Pertanian Bogor, Bogor.
- Qun, G., and Ajun, W., 2006, Effects of Molecular Weight, Degree of Acetylation and Ionic Strength on Surface Tension of Kitosan in Dilute Solution, *Carbohydr. Polym.*, 64, 29–36.
- Rouquerol, F., Rouquerol, J., and Sing, K., 1999, *Adsorption by powders and porous solids*, Marseille, Academic Press
- Rwei, S.P., and Huang, C.C., 2012., Electrospinning PVA Solution-Rheology and Morphology Analyses, *Fibers Polym.*, 13, 44–45.

- Salgueiro, A.M, Daniel, A.L., Girão A V., Pinheiro PC, and Trindade T., 2013, Unusual Dye Adsorption Behavior of  $\kappa$ -Carrageenan Coated Superparamagnetic Nanoparticles, *Chem Eng J.*, 229, 276-284.
- Sankalia, M. G., Mashru, R. C., Sankalia, J. M., and Sutariya, V. B., 2007, Reversed Chitosan-Alginat Polyelectrolyte Complex for Stability Improvement of Alpha-Amylase: Optimazation and Physicochemical Characterization, *Eur. J. Pharm. Biopharm.*, 65, 215-32.
- Saratale, R.G, Saratale, G.D, Chang , J.S, and Govindwar, S.P., 2011, Bacterial Decolorization and Degradation of Azo Dyes : A review, *J Taiwan Inst Chem Eng.*, 42(1),138-157
- Shahryari, Z., Goharrizi, A., dan Azadi, M., 2010, Experimental Sudy of Methylene Blue Adsorption from Aqueous Solution onto Carbon Nano Tubes, *J. Water. Res. Environ. Eng.*, 2, 16-28.
- Shashikala , M ., Nagapadma , M ., Pinto, Lolita., and Nambiar, S.N., 2013, Studies On The Removal Of Methylene Blue Dye From Water Using Chitosan, *Inter. J. Dev. Res.*, 3, 040-044.
- Sautter, B.P., 2005, Continuous Polymer Nanofibers Using Electrospinning, Thesis, Department of Mechanical Engineering, *Thesis*, University of Illinois at Chicago, Chicago
- Schiffman, J.D. and Schauer, C.L., 2007, Cross-Linking Chitosan Nanofibers, *Biomacromolecules.*, 7, 594– 601.
- Silitonga, F. S., 2014, Adsorpsi dan Desorpsi Biru metilen pada Membran Polielektrolit Kompleks Kitosan-Pektin Tertaut Silang Glutaraldehyda, *Tesis*, Jurusan Kimia, Universitas Gadjah Mada, Yogyakarta.
- Song, X., Zhou, Y., Jiang, Y., and Sun, C., 2008, The Removal of Basic Dyes from Aqueous Solutions Using Agricultural by-Products, *J. Hazard Mate.*, 157, 374–385.
- Soedjak, H. S., 1994, Colorimetri Determination of Carragenans and Other Anionic Hydrocolloids with Methylene Blue, *Anal. Chem.*, 66, 4514-4518.
- Sugita, P., Wukirsari, T., Sjahriza, A., dan Wahyono, D., 2009, *Kitosan: Sumber Biomaterial Masa Depan*, Penerbit IPB Press, Bogor
- Sun, K. and Li, Z.H., 2011, Preparations , Properties and Applications of Chitosan Based Nanofibers Fabricated by Electrospinning, *Express. Polym. Lett.*, 5(4), 342–361.
- Tanasale, M., Killay, A., dan Laratmase, M., 2012, Kitosan dari Limbah Kulit Kepiting Rajungan (*Portunus sanguinolentus* L.) sebagai Adsorben Zat Warna Biru Metilena, *J Natur Indones.*, 14(2), 165–171.
- Tuny, M.T., 2013, Adsorpsi Desorpsi Biru metilen pada Membran Kompleks Polielektrolit (PEC) Kitosan-Pektin, *Tesis*, Jurusan Kimia, Universitas Gadjah Mada, Yogyakarta.

- Vakili, M., Raffatullah, M., Salamatinia, B., Abdillah, A.Z., Ibrahim, M.H., Tan, K.B., Gholami, Z., and Amouzgar, P., 2014, Application of Chitosan and Its Derivatives as Adsorbents for Dye Removal from Water and Wastewater : A review., *Carbohydr Polym*, 113, 115–130.
- Vieira, R.S., and Beppu, M.M., 2006, Interaction of Natural and Crosslinked Chitosan Membranes with Hg ( II ) Ions, *Colloids Surf., B*, 279, 196–207.
- Wang, L., Zhang, J., and Wang, A., 2011, Fast Removal of Methylene Blue from Aqueous Solution by Adsorption Onto Chitosan-g-Poly (Acrylic Acid)/Attapulgite Composite, *Desalination.*, 266(1-3), 33–39.
- Wibowo. S., Velazquez. G., Savant. V., and Torres. A. J., 2007, Effect of Chitosan Type on Protein and Water Treated with Chitosan–Alginate Complexes, *Biores Technol.*, 98, 539– 545.
- Zendehdel, M., Barati, A., Alkhani, H., and Hekmat, A., 2010, Removal Methylene Blue Dye From Wastewater By Adsorption Onto Semi-Impenetrating Polymer Network Hydrogels Composed of Acrylamide and Acrylic Acid Copolymer And Polyvinil Alcohol, *J. Environ. Sci. Health.*, 7, 423–428.
- Zhou, Z., Lin, S., Yue, T., and Lee, T.C., 2014, Adsorption of Food Dyes from Aqueous Solution by Glutaraldehyde Cross-Linked Magnetic Chitosan Nanoparticles, *J Food Eng.*, 126, 133–141.