

## DAFTAR PUSTAKA

- Abd-Elsalam K.A and Hashim A.F. 2013. Hidden fungi as microbial and nano-factories for anticancer agents. *Fungal Genom. Biol.* 3:e115.
- Abreu, P.D., Renato, L. and Ortiz, R.A.M. 2003. HPLC Determination of Amoxicillin Comparative Bioavailability in Healthy Volunteers after a Single Dose Administration. [http://www.ualberta.ca/~csps/JPPS6\(2\)/L.Abreu/amoxicillin.htm](http://www.ualberta.ca/~csps/JPPS6(2)/L.Abreu/amoxicillin.htm). (diakses 20 Oktober 2015).
- Adeyemi, M, M.. Hassan i, J.O. Amupitan J. H. Kirkbr, Wiersema. 2010. Chemical and biological evaluation of the stem bark of *Bobgunnia Madagascariensis* (Desv). *J. Basic Appl. Chem.* 1(6):46-51.
- Agostini-Costa, T.S., Vieira, R.F., Bizzo, H.R., Silveira, D., and Gimenes M.A., 2012. Chapter 8 : *Secondary Metabolites*. pp.131-164. In Dhanarasu, Sasikumar (Eds) *Biochemistry, Genetics, and Molecular Biology "Chromatography and Its Applications"*. (<http://www.intechopen.com/books/chromatography-and-itsapplications/secondary-metabolites>). Diakses Tanggal 1 Oktober 2014.
- Ahmed, F.A., Alam, N., and Khair, A. 2013. Incidence and biology of *Corynespora cassicola* (berk. & curt.) Wei. Disease of Okra in Bangladesh. *Bangladesh J. Bot.* 42(2): 265-272
- Akter, M., Khan, M.A.I., Muhsin, M.D.A, Hamid, K., Ullah, O.M., Bulbul, I.J., Firoz, A.,Uddin, B.A., Urmi, K.F. 2012. In vitro studies on antibacterial, antifungal, and cytotoxic properties of *Leucas aspera*. *Biol. and Med.* 4 (4): 183–187.
- Alexopoulos. C.J, Mims, C.W., and Blackwell, M. 2013. *Introductory Mycology*, 4<sup>th</sup> edition, Wiley India (P), Ltd., Daryaganj, New Delhi.
- Alexopoulus, J., C. Mims, and M. Blackwell. 1996. *Introductory Mycology*. John Wiley & Sons. Inc. New York
- Ando, K., Nakashima, C., Park, J.Y., and Otoguro, M. 2003. Workshop on isolation methods of microbes. *Res. Dev. Cent. Biotechnol. Indonesia Inst. Sci.* 44.
- Arnold, A. E. 2007. Review: Understanding the diversity of foliar endophytic fungi: progress, challenges, and frontiers. *Fungal Biol. Rev.* 2: 51-66.
- Ash, G. J., Sakuanrungsirikul, B.S.S., Anschaw, E., Crump, N., Hailstones, D., Harper, J.D.I. 2010. Genetic characterization of a novel *Phomopsis* sp., a putative biocontrol agent for *Carthamus lanatus*. *Mycologia.* 102(1): 54–61.

- Aveskamp, M.M., De Gruyter, J. and Crous, P.W. 2008. Biology and recent developments in the systematics of *Phoma*, a complex genus of major quarantine significance. *Fungal Divers.* 31:1-18.
- Borokini, T. I. and Omotayo, F. O. 2012. Phytochemical and ethnobotanical study of some selected medicinal plants from Nigeria. *J. Med. Plants Res.* 6(7) :1106-1118.
- Bacon, C.W. and White, J.F., 1994. *Stains, media, and procedures for analyzing endophytes.* pp.47-56. In Bacon, C.W and White, J.F. (Eds.) *Biotechnology of endophytic fungi of grasses*, CRC Press, Boca Raton.
- , 2000. *Microbial endophytes*, Marcel Dekker Inc., New York.
- Bajwa, R., Khalid, A., and Cheema, T.S. 2003. Antifungal activity of allelopathic plant extracts III: Growth response of some pathogenic fungi to aqueous extract of *Parthenium hysterophorus*. *Plant Pathol. J.* 2: 145-156.
- Baligar, V.C. and Fageria, N. K. Fageria. 2007. Agronomy and physiology of tropical cover crops. *J. Plant Nutr.* 30: 1287–1339.
- Barnett, H.L and Hunter.1972. *Illustrated Genera of Imperfect Fungi*. Burger Publishing Minneapolis Minesota. 3<sup>rd</sup> edition. P: 116-117.
- Barrios Gonzalez, J., Fernandez FJ and Tomasini A. 2003. Microbial secondary metabolites production and strain improvement. *Indian J. Biotechnol.* 2: 322-333.
- Binggeli, P. 1996. A taxonomic, biogeographical and ecological overview of invasive woody plants. *J. Veg. Sci.* 7: 121-124.
- Benson, H.J. 2001. *Microbiological application: laboratory manual in general microbiology*, 8<sup>th</sup> edition, McGraw Hills Company Inc., New York, 478p.
- Berkenkamp, B. 1997. Blackpatch of forage legumes. *Can. Plant Dis. Surv.* 57-65.
- Bezerra, J.D.P., Nascimento, C.C.F., Barbosa, R.D.N., da Silva, D.C.V., Svedese, V.M., Silva-Nogueira, E.B., Gomes, B.S., Paiva, L.M., Souza-Motta, C.M. 2015. Endophytic fungi from medicinal plant *Bauhinia forficata*: Diversity and biotechnological potential. *Brazilian J. Microbiol.* 46(1):49-57.
- Brady, S. F., Bondi, S. M., and Clardy, J. 2001. The guanacastepenes: a highly diverse family of secondary metabolites produced by an endophytic fungus. *J. American Chem. Soc.*123(40): 9900-9901.

- Brock, T.D., and Madigan, M.T. 2003. *Biology of Microorganisms*. Sixth edition. Mexico: Prentice Hall International.
- Brown, J. 1997. *Fungi With Septate Hyphae and A Dikaryophase*. In Brown, J.F and Ogle, H.J (Eds.) *Plant Pathog. and Plant Dis*. Rockvale Publication, Armidale. Australia.
- Buatong, J. 2010. Endophytic Fungi Producing Antimicrobial Substances from Mangrove Plants in the South Thailand. *Prince of Songkla University*. Thailand.
- Cannon, P.F., Bridge, P.D., and Monte, E. 2000. *Linking the past, present, and future of Colletotrichum systematics*. In: Prusky D, Freeman S, Dickman M, eds. *Colletotrichum: host specificity, pathology, and host-pathogen interaction*. APS Press. St Paul. Minnesota. 1-20.
- Cannon, P.F., Damm, U., Johnston, P.R., and Weir, B.S. 2012. *Colletotrichum*-current status and future directions. *Stud. in Mycol.* 73:181–213.
- Carlile, M. J., Watkinson, S.C., and Gooday, G. W. 1994. *The Fungi*. Academic Press, London :69.
- Carrol, G.C. 1998. Fungal endophyte in stems and leaves. From latent pathogen to mutualistic symbiont. *Ecology*. 69:2-9.
- Cavaliere, S.J., I.D. Rankin., R.J. Harbeck., R.S. Sautter., Y.S. McCarter., S.E. Sharp., J.H. Ortez., dan C.A. Spiegel. 2005. *Manual of Antimicrobial Susceptibility Testing*. USA: *American Soc. for Microbiol.*
- Chapla, V. M., Zeraik, M. L., Leptokarydis, I.H., Silva, G. H., Bolzani, V.S., Young, M.C. M., Pfenning, L. H and Araújo, A.R. 2014. Antifungal Compounds Produced by *Colletotrichum gloeosporioides*, an Endophytic Fungus from *Michelia champaca*. *Molecules*. 19: 19243-19252.
- Choma, I. 2005. The use of thin-layer chromatography with direct bioautography for antimicrobial analysis. *LGCG Europe*. 18(9): 1--7.
- Choma, I.M. and Grzelak, E.M. 2010. *Bioautography Detection in Thin Layer Chromatography*. Elsevier. 1218 (19).
- Collins, C.H., Lyne, P. M., Grange, J. M., and Falkinham III, J. O. 2004. *Collins and Lyne's microbiological methods*, 8<sup>th</sup> edition , Arnold Publisher, London, 8: 445.
- Conti, R., Cunha, I.G.B., Siqueirab, V. M., Souza-Mottab, C. M., Amorim, E.L.C., and Araújo, J.M. 2012. Endophytic microorganisms from leaves of *Permacoce verticillata* (L.): Diversity and antimicrobial activity. *J. Appl. Sci. Pharm.* 2 (12): 017-022.

- Cowan, M., M., 1999, Plant products as antimicrobial agents. *Clin. Microbiol. Rev.*12 (4):564-82
- Choi, Y.W., Hyde, K.D. and Ho, W.H. (1999). Single spore isolation of fungi. *Fungal Divers.* 3: 29-38.
- Chopra, I. and Roberts M. 2001. Tetracycline antibiotic : Mode action, Applications, Molecular and Epidemiology of bacterial resistance. *Microbiol. Rev.* 69-232.
- Crueger, W & Crueger, A. 1984. *Biotechnology A Textbook of Industrial Microbiology*. Sinauer Associates. Inc Sunderland. USA. 54-57.
- Cushnie, T.P. Tim. Lamb, Andrew J. Antimicrobial Activity of Flavonoids. *Intern. J. Antimic. Agents* 2005;26: 343-356.
- Cruz, A. C. R.D., Izabel, T.D.S.S., Leão-Ferreira., S. M., Gusmão, L. F. P. 2009. Conidial fungi from the semi-arid *Caatinga* biome of Brazil. New species and new records of *Helicosporium*. *Mycotaxon.* 110:53-64.
- D'Souza, M. A., and Hiremath, K.G. 2015. Isolation and bioassay screening of medicinal plant Endophytes from Western Ghats forests, Goa, India. *Int. J. Adv. Res. Biol. Sci.* 2(8): (2015): 176-190.
- Da Silva Pereira, M.O., Correa, C.M., De Sousa, J.R., and Teixeira, M.A. 1998. Constituintes químicos do *Calopogonium mucunoides*. *Quimica Nova.* 11 (2): 196-199.
- Dahlan, S. 2004. *Seri Statistik: Statistik untuk Kedokteran dan Kesehatan Uji Hipotesis dengan Menggunakan SPSS Program 12 Jam*. Jakarta: PT Arkans.
- Dali, S., Natsir, H., Usman, H., & Ahmad, A. (2011). Antibacterial bioactivity of protein fractions of red seaweed *Gelidium amansii* from Cikoang water, Takalar Regency, South Sulawesi. *Majalah Farmarmasi Farmakologi.* 15(1):47-52.
- Darsana, I. Besung, I. Mahatmi, H. 2012. Potensi Daun Binahong (*Anredera Cordifolia* (Tenore) Steenis) dalam Menghambat Pertumbuhan Bakteri *Escherichia coli* secara In Vitro. *Indonesia Medicus Veterinus.*
- Das Chagas Oliveira Freire, F. 2005. An updated list of plant fungi from Ceará State (Brazil)- I Hypomycetes. *Revista Ciência Agronômica.* 36(3): 364-370.

- Dandu, A., Reddy, N. V., Venkateswarlu, N., Pushpalatha, B., and Vijaya, T. 2014. Molecular identification of endophytic fungi isolated from *Rhynchosia beddomei*, an endemic medicinal plant of Tirumala Hills. *Res. J. Pharm, Biol. Chem. Sci.* 5:1280-1285.
- Davis, W.W., and Stout T.R., 1971. Disc plate method of microbiological antibiotic assay: I factors influencing variability and error I. *Appl Microbiol.* 22(4):659-665.
- Deacon, J.W. 1997. *Modern Mycology. 3rd ed.* Blackwell Science. Berlin.
- Desvaux, N.A. 1826. Type: Hab. in Guiana?. *Annales des Sciences Naturelles.* 9: 423. [http://keys.trin.org.au/key-server/data/0e0f0504-0103-430d-8004-060d07080d04/media/Html/taxon/Calopogonium\\_mucunoides.htm](http://keys.trin.org.au/key-server/data/0e0f0504-0103-430d-8004-060d07080d04/media/Html/taxon/Calopogonium_mucunoides.htm), diakses tanggal 4 Desember 2015.
- Deon, M., Scomparin, A., Tixier, A., Mattos, C.R.R., Leroy, T., Seguin, M., Roeckel-Drevet, P., dan Pujade-Renaud, V. 2012. First characterization of endophytic *Corynespora cassicola* isolates with variant cassicolin genes recovered from rubber trees in Brazil. *Fungal Divers.* 54:87-99.
- Du, M., Schardl, C.L., Nuckles, E. M., Vaillancourt, L. J. 2005. Using mating-type gene sequences for improved phylogenetic resolution of *Collectotrichum* species complexes. *Mycologia.* 97(3):641–658.
- Demain, A.L. 1999. Pharmaceutically active secondary metabolites of microorganisms. *Appl. Microbiol. Biotechnol.* 52: 455-463.
- Desire, M. H., Bernard, F. Forsah, M. R., Assang, C.T., and Denis, O.N. 2014. Enzymes and qualitative phytochemical screening of endophytic fungi isolated from *Lantana camara* Linn. Leaves. *J. Appl. Biol. Biotechnol.* 2 (6): 001-006.
- Dorothy, D. A., and Kandikere R.S. 2009. Assemblage and diversity of fungal associated with mangrove wild legume *Canavalia cathartica*. *Trop. and Subtrop. Agroecosystems.* 10:225–235.
- Dreyfuss, M.M., and Chapela, I. H. 1994. *Potential of fungi in the discovery of novel, low-molecular weight pharmaceuticals.* pp. 49-80. In Gullo, V.P. (Ed.) *The discovery of natural products with therapeutic potential*, Butterworth-Heinemann, London, United Kingdom.
- Douglas, S.M. 2012. Juniper Tip Blights. *The Connecticut Agricultural Experiment Station.* 1-4.

- Ellis M.B., and Holiday P. 1971. *Descriptions of Pathogenic Fungi and Bacteria, Corynespora cassiicola*. Commonwealth Mycological Institute. Kew. United Kingdom. 303:1-2.
- Enechi, O.C., Odo', C.E., and Okafor, C. 2014. Assessment of the anti-ulcer action of the leaves of Calopo (*Calopogonium mucunoides* Desv) in Wistar rats. *J. Pharmaceut. Res.* 8(1):24-27.
- Fannidi, A dan Prawiradiputra, B.R. 2010. Karakteristik dan Pemanfaatan Kalopo (*Calopogonium* sp.). *Lokakarya Nasional Tanaman Pakan Ternak*. Balai Penelitian Ternak. Bogor. 149-154.
- Farr, D.F., Castlebury, L.A., Rossman, A.Y. 2002. Morphological and molecular characterization of *Phomopsis vaccinii* and additional isolates of *Phomopsis* from blueberry and cranberry in the eastern United States. *Mycologia.* 94(3): 494-504.
- Fitriyah, D., Jose, C., dan Saryono. 2013. Skrining Aktivitas Antimikroba Dan Uji Fitokimia dari Kapang Endofitik Tanaman Dahlia (*Dahlia variabilis*). *J. Ind. Chem. Acta.* 3(2).
- Feist, P., 2010. TLC–Retention Factor (Rf). (Online). ([http : // orgchem. colorado. edu/hndbksupport / TLC/TLCrf.html](http://orgchem.colorado.edu/hndbksupport/TLC/TLCrf.html), diakses pada tanggal 12 Nopember 2015)
- Ferguson, I. K. and Skvarla, J. J. 1983. The Granular Interstitium in the Pollen of Subfamily Papilionoideae (Leguminosae). *American. J. Bot.* 70 (9): 1401-1408.
- Fernandes, G.W., Sanchez-Azofeifa, A.S., Oki, Y., and Ball, A. R. 2011. *Endophyte diversity mediates leaf optical properties*. ([http://www.isprs.org/proceedings/2011/ISRSE-4/211104015\\_Final\\_00609.pdf](http://www.isprs.org/proceedings/2011/ISRSE-4/211104015_Final_00609.pdf)). Diakses Tanggal 16 Oktober 2014.
- Gandjar, I., R.A. Samson, K. van den Tweel-Vermeulen, Oetari, A dan Santoso, I. 1999. *Pengenalan kapang tropik umum*, Yayasan Obor Indonesia, Jakarta.
- Gandjar, I., dan R.A. Sjamsuridzal, W., dan Oetari, A. 2006. *Mikologi dasar dan terapan*, Yayasan Obor Indonesia, Jakarta.
- Gandjar, I., dan Rohman, A. 2007. *Kimia Farmasi Analisis*, Pustaka Pelajar, Yogyakarta.
- Garraway, M.O. and Evans, R.C. 1984. *Fungal Nutrition and Physiology*. New York. John Wiley and Sons.

- Garcia A., Rhoden S.A., Bernardi-Wenzel J., Orlandelli R. C., Azevedo J.L., and Pamphile J.A. 2012. Antimicrobial Activity of Crude Extracts of Endophytic Fungi Isolated from Medicinal Plant *Sapindus saponaria* L. *J. Appl. Pharmaceut. Sci.* 2 (10): 035-040.
- Gerald, M. 2007. Cook Islands Biodiversity Database, Version 2007, 2. Cook Islands Natural Heritage Trust, Rarotonga. Online at <http://cookislands.bishopmuseum.org>. Diakses tanggal 8 Maret 2015.
- Gillespie, S.H. 1995. *Medical Microbiology Illustrated*. Butterworth Heinemann. London.
- Glazer, A.N., and Nikaido, H.1998. *Microbial biotechnology : fundamentals of applied microbiology*. W.H. Freeman and Company. New York.
- Govindappa M., Bharath, N., Shruthi, H.B., Sadananda, T.S., and Sharanappa, P. 2011. Antimicrobial, antioxidant and *in vitro* anti-inflammatory activity and phytochemical screening of *Crotalaria pallida* Aiton. *AJPP*. 5(1): 2359-2371.
- Gonçalves, F J T., Freire, F D C O., Lima, J S. 2013. Fungos Endofíticos E Seu Potencial Como Produtores De Compostos Bioativos. *Ciências Agrárias*. 15(1):71-92.
- Gritter, J. R., Bobbitt, J.M., Arthur and Schwarting, E. 1991. *Pengantar Kromatografi*. 2nd. Diterjemahkan oleh Kosasih Padmawinata. Penerbit ITB. Bandung.
- Guo, L., Hyde, K.D., and Liew, E.C.Y. 1998. A Method to promote sporulation in Palm Endophytic Fungi. *Fungal Divers.* 1:109-113.
- Hacker. 1990. *Australian Tropical Rainforest Plants : Calopogonium mucunoides*. ([http://keys.trin.org.au/key-server/data/0e0f0504-0103-430d-8004-060d07080d04/media/Html/taxon/Calopogonium\\_mucunoides.htm](http://keys.trin.org.au/key-server/data/0e0f0504-0103-430d-8004-060d07080d04/media/Html/taxon/Calopogonium_mucunoides.htm)). Diakses pada tanggal 26 Desember 2014.
- Hanson, J. R. 2008. *Kimia jamur*. Royal Society of Chemistry Publishing. 21-23.
- Hambleton, S., Nickerson, N.L., Seifert, K.A. 2005. Leohumicola, a new genus of heat-resistant hypomyces. *Stud. in Mycol.* 53: 29-52.
- Harborne, JB. 1987. *Metode fitokimia penuntuk cara modern menganalisis tumbuhan*, Cetakan II, Diterjemahkan oleh Padinawinata, K dan Soediro, I., Institute Pertanian Bogor, Bogor.
- Harrington, T.C., and Rizzo, D.M. 1999. Defining species in the fungi. In: Worrall JJ, ed. Structure and dynamics of fungal populations. *Kluwer Acad. Press*. 43-70.

- McNeil, B., and Harvey, L.M. 2008. *The Design and Preparation of Media for Bioprocess*. In McNeil, B., and Harvey, L.M., (Eds.) *Practical Fermentation Technology*, John Wiley & Sons, Ltd., England, 99-114.
- Hidayati N., Fauzia S, Titi J. 2005. Potensi *Centrocoma pubescence*, *Calopogonium mucunoides*, dan *Micania cordota* dalam membersihkan logam kontaminan pada limbah penambangan emas. *Pusat Penelitian Biologi, Lembaga Ilmu Pengetahuan Indonesia (LIPI)*. Bogor.
- Huang Y., Wang J., Li G., Zheng Z., Su W. 2001. Antitumor and antifungal activities in endophytic fungi isolated from pharmaceutical plants *Taxus mairei*, *Cephalataxus fortunei* and *Torreya grandis*. *FEMS Immunol. Med. Microbiol.* 31:163–167.
- Huang, W.Y., Cai, Y.Z., Hyde, K.D., Corke, H., and Sun, M. 2008. Biodiversity of endophytic fungi associated with 29 traditional chinese medicinal plants. *Fungal Divers.*33: 61–75.
- Hussain, H., Kock, I., Al-Harrasi, A., Al-Rawahi, A., Abbas, A., Green, I.R., Shah, A., Badshah, A., Saleem, M., Draeger, S., Schulz, B., Krohn, K. 2014. Antimicrobial chemical constituents from endophytic fungus *Phoma* sp. *Asian Pacific J. Trop. Med.* 699-702.
- Hellwig, V., Grothe, T., Mayer-Bartschmid, A., Endermann, R., Geschke, F. U., Henkel, T., and Stadler, M. 2002. Altersetin, a new antibiotic from cultures of endophytic *Alternaria* spp. taxonomy, fermentation, isolation, structure elucidation and biological activities. *J. Antibiot.* 55(10): 881-892.
- Hendra R, Ahmad S, Sukari A, Shukor MY, Oskoueian E. Flavonoid analyses and antimicrobial activity of various parts of *Phaleria macrocarpa* (Scheff.) Boerl fruit. *Int. J. Mol. Sci.* 2011;12: 3422-3431.
- Heuzé V., Tran G., and Baumont R. 2013. Calopo (*Calopogonium mucunoides*). Feedipedia.org. A programme by INRA, CIRAD, AFZ and FAO. Diakses pada 5 Nopember 2014. <http://www.feedipedia.org/node/328> Last updated on September 30, 2013, 13:17.
- Holt, J.G., Krieg, N.R., Sneath, P.H.A., Staley, J.T., and William, S.T. 2000. *Bergey's manual of determinative bacteriology*, 9<sup>th</sup> edition, Lippincott William & Wilkins., Philadelphia, USA. p 347-559.
- Hyde, K.D., and Soyong, K. 2008. The Fungal Endophyte Dilemma. *Fungal Divers.* 33:163-173.

- Hyde, K.D., Cai, L., Cannon, P.F., Crouch, J.A., Crous, P.W., Damm, U., Goodwin, P.H., Chen, H., Johnston, P.R., Jones, E.B.G., Liu, Z.Y., McKenzie, E.H.C., Moriwaki, J., Noireung, P., Pennycook, S.R., Pfenning, L.H., Prihastuti, H., Sato, T., Shivas, R.G., Tan, Y.P., Taylor, P.W.J., Weir, B.S., Yang, Y.L. and Zhang, J.Z. 2009. *Colletotrichum* –names in current use. *Fungal Divers.* 39: 147-182.
- Ibrahim, D., Lee, C.C., and Sheh-Hong, L. 2013. Antimicrobial Activity of Endophytic Fungi Isolated from *Swietenia macrophylla* Leaves. *Nat. Prod. Commun.* 9(2):247-250.
- Ichikawa T, Date M, Ishikura T, Ozaki A (1971) Improvement of kasugamycin-producing strain by agar piece method and the prototroph method. *Folia Microbiol (Prague)*. 16:214-218
- Idu, M., and Onyibe, H.I. 2007. Medicinal plant of Edo State, Nigeria. *J. Med. Plant.* 1(2):32-41.
- Idris, A., Al-tahir, I., and Idris, E. 2013. Antibacterial activity of endophytic fungi extracts from the medicinal plants *Kigelia africana*. *Agypt. Acad. J. Biolog. Sci.* 5(1): 1-9.
- Ikeda S., Okubo T., Anda M., Nakashita, H., and Yasuda, M. 2010. Community and genome based views of plant-associated bacteria: plant-bacterial interactions in soybean and rice. *Plant Cell. Physiol.* 51:1398–410.
- Ingold, C.T., Dann, V., and McDougall, P.J. 1968. *Tripospermum camelopardus* sp.nov. *Trans. Br. Mycol. Soc.* 51(1): 51-56.
- Istantoro, Y.H. and Ganiswarna, V.H.S. 1995. Penisilin, Sefalosporin, dan Antibiotik Beta Laktam lainnya. Didalam: Farmakologi dan Terapi. Editor: Sulistia G. Ganiswarna *et al.* Gaya Baru. Jakarta. 622-631
- Jayadi, S. 1991. Tanaman Makanan Ternak Tropika, *Fakultas Peternakan. Institut Pertanian Bogor*, Bogor.
- Jurković, D., Vrandečić, K., Čosić, J., Riccioni, L., Duvnjak, T. 2007. Morphological Identification of *Diaporthe/Phomopsis* sp. Isolated from *Xanthium italicum*. *Priljeno* 10. Listopada. Prihvaćeno 21.
- Joseph, B and Priya, R. 2011. Review: Bioactive compounds from endophytes and their potential in pharmaceutical effect. *American. J. Biochem. Mol. Bio.* 1(3):291-309.
- Karou, D., and Aly, S. 2005. Antibacterial activity of alkaloids from *Sida acuta*. *African Journal of Biotechnology.* 4(12): 1452- 1457.

- Katoch M., Singh, G., Sharma, S., Gupta, N., Sangwan, P.L., and Saxena, A. K. 2014. Cytotoxic and antimicrobial activities of endophytic fungi isolated from *Bacopa monnieri* (L.) Pennell (*Scrophulariaceae*). *Biomed. Cent. Complementary and Altern. Med.* 14:1-8.
- Khucharoenphaisan dan Sinma 2010. B-xylanase from *Thermomyces lanuginosus* and its Biobleaching Application. *Pakistan J. Biol. Scie.* 13(11):513-526.
- Kiruthiga, Rakkimuthu, and Aravinthan, K. 2014. Antibacterial activity of *Crotalaria pallida* Aiton (Fabaceae). *Indian J. Pharm. Biol. Res.* 2(1):82-85.
- Kim, J.Y., Yun, Y.H., Hyun, M.W., Kim, M.H., and Kim, S.H. 2010. Identification and Characterization of *Gliocladium viride* Isolated from Mushroom Fly Infested Oak Log Beds Used for Shiitake Cultivation. *Mycobiology.* 38(1) : 7-12.
- Kumar, S., Kaushik, N., and Proksch, P. 2013. Identification of antifungal principle in the solvent extract of an endophytic fungus *Chaetomium globosum* from *Withania somnifera*. *SpringerPlus.* 2:37
- Kumaresan, V. and Suryanarayanan, T.S. 2002. Endophytes assemblages in young mature and senescent leaves of *Rhizophora apiculata*: Evidence for the role of endophytes in mangrove litter degradation. *Fungal Divers.* 9: 81-91.
- Kuhn, D.M., and Ghonnoom, M.A. 2003. Indoor Mold, Toxigenic Fungi, and *Stachybotrys chartarum*: Infectious Disease Perspective. *Clin. Microbiol. Reviews.* 16 (1): 144-172.
- Kusari, S., Hertweck, C., and Spiteller, M. 2012. Chemical ecology of endophyte fungi: origins of secondary metabolites. *Chem. Biol.* 792-298
- Kusmiyati, N.W.S., dan Agustini. 2007. Uji aktivitas senyawa antibakteri dari mikroalga *Porphyridium cruentum*. *Biodiversitas.* 8 (1): 48-53.
- Kusumaningtyas, E. Natasia, M., dan Darmono. 2010. Potensi metabolit kapang endofit rimpang lengkuas merah dalam menghambat pertumbuhan *Escherichia coli* dan *Staphylococcus aureus* dengan media fermentasi *Potato Dextrose Broth* (PDB) dan *Potato Dextrose Yeast* (PDY). Seminar nasional teknologi peternakan dan veteriner. Bogor.
- Kavanagh, K. 2005. *Fungi*. John Wiley dan Sons, New York..
- Kirk P. 2004. Index Fungorum partnership. CABI Bioscience. [<http://www.indexfungorum.org>]. Diakses tanggal. 3 Nopember 2015.

- Kwon, J.H., and Park, C.S. 2003. Leaf Spot of Cotton Rose Caused by *Corynespora cassicola* in Korea. *Mycobiology*. 31(1): 57-59 (2003)
- Jawetz, E., Melnick, J.L., and Adelberg, E.A.1996. *Mikrobiologi Kedokteran, Edisi XX, 128, 239, 240*. Diterjemahkan oleh Nugroho, E., dan Maulany, R.F. Penerbit Buku Kedokteran EGC. Jakarta.
- Jung, D.S., Na, Y. J., & Ryu, K.H. 2002. Phylogenic Analysis of *Alternaria brassicicola* Producing Bioactive Metabolites. *The J. Microbiol.* 40(4):289-294.
- Li, H. Wang, Z. Liu, Y. 2003. Review in the studies on tannins activity of cancer prevention and anticancer. *Zhong-Yao-Cai*. 26(6): 444-448.
- Li, Y., Song, Y.C., Liu, J.Y., Ma, Y.M. and Tan, R.X. 2005. Anti- *Helicobacter pylori* substances from endophytic fungal cultures. *World. J. Microbiol. Biotechnol.* 21: 553–558.
- Liang, H., Xing, Y., Chen, Juan., Zhang, Dawei., Guo, S., and Wang, C. 2012. Antimicrobial activities of endophytic fungi isolated from *Ophiopogon japonicus* (Liliaceae). *Biomed. Cent. Complementary and Altern. Med.* 12:238.
- Liang, Y, Z., Xie, P., dan Chan, K. 2004. Quality control of herbal medicines. *J. Chromatogr.* 53–70.
- Llagas, M.C.D.L., Santiago, L., and Ramos, J.D. 2014. Antibacterial Activity of Crude Ethanolic Extract and Solvent Fractions of *Ficus pseudopalma* Blanco Leaves. *APJTD*. 4(5): 367-371.
- Ma, Y. M., Li, Y., Liu, J. Y., Song, Y. C., and Tan, R. X. 2004. Anti-*Helicobacter pylori* metabolites from *Rhizoctonia* sp. Cy064, an endophytic fungus in *Cynodon dactylon*. *Fitoterapia*. 75(5): 451-456.
- Madigan 2000, M.T., J.M. Martinko, & J. Parker. 2000. *Brock: Biology of microorganisms. 9<sup>th</sup> ed.* Prentice Hall, New Jersey. 991.
- Magyar, D., Gönczöl, J., Révay, Á., Grillenzoni, F. and Seijo-Coello, M.D.C. 2005. Stauro- and scolecoconidia in floral and honeydew honeys. *Fungal Divers.* 20: 103-120.
- Margulis, L., and Chapman, M.J. 2009. *Kingdoms and Domain : An Illustrated Guide to The Phyla of Life on Earth*. Academic Press. 864 p.
- Marcia González-Teuber, Guillermo H Jiménez-Alemán, & Wilhelm Boland. 2014. Foliar endophytic fungi as potential protectors from pathogens in myrmecophytic Acacia plants. *Communicative & Integrative Biol.* 7(5):1-4

- McGinnis, M.R. 2012. *Laboratory Handbook of Medical Mycology*. Elsevier.
- Mckenzie E.H.C., Buchanan, P. K. and Johnston, P. R. 2004. Checklist of fungi on nikau palm (*Rhopalostylis sapida* and *R. baueri* var. *cheesemani*), in New Zealand. *New Zealand J. Bot.* 42: 335-355.
- Madduluri, Suresh. Rao, K.Babu. Sitaram, B. 2013. In Vitro Evaluation of Antibacterial Activity of Five Indegenous Plants Extract Against Five Bacterial Pathogens of Human. *Int. J. Pharm. and Pharmaceut. Scie.* 5(4): 679-684.
- Matsuura, S. 1999. Growth and Colony Patterning of Filamentous Fungi. *Forma.* 14 : 315-320.
- Mirzwa-Mróz, E., Wińska-Krysiak, M., Dzieciol, R., Miękus, A., 2014. Characteristics of *Aureobasidium pullulans* (de bary et löwenthal) g. Arnaud isolated from apples and pears with symptoms of sooty blotch in Poland. *Acta Sci. Pol., Hortorum Cultus.* 13(3):13-22.
- Misra, R.C. and Pani, D.R. 2014. Note on *Calopogonium mucunoides* Desv (Fabaceae): A new species record for Eastern and Central India. *Proc. Nat. Acad. Sci., India, Sect. B Biol. Sci.* Springer India.
- Mufidah, Rante, H., Rahim, A., Agustina, R., Pakki, E., dan Talbani, A. 2013. Aktivitas Antifungi Metabolit Sekunder Fungi Endofit yang Diisolasi dari *Mezzetia parviflora* Becc. *Majalah Farmasi dan Farmakologi.* 17(3): 69- 72.
- Merlin, N., christhudas, N., Kumar, Praveen., and Agastian. 2013. Optimization Of Growth And Bioactive Metabolite Production: *Fusarium Solani*. *Asian J. Pharmaceut. And Clin. Res.* 6:98-103.
- Mausa, W.K., and Raizada, M.N. 2013. Review: The diversity of anti-microbial secondary metabolites produced by fungal endophytes: an interdisciplinary perspective. *FCIMB.* 4(65):1-18.
- Moretti, A.N. 2009. Taxonomy of *Fusarium* genus, a Continuous Fight Between Lumpers and Splitters. *Zbornik Matice srpske za prirodne nauke / Proc. Nat. Sci, Matica Srpska Novi Sad.* 117: 7-13.
- Monica, D. 2014. Isolation of endophytic fungi from *Trigonellafoenum graecum* Linn. *Intr. J. Food Sci. Technol.* 2(1): 66-73.
- Nachar, N., 2008. The Mann-Whitney U: A Test for Assessing Whether Two Independent Samples Come from the Same Distribution. *Tutorials in Quantitative Methods for Psychology.* 4(1): 13-20.

- Natheer, S.E., Sekar, C., Amutharaj, P., Rahman, M.S.A., and Keroz, Khan, K.K. 2012. Evaluation of antibacterial Activity of *Morinda citrifolia* *Vitex trifolia* and *Chromolaena odorata*. *Afr. J. Pharmaceut. Pharm.* 6(11):783-788.
- Nuria, M.C., Faizaitun, Arvin, dan Sumantri. 2009. Uji Aktivitas Antibakteri Ekstrak Etanol Daun Jarak Pagar (*Jatropha Curcas* L) Terhadap Bakteri *Staphylococcus Aureus* ATCC 25923, *Escherichia Coli* ATCC 25922, dan *Salmonella Typhi* Atcc. *Mediagro.* 5(2):26–37.
- Neideen, T. and Brasel, K.2007. Understanding Statistical Tests. *J. Surg. Educ.by Elsevier.* 64(2):93-96.
- Nedialkova, D. & Naidenova, M., 2005, Screening the Antimicrobisl Activity of Actinomycetes Strains Isolated from Antarctica. *J. Culture Collect.* 4: 29-35
- Nelson, P.E., Dignani, M.C., and Anaissie, E. J. 1994. Taxonomy, Biology, and Clinical Aspects of *Fusarium* Speciest. *Clin. Microbiol. Rev. American Soc. for Microbiol.* 7(4): 479-504.
- Nirenberg', H., And O'Donnell, K. 1998. New *Fusarium* species and combinations within the *Gibberella fujikuroi* species complex. *Mycologia.* 90(3):434-458.
- Northolt, M.D., and Bullerman, L.B., 1982. Prevention of mold growth and toxin production through control of environmental condition. *J. Food Protect.* 6: 519-526.
- Okeke MI., Iroegbu CU., Eze EN., Okali AS., and Esimone CO. 2001. Evaluation extracts of the root of *Landophia owerrience* for antibacterial activity. *J. Ethnophamacol.* 78: 119-127.
- Panda, S.K. 2012. Screening Methods In The Study Of Antimicrobial Properties Of Medicinal Plants. *Int. J. Biotechnol. Res.* 2:1-35
- Paranagama, P.A., Wijeratne, E.M.K., Burn A.M., Marron, M.T., Gunatilaka, M.K. Arnold, A. E., and Gunatilaka, A. A. L. 2007. Heptaketides from *Corynespora* sp. Inhabiting the Cavern Beard Lichen, *Usnea caWernosa*: First Report of Metabolites of an Endolichenic Fungus. *J. Nat. Prod.* 70: 1700–1705.
- Pappas, P.A., and DePuy, V.. 2004. An Overview of Non-parametric Tests in SAS ® : When, Why, and How. *Duke Clinical Research Institute Durham. USA.* 1-5.
- Patil, M.P., Patil, R. H., Maheshwari, VL. 2012. A novel and sensitive agar plug assay for screening of asparaginase-producing endophytic fungi from *Aegle marmelos*. *Acta Biologica Szegediensis.* 56(2):175-177.

- Photita, W., Lumyong, S., Lumyong, P., Mckenzie, E.H.C. and Hyde, K.D. (2004). Are some endophytes of *Musa acuminata* latent pathogens?. *Fungal Divers.* 16: 131-140.
- Pitt, J.I. and A.D. Hocking, 2009. *Fungi and Food Spoilage. 3rd Edn.* Springer, USA. 519.
- Petersen, P.J., Wang, T.Z., Dushin, R.G., Bradford, P.A. 2004. Comparative in vitro activities of AC98-6446, a novel semisynthetic glycopeptides derivative of the natural product mannopeptimycin alpha, and other antimicrobial agents against gram-positive clinical isolates. *Antimicrob. Agents. Chemotherapy.* 48:739-746.
- Petrini, O. 1991. *Fungal endophytes of tree leaves.* In: Andrews JH and Hirano SS, (Eds). *Microbial Ecology of Leaves.* Spring Verlag. New York. 179-197.
- Poongothai G., and Shubashini K. Sripathi. 2013. Review: On insulinomimetic pinitol from plants. *Int. J. Pharma. Bio Sci.* 4(2): 992 – 1009.
- Pokhrel, C.P., and Ohga, S. 2007. Submerged culture conditions for mycelial yield and polysaccharides production by *Lyophyllum decastes.* *Food Chem.* 105: 641-646.
- Pongpaichit, S., Nikom, J., Rungjindamai, N., Sakayaroj, J., Hutadilok-Towatana, N.P., Rukachisirikul, V., and Kirtikara, K. 2007. Biological activities of extracts from endophyte fungi isolated from *Garcinia* plants. *FEMS Immunol. Med. Microbiol.* 51: 517-525.
- Phowtong, P., Jantrapanukorn, B., Thongmee, A., and Suntornthiticharoen, P. 2013. Screening of antimicrobial activities of the endophytic fungi isolated from *Sesbania grandiflora* (L.) Pers. *J. Agr. Sci. Technol.* 15: 1513-1522.
- Pimentel, I. C., Glienke-Blanco, C., Gabardo, J., Stuart, R. M., and Azevedo, J. L. 2006. Identification and Colonization of Endophytic Fungi from Soybean (*Glycine max* (L.) Merrill) under Different Environmental Conditions. *Brazilian Archives Of Biol. Technol. An Intern. J.* 49(5): 705-711.
- Pelczar M.J., dan Chan .E.C.S. 2005. *Dasar-dasar Mikrobiologi.* In Hadioetomo RS, Imas T., Tjitrosomo S.S., dan Angka S.L. (Eds) *Elements of Microbiology.* UI Press. Jakarta.
- Perdomo, H., Sutton, D.A., Garcia, D., Forthergill, A. W., Cano, J., Summerbell, R.C., Rinaldi, M.G., Guarro, J. 2011. Spectrum of Clinically Relevant Acremonium Species in The United States. *J. Clin. Microbiol.* 243-256.

- Petre M., Peng M.X., Mao L.X. 2005. The influence of culture conditions on fungal pellets formation by submerged fermentation of *Cordyceps sinensis* (*Paecilomyces hepiali*)- Cs 4. *Acta Edulis Fungi*. 12: 345-353.
- Pradeep, F.S., Begam, M.S., Palaniswamy, M., and Pradeep, B.V. 2013. Influence of Culture Media on Growth and Pigment Production by *Fusarium moniliforme* KUMBF1201 Isolated from Paddy Field Soil. *World Appl. Sci. J.* 22 (1): 70-77.
- Prihanto, A.A. 2012. Perbandingan aktivitas antibakteri *Penicillium notatum* ATCC28089 Dengan *Penicillium* sp. R1M yang Diisolasi dari Mangrove *Sonneratia caseolaris*. *PHP*. 15(1).
- Promptutha, I., Jeewon, R., Lumyong, S., McKenzie, E.H.C., and Hyde, K.D. 2005. Ribosomal DNA fingerprinting in the identification of non sporulating endophytes from *Magnolia liliifera* (Magnoliaceae). *Fungal Divers*. 20:167-186.
- Qui, M., Xie, R., Shi, Y., Zhang, H., Chen, H. 2010. Isolation and identification of two flavonoid-producing endophytic fungi from *Ginkgo biloba* L. *Ann. Microbiol.* 60 : 143-150.
- Rahman MA., Ahsna, T., and Islam, S. 2010. Antibacterial and antifungal properties of methanol extract from the stem of *Argyrea argentea*, Bang. *J. Pharmacol.* 5: 41-44.
- Ramesha, A., Sunita, V.H., and Srinivas, C. 2013. Antimicrobial activity of secondary metabolites from endophytic fungi isolated from *Nerium oleander* L. *Int. J. Pharm. Bio. Sci.* 4(1): (B) 683-693.
- Ramesha, A., and Srinivas, C. 2014. Antimicrobial activity and phytochemical analysis of crude extracts of endophytic fungi isolated from *Plumeria acuminata* L. and *Plumeria obtusifolia* L. *Europe J. Exp. Biol.* 4(2):35-43.
- Raviraja NS, Maria GL, and Sridhar KR. 2006. Antimicrobial evaluation of endophytic fungi inhabiting medicinal plants of the Western Ghats of India. *England Life Sci.* 6515-6520.
- Russel A.D. and Chopra I. 1990. *Understanding Antibacterial Action and Resistance*. Ellis Hooword. New York. 68-72.
- Redko- F., Clavin, M.D., Weber D., Anke T., and Martino V. 2006. Search for active metabolites of *Erythrina crista-galli* and its endophyte *Phomopsis* sp. *Molecular Medicinal Chem.* 10:24-26

- Reed, D.W. 2007. *Horticulture Science and Practice: Applied Physiology of Horticultural Crop*. ([http : // generalhorticulture. tamu. edu/ lectsupl/ anatomy/ anatomy. html](http://generalhorticulture.tamu.edu/lectsupl/anatomy/anatomy.html)). Diakses pada tanggal 25 Desember 2014.
- Révay, A., and Gönczöl, J. 2011. Canopy fungi ("terrestrial aquatic Hyphomycetes") from twigs of living evergreen and deciduous trees in Hungary. *Nova Hedwigia*. 92:303–316
- Reyes-Estebanez, M., Herrera-Parra, E., Cristóbal-Alejo, J, Heredia- Abarca. G., Canto-Canché, B., Medina-Baizabal, I., and Gamboa-Angulo, M. 2011. Antimicrobial and nematicidal screening of anamorphic fungi isolated from plant debris of tropical areas in Mexico. *African J. Microbio. Res.* 5(9):1083-1089.
- Robinson, T. 1995. *Kandungan Senyawa Organik Tumbuhan Tinggi*. Diterjemahkan oleh Kosasih Padmawinata. ITB. Bandung.
- Rodrigues, A. A. C., and Menezes, M. 2006. Identification and pathogenic Characterization of endophytic *fusarium* Species from Cowpea seeds. *Anais da Academia Pernambucana de Ciência Agrônômica*. 3:203-215.
- Rodriguez, R. J., Arnold, J. F., White Jr, A. E. and Redman, R. S. 2008. Review Fungal endophytes: diversity and functional roles. *New Phytol.* 1-17.
- Roza, L.V., Chanda, A., & Linz, J.E. 2011. Compartmentalization and molecular traffic in secondary metabolism: a new understanding of established cellular processes. *Fungal Genet. Biol.* 48: 35–48.
- Ryan, K. J. & C. J. Ray. 2004. *Sherris medical microbiology: an introduction to infectious diseases*, 4<sup>th</sup> edition, The McGraw Hills Companies, Inc., New York, 937p.
- Rydberg, J. 2004. *Solvent Extraction Principles and Practice*, 2<sup>nd</sup> edition , CRC, New York, 750p.
- Saha, S., Dhanasekaran, D., Chandraleka, S., and Panneerselvam, A. 2009. Synthesis, characterization and antimicrobial activity of cobalt metal complex against multi drug resistant bacterial and fungal pathogens. *Facta Universitatis*.7(1): 73 – 80.
- Salleh, B., Safinat, a., Julia, L., and Teo, C.H. 1996. Brown spot caused by *Curvularia* spp., a new disease of asparagus. *Biotropia*. 9: 26 - 37
- Saithong, P., Panthavee, W.,Stonsaovapak, S., and Congfa, L. 2010. Isolation and primary identification of endophytic fungi from *Cephalotaxus mannii* trees. *Maejo Int. J. Sci. Technol.* 4(03):446-453.
- Salle, A.J. 1954. *Fundamental principles of bacteriology*, 4<sup>th</sup> edition , McGraw-Hill Book Company, Inc., New York, 782p.

- Saleh, B., Safina, A., Julia, L., and Teo, C.H. 1996. Brown spot caused by *Curvularia* spp., a new disease of Asparagus. *Biotropia*. 9:26-37.
- Santos, IP, Silva, LCN, Silva, MV, Araújo, JM, Cavalcanti, MS and Lima, VLM (2015) Antibacterial activity of endophytic fungi from leaves of *Indigofera suffruticosa* Miller (Fabaceae). *Front. Microbiol.* 6:350.
- Santos, C, Paterson, R.R., Venâncio, A., and Lima, N. 2010. Filamentous fungal characterizations by matrix-assisted laser desorption/ionization time-of-flight mass spectrometry. *J. Appl. Microbiol.* 108(2):375–85.
- Sarker S.D., Latif Z., and Gray A.I. 2006. Natural products isolation. In: Sarker SD, Latif Z, & Gray AI, editors. Natural Products Isolation. 2nd ed. Totowa (New Jersey). *Humana Press Inc.*18: 6-10.
- Saryono. 2010. *Metodologi Penelitian Kesehatan Penuntun Praktis Bagi Pemula*. Mitra Cendikia Press. Jogjakarta.
- Sauza, M.A.D' and Hiremath, K.G. 2015. Isolation and bioassay screening of medicinal plant Endophytes from Western Ghats forests, Goa, India. *Int. J. Adv. Res. Biol.Sci.* 2(8):176–190.
- Scott, J.A., Untereiner, W.A., Ewaze, J.O., Wong, B., Doyle, D. 2007. *Baudoinia*, a new genus to accomodate *Torula compniacensis*. *Mycologia*. 99(4): 592-601.
- Schaible, G.A., & Strobel, G.A., Mends, M.T., Geary, B., Sears, J. 2014. Characterization of an Endophytic *Gloeosporium* sp. and Its Novel Bioactivity with “Synergistans”. *Microbiol. Ecol.*
- Schulz, B., Boyle, C., and Draeger, S. 2002. ”Endophytic fungi: a source of biologically active secondary metabolites”. *Mycol Res.* 106: 996-1004.
- Schulz, B., and Boyle, C. 2005. The endophyte continuum. *Mycol. Res.* 109:661-686.
- Shenoy, B.D., Jeewon, R., and Hyde, K.D. 2007. Impact of DNA sequence-data on the taxonomy of anamorphic fungi. *Fungal Divers.*26: 1-54.
- Sihombing A., Fatonah, S., and Silviana F. 2012. Pengaruh alelopati *Calopogonium mucunoides* Desv.terhadap perkecambahan dan pertumbuhan anakan gulma *Asystasia gangetica* (L.) T. Anderson. *J. Biospecies.* 5 (2): 5 – 11.
- Silva, M.R.O., Almeida, A.C., Arruda, F.V.F., and Gusmão, N. 2011. Endophytic fungi from brazilian mangrove plant *Laguncularia racemosa* (L.) Gaertn. (Combretaceae): their antimicrobial potential. *Science against Microbial Pathogen: Comm. Curr. Res. Technol. Adv.* 2:1260-1266.

- Sugiyama, J. 1987. *Pleomorphic Fungi: The Diversity and Its Taxonomic Implications*. Kodansha Ltd. Tokyo. 324.
- Sun, J., Guo, L., Zhang, W., Ping, W., and Chi, D. 2008. Diversity and ecological distribution of endophyte fungi associated with medicinal plants. *Sci. China Ser C-Life Sci.* 51(8): 751-759.
- Suryanarayananana T.S., Thirunavukkarasub N., Govindarajulub M.B., Sasse F., Jansend R., and Murali T.S. 2009. Fungal endophytes and bioprospecting. *Fungal Biol. Rev.* 23(2): 9-19.
- Suthep, W., Nongluksna, S., Wattana, P., Nuntawan, T., Kanawat, D., Nijsiri, R., and Vithaya, M. 2014. Endophytic fungi with antimicrobial, anti-cancer and anti-malaria activities isolated from Thai medicinal plants. *World J. Microbiol. Biotechnol.* 20: 265-272.
- Sutton. 1980. The Coelomycetes. *Commonwealth Mycological Institute, Kew, Surrey, England.* 522-537.
- Selim, KA, El-Beih, A.A, AbdEl-Rahman, TM, and El-Diwany, AI. 2012. Biology of endophytic fungi. *Curr. Res. Environ. Appl. Mycol.* 2(1):31-82.
- Selvi, B. K., and Balagengatharathilagam, P. 2014. Isolation and screening of endophytic fungi from medicinal plants of Virudhunagar District for antimicrobial activity. *Int. J. Scie. Nat.* 5(1): 147-155.
- Sedlář J., Sedlářová M., and Flusser J. 2009. *Image Processing Methods For Determination Of Downy Mildews From Light Microscopy Images*. In: Kulpa K, Kaska W.(Eds) *Signal Processing Symposium Proceedings*, Warsaw University of Technology, Warsaw.
- Senna, S., and Sridhar, K.R. 2004. Endophytic fungal diversity of 2 sand dune wild legumes from the southwest coast of India. *Canadian J. Microbiol.* 50: 1015-1021.
- Soladoye M. O., Ikotun T., Chukwuma E. C., Ariwaodo J. O., Ighanesebor G. A., Agbo-Adediran O. A., and Owolabi S. M. 2014. Our plants, our heritage: preliminary survey of some medicinal plant species of Southwestern University Nigeria Campus, Ogun State, Nigeria. *Ann. Biol. Res.* 4 (12):27-34.
- Schardl, C.L. and Phillips, T.D. 1997. Protective grass endophytes: Where are they from and where are they going?. *Plant. Disease.* 81(5): 430-438.
- Schulz, B., Drager, U.W.S., and Aust, HJ. 1993. Endophytes from herbaceous plants and shrubs: effectiveness of surface sterilization methods. *Mycol. Res.* 97: 1447-1450.

- Schwarz, M., Köpcke, B., Weber, R., Sterner, O. and Anke, H. 2004. 3-Hydroxypropionic acid as a nematocidal principle in endophytic fungi. *Phytochemistry*. 65(15): 2239-2245.
- Shearer, J.F. 2001. Recovery of Endophytic Fungi from *Myriophyllum spicatum*. *US Army Eng. Res. & Dev. Cent.* US.
- Shankar, N.B., and Shashikala, J. 2010. Diversity and structure of fungal endophytes in some climbers and grass species of Malnad Region, Western Ghats, Southern India. *Mycosphere*. 1:265-274.
- Sherma, J. & Fried, B. 2003. *Handbook of thin-layer chromatography*, 3<sup>rd</sup> edition, Marcel Dekker, Inc., New York, 997p.
- Skerman, P.J. 1977. *Tropical Forage Legumes*, Food and Agriculture Organization of The United Nations, Rome, 609p.
- Stierle, A., Strobel, G. A., and Stierle, D. 1993. Taxol and taxane production by *Taxomyces andreanae*, an endophytic fungus of pacific yew. *Science*. 260(5105) : 214-216.
- Striegel, M.F., dan Hill, J. 1996. *Thin-Layer Chromatography for Binding Media Analysis*. The J. Paul Getty Trust. The United State of America.
- Stevenson, G.B. 1970. *The biology of Fungi, Bacteria, and Virus*. 2<sup>nd</sup> edition. Edward Arnold Publisher. London. 48-49.
- Stone, J.K., Polishook J.D., and White J.F. 2004. *Endophytic Fungi. In: Biodiversity of Fungi. Inventory and Monitoring Methods*. In Mueller G.M., Bills G.F., Foster M.S.(Eds) Elsevier Academic Press, San Diego, United State of America. 241-270.
- Strobel, G.A. 2004. Natural products from endophytic microorganism. *J. Nat. Prod.* 67:257-268.
- Strobel, G., and Daisy, B. 2003. Bioprospecting for microbial endophytes and their natural products. *Microbiol. Mol. Biol. Rev.* 674: 491–502.
- Tan, X.R., and Zou, W. X.. 2001. Endophytes: A rich source of functional metabolites. *Nat. Prod. Rep.* 18:448-459.
- Tarman, K., Lindequist, U., Wende, K., Porzel, A., Arnold, N., & Wessjohann, L. A. 2011. Isolation of a new natural product and cytotoxic and antimicrobial activities of extracts from fungi of Indonesian marine habitats. *Marine Drugs*. 9(3) :294-306.
- Taylor, J.W. 2011. One Fungus, One Name: DNA and fungal nomenclature twenty years after PCR. *IMA Fungus*. 2(2): 113–120.

- Tenguria, R.K., and Firodiya, A. 2013. Diversity of endophytic fungi in leaves of *Glycine max* (L.) Merr. from central region of Madhya Pradesh. *World J. Pharm. Pharm. Sci.* 2 :5928-5934.
- Tikoo, A, Shakri, R., Conolly, L., Hirokawa, Y., Shishido, T., Bowers, B., Ye, L., Kohama, K., Simpson, R. J., and Maruta, H. 2000. Treatment of ras-induced cancers by the factin-bundling drug MKT-077. *Cancer J.* 6(3): 162-168.
- Teles, H.L., Teles, J.S., Silva, G.H., Gamboa, I.C., Bolzani, V.S., Pereira, J.O., Costa-Neto, C. 2005. Benzopyrans from *Curvularia* sp., an endophytic fungus associated with *Ocotea corymbosa* (Lauraceae). *Phytochemistry.* 66(19):2363-7.
- Tong, W.Y., Darah, I., and Latiffah, Z. 2011. Antimicrobial activities of endophytic fungal isolates from medicinal herb *Orthosiphon stamineus* Benth. *J. of Med. Plants.* 5(5): 831-836.
- Touchstone, J.C. 1992. *Practice of Thin Layer Chromatography.* 3rd. John Wiley & Sons. Canada.
- Tredway, L.P., and Burpee, L.L. 2001. *Rhizoctonia* diseases of turfgrass. *The plant health instructor.*
- Tuppad, D.S., and Shishupala, S. 2014. Evaluation of endophytic fungi from *Butea monosperma* for antimicrobial and enzyme activity. *J. of Medicinal Plants Studies.* 2(4): 38-45.
- Umashankar, T., Govindappa, M. and Ramachandra, Y.L. 2014. In vitro antioxidant and antimicrobial activity of partially purified coumarins from fungal endophytes of *Crotalaria pallida*. *Int. J. Curr. Microbiol. Appl. Sci.* 3(8):58-72.
- Venkatesan G, Suryanarayanan S. 2013. Fungi associated with the leaves of some hydrophyte plants. *Int. J. Curr. Res. Dev.* 1 (1): 53-69.
- Von Arx, A.JA. 1970. A revision of the fungi classified as *Gloeosporium*. *Bibliotheca Mycologica.* 24:1-203.
- Waller, F., Achatz, B., Baltruschat, H., Fodor, J., Becker, K., Fischer, M., Heier, T., Hückelhoven, R., Neumann, C., Diterwon, W., Franken, P. and Kogel, K.H. 2005. The endophytic fungus *Piriformospora indica* reprograms barley to salt stress tolerance, disease resistance, and higher yield. *Proceedings of the National Academy of Sciences of the United States of America.* 102(38):13386-13391.
- Wagner, H. and Bladt, S. 1996. *Plant Drug Analysis: A thin layer chromatography atlas.* 2<sup>nd</sup> edition, Springer-Verlag, New York, 384 p.

- Wang, Y., and Dai, C.C. 2011. Endophytes: a potential resource for biosynthesis, biotransformation and biodegradation. *Ann. Microbiol.* 61: 207–215.
- Wang, Y.N., Shao, C.L., Zheng, C.J., Chen, Y.Y., and Wang, C.Y. 2011. Diversity and Antibacterial Activities of Fungi Derived from the *Gorgonian Echinogorgia rebekka* from the South China Sea. *Mar. Drugs.* 9: 1379-1390.
- Watanabe, T. 2002. *Pictorial atlas of soil and seed fungi; morphologies of cultured fungi and key to species. 2nd ed.* CRC Press. United State of America.
- White, R.E. 2009. *Principles and practices of soil science.* Wiley-Blackwell. 384
- Wu, J., Cheung, P.C.K., Wong, K., and Huang, N. 2004. Studies on submerged fermentation of *Pleurotus tuber-regium* (Fr.) Singer. Part 2: effect of carbon-to-nitrogen ratio of the culture medium on the content and composition of the mycelial dietary fibre. *Food Chemist.* 85: 101-105.
- Weishampel, P. and Bedford, B. 2006. Wetland dicots and monocots differ in colonization by arbuscular mycorrhizal fungi and dark septate endophytes. *Mycorrhiza.* 16(7): 495-502.
- Woodson, RE., Jr., Schery, R.W., Dwyer, J.D., D'Arcy, W. G., Dillon M.O., White, P.S., Poston, M.E., Frantz, P.R., Windler, D.R., McLaughlin, L; Schubert, B. G., Maxwell, R.H., Dunn, D.B., and Lackey, J.A. 1980. Flora of Panama. Part V. Family 83. Leguminosae. Subfamily Papilionoideae (Conclusion). *Ann. Missouri Bot. Gard.* 67(3): 523-818.
- Xiaoling, C., Xiaoli, L., Shining, Z., Junping, G., Shuiping, W., Xiaoming, L., Zhigang, S., and Yongcheng, L. 2010. Cytotoxic and topoisomerase I inhibitory activities from extracts of endophytic fungi isolated from mangrove plants in Zhuhai, China. *J. Ecol. Nat. Environ.* 2(2):017-024.
- Xu, Z., Harrington, T.C., Gleason, M.L., and Batzer, J.C. 2010. Phylogenetic placement of plant pathogenic *Sclerotium* species among teleomorph genera. *Mycologia.* 102(2):337–346
- Yadav, M., Yadav A., Kumar S., Sharma D., and Yadav, J.P. 2014. Evaluation of in vitro antimicrobial potential of endophytic fungi isolated from *Eugenia jambolana* Lam. *Int. J. Pharmaceut. Pharm. Sci.* 6(5): 208-211.
- Yang, S.M., Dowler, W. M. And Johnson, D.R. Comparison of methods for selecting fungi pathogenic to leafy spurge. *Plant Dis.* 75(12):1201-1203.
- Yang, X., Strobel, G.A., Stierle, A., Hess, W.M., Lee, J. and Clardy, J. 1994. A fungal endophyte-tree relationship; *Phoma* sp. in *Taxus wallichiana*. *Plant. Sci.* 102:1-9.

- Yu, H., L. Zhang, L. Li, C. Zheng, L. Guo, W. Li, P. Sun, & L. Qin. 2010. Recent development and future prospects of antimicrobial metabolites produced by endophytes. *Microbiol. Res.* 165(6): 437-449.
- Zablotowicz, R. M., Hoagland, R. E., and Wagner, S. C. 1996. *Effect of Saponin on The Growth and Activity of Rhizosphere Bacteria*. In Naidu, A. S. (ed). *Natural Food Microbial Systems*. CRC Press. USA.
- Zalar, P., Gostinčar, C., de Hoof, G.S., Uršič, V., Sudhadham, M., and Gunde-Cimerman, N. 2008. Redefinition of *Aureobasidium pullulans* and its varieties. *Stud. in Mycol.* 61: 21–38.
- Zeilinger, S., Francisco-Martín, J., García-Estrada, C. 2015. Biosintesis dan Genetika Molekuler dari jamur sekunder Metabolit, Volume 2. *Springer*. 86-88.
- Zhang, H.W., Song, Y.C., Tan, R.X. 2006. Biology and chemistry of endophytes. *Nat. Prod. Rep.* 23: 753–771.
- Zhao, L., Zhou, J., Wang, T., Shan, L., Zhong, X., Liu and X, Gao. 2010. Endophytic fungi for producing bioactive compounds originally from their host plants. *Curr. Res. Technol. Edu. Topics in Appl. Microbiol. Microbiological Biotechnol.* 2: 567-576.
- Zhou, Y., Zhang, Y., Li, J., Meng, X., Zhao, J., He, W., and Zhou, L. 2011. Antibacterila and antioxidant activities of the endophytic fungi from medicinal herb *Trillium tschonoskii*. *African J. Microbiol. Res.* 5(27): 4971-4921.
- Zuber, A., Kowalczyk, M., Sekula, A., Mleczko, P., and Kupiec, T. 2011. Method used in species identification of hallucinogenic and other poisonous mushrooms in forensic investigations. *Prob. Foren. Sci.* 86:151–161.